

# PRODUCT DATASHEET

## HB COMP V REFL 166W 80DEG SI

HIGH BAY COMPACT REFLECTOR | Aluminum reflector for HIGHBAY COMPACT luminaires



---

### Product features

- Beam angle: 80°
- High-quality aluminum reflector


## TECHNICAL DATA

### Photometrical data

|            |      |
|------------|------|
| Beam angle | 80 ° |
|------------|------|

### Dimensions & Weight




|                |           |
|----------------|-----------|
| Diameter       | 363.00 mm |
| Height         | 112 mm    |
| Product weight | 394.00 g  |



### Materials & Colors

|               |          |
|---------------|----------|
| Product color | Silver   |
| Body material | Aluminum |

## DOWNLOAD DATA

| Documents and certificates   |  | Document name                               |
|--|--|---|
|  | User instruction / safety instructions | UI HIGHBAY COMPACT V                        |
|  | Legal information                      | Informationstext 18 Abs 4 ElektroG          |
| Tender texts   |  | Document name                               |
|  | Tender documents                       | HIGH BAY COMPACT REFLECTOR 166W 80DEG SI-EN |

## LOGISTICAL DATA

| Product code  | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Gross weight | Volume                |
|---------------|------------------------------|--------------------------------------|--------------|-----------------------|
| 4058075715257 | Shipping box<br>2            | 375 mm x 140 mm x 400 mm             | 1246.00 g    | 21.00 dm <sup>3</sup> |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

---

### References / Links

– For Guarantee see [www.ledvance.com/guarantee](http://www.ledvance.com/guarantee)

---

### DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.