

PRODUCT DATASHEET SMART+ ZB SWITCH MINI Grey

Starters for single operation at 230 V AC (ST 111, ST 171, ST 173) | Starters for single operation at 230 V AC



Areas of application

- General illumination
- Controls up to 10 compatible SMART+ products or other compatible
 ZigBee products via TouchLink without internet
- Integration into LIGHTIFY systems to control SMART+ or other compatible ZigBee products

Product benefits

- Wall switch and remote control combined in one product
- Control of compatible products without Internet connection or smart devices

Product features

- $\,$ Three individually configurable buttons for up to six functions via short/long press
- Battery-powered
- Network protocol: ZigBee
- Type of protection: IP44

TECHNICAL DATA

Electrical data

Nominal voltage	3 V
Mains frequency	0 Hz

Dimensions & Weight

Lifespan

Number of switching cycles	50000
----------------------------	-------

Additional product data

Mercury content	0.0 mg	

Capabilities

Dimmable	No
----------	----

Certificates & Standards

Country-specific categorizations

Order reference	SMART ZB SWITCH
-----------------	-----------------

Energy labelling regulation data acc EU 2019/2015

Length	80.00 mm
Height	14.00 mm
Width	40.00 mm

EQUIPMENT / ACCESSORIES

- LIGHTIFY® app required (only for configuration)
- LIGHTIFY® Gateway required (only for configuration)

DOWNLOAD DATA

	Documents and certificates	Document name
PDF	Declarations of conformity	EC Declaration_SMART+ Switch mini Ledvance

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075209107	Folding box 1	61 mm x 78 mm x 96 mm	84.00 g	0.46 dm ³
4058075213739	Shipping box	173 mm x 108 mm x 141 mm	408.00 g	2.63 dm ³
4058075213746	Shipping box 32	359 mm x 229 mm x 303 mm	3513.00 g	24.91 dm³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.