

## PRODUCT DATASHEET

### SMART+ ZB CLA60 60 8.5 W E27

Starters for single operation at 230 V AC ( ST 111, ST 171, ST 173) | Starters for single operation at 230 V AC



#### Areas of application

- General illumination
- Outdoor applications only in suitable luminaires

#### Product benefits

- Easy to install and use
- Up to 80 % less energy consumption compared to halogen lamps
- Contains no mercury

#### Product features

- LED Classic A lamp with wireless smart lighting function
- Dimmable
- Network protocol: Zigbee LL 2.0
- Lifetime up to 15,000 h
- Controllable via compatible smart home system (gateway and app) or SMART+ Switch
- For full functionality connection to a compatible smart home System (gateway and app) required



## TECHNICAL DATA

### Electrical data

|  |            |
|--|------------|
| Nominal wattage                        | 8.5 W      |
| Construction wattage                   | 8.50 W     |
| Nominal voltage                        | 220 V      |
| Claimed equiv. conventional lamp power | 60 W       |
| Nominal current                        | 42 mA      |
| Type of current                        | AC         |
| Operating frequency                    | 50...60 Hz |
| Mains frequency                        | 50...60 Hz |
| Power factor $\lambda$                 | > 0.50     |

### Photometrical data

|   |            |
|---|------------|
| Luminous flux                           | 810 lm     |
| Luminous efficacy                       | 95 lm/W    |
| Lumen main.fact.at end of nom.life time | 0.70       |
| Light color (designation)               | Warm White |
| Color temperature                       | 2700 K     |
| Color rendering index Ra                | > 80       |
| Light color                             | 827        |
| Standard deviation of color matching    | ≤6 sdcn    |

### Light technical data

|                     |          |
|---------------------|----------|
| Warm-up time (60 %) | ≤ 0.50 s |
| Starting time       | < 0.5 s  |

### Dimensions & Weight

|                  |           |
|------------------|-----------|
| Overall length   | 110.00 mm |
| Diameter         | 60.00 mm  |
| Maximum diameter | 60 mm     |
| Product weight   | 72.00 g   |

### Temperatures & operating conditions

|                           |              |
|---------------------------|--------------|
| Ambient temperature range | -20...+40 °C |
|---------------------------|--------------|

### Lifespan

|                            |        |
|----------------------------|--------|
| Number of switching cycles | 100000 |
|----------------------------|--------|

### Additional product data

|                             |   |
|-----------------------------|---|
| Base (standard designation) | E27   |
| Mercury content             | 0.0 mg  |
| Mercury-free                | Yes   |
| Product remark              | All technical parameters apply to the entire lamp / Due to the complex production process for light-emitting diodes, the typical values shown for the technical LED parameters are purely statistical values that do not necessarily match the actual technical parameters of each individual product, which can vary from the typical value / Reset settings to default by switching the product on for five seconds and off for five seconds and repeating this five times. |

### Capabilities

|          |     |
|----------|-----|
| Dimmable | Yes |
|----------|-----|

### Certificates & Standards

|                         |                  |
|-------------------------|------------------|
| Energy efficiency class | A+ <sup>1)</sup> |
| Energy consumption      | 8.50 kWh/1000h   |
| Type of protection      | IP20             |
| Standards               | CE               |

<sup>1)</sup> Energy efficiency class (EEC) on a scale of A++ (highest efficiency) to E (lowest efficiency)

### Country-specific categorizations

|                 |                |
|-----------------|----------------|
| Order reference | SMART CLAS A60 |
|-----------------|----------------|



### Energy labelling regulation data acc EU 2019/2015

|   |           |
|---|-----------|
| Light source cap-type (or other electric interface) | E27       |
| Length  | 110.00 mm |
| Height  | 60.00 mm  |
| Width   | 60.00 mm  |

### EQUIPMENT / ACCESSORIES

– Control via app requires LIGHTIFY system (app and gateway) or other compatible Smart home system

### DOWNLOAD DATA

| Documents and certificates   |                            | Document name  |
|--|----------------------------|--|
|  | Declarations of conformity | EU Declaration Smart EU Classic A                      |
|  | Declarations of conformity | EU declaration Smart Classic A series (E27 DIM+E27 TW) |

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.