

PRODUCT DATASHEET

ENDURA STYLE Cylinder Wall 6 W ST

Starters for single operation at 230 V AC (ST 111, ST 171, ST 173) | Starters for single operation at 230 V AC



Areas of application

- Outdoor use (IP44)
- Building facades
- Gardens, balconies and other outdoor areas
- Pathway lighting
- Driveways

Product benefits

- Energy-efficient thanks to LED technology
- Easy and quick installation
- Long-term energy and cost savings (sensor version)

Product features

- Bright and functional outdoor LED luminaires
- Housing made of Polycarbonate covered with stainless steel
- Available as wall, ceiling and bollard luminaires



TECHNICAL DATA

Electrical data

Nominal wattage	6.00 W
Nominal voltage	220...240 V
Operating mode	Mains voltage
Nominal current	50.000 mA
Type of current	AC
Mains frequency	50...60 Hz


Photometrical data

Luminous flux	360 lm
Luminous efficacy	60 lm/W
Light color (designation)	Warm White
Color temperature	3000 K
Color rendering index Ra	> 80
Light color	830
Standard deviation of color matching	< 6 sdcm

Light technical data

Starting time	0.5 s
---------------	-------

Dimensions & Weight



Product weight	470.00 g
----------------	----------

Temperatures & operating conditions

Ambient temperature range	-20...+40 °C
---------------------------	--------------

Lifespan

Number of switching cycles	15000
----------------------------	-------

Additional product data

Mercury content	0.0 mg
-----------------	--------

Capabilities

Dimmable	No
----------	----

Certificates & Standards

Type of protection	IP44
--------------------	------

Country-specific categorizations

Order reference	ENDURA STYLE CY
-----------------	-----------------

LOGISTICAL DATA

Temperature range at storage	-20...+85 °C
------------------------------	--------------

Energy labelling regulation data acc EU 2019/2015

Length	138.00 mm
Height	135.00 mm
Width	102.00 mm

EQUIPMENT / ACCESSORIES

- Complete mounting and connecting accessories included

Safety advice

- All electrical connections must be made by a qualified person.
- Caution, risk of electric shock.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.