


# PRODUCT DATASHEET SF BLKH EYELID 300 BK

SURFACE BULKHEAD EYELID | Attachable half-visor ring (IK10)



### **Product features**


- Eyelid ring for Surface Bulkhead
- Available for 250 mm and 300 mm Bulkhead version
- Available in black and white color
- Impact resistance: IK10



### **TECHNICAL DATA**

# Dimensions & Weight

Diameter	308 mm
Height	65 mm
Product weight	280.00 g



#### Materials & Colors

Product color	Black
Cover material	Polycarbonate (PC)

# **Application & Mounting**

Mounting location	Luminaire
Replaceable light source	No

### Certificates & Standards

Luminaire with limited surface temperature, "D sign"	No
--	----

### **EQUIPMENT / ACCESSORIES**

- Anti-theft screw included

### DOWNLOAD DATA

	Documents and certificates	Document name
PDF	User instruction / safety instructions	SURFACE BULKHEAD

	Photometric and lighting design files	Document name	
	IES file (IES)	SF BLKH EYELID 300 BK 3000K	
les l	IES file (IES)	SF BLKH EYELID 300 BK 4000K	

Tender texts	Document name
Tender documents	SURFACE BULKHEAD EYELID 300 BK-EN

#### LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075375543	Folding box 1	74 mm x 322 mm x 70 mm	385.00 g	1.67 dm <sup>3</sup>
4058075375550	Shipping box 8	605 mm x 340 mm x 330 mm	3801.00 g	67.88 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### References / Links

- For Guarantee see www.ledvance.com/guarantee

#### **DISCLAIMER**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.