












RETAIL SMART⁺ PROGRAM 2022



CONTENTS

	OVERVIEW	4
	SMART+ WIFI – GENERAL INFORMATION	8
	SMART+ BLUETOOTH – GENERAL INFORMATION	12
	SMART+ ZIGBEE – GENERAL INFORMATION	18
	EU REGULATION AND POINT OF SALE	22
	SUN@HOME – PRODUCT PORTFOLIO	30
	SMART+ WIFI – PRODUCT PORTFOLIO	50
	SMART+ BLUETOOTH – PRODUCT PORTFOLIO	194
	SMART+ ZIGBEE – PRODUCT PORTFOLIO	210


SMART LIGHT: A SUREFIRE WINNER FOR YOUR LIGHTING BUSINESS

Smart connected light is already an established megatrend. To benefit from this development and to meet the needs of your customers today and tomorrow in virtually every respect, we have massively expanded our SMART+ range. Check out our unprecedented selection of digitally connected lamps and luminaires – and set new trends for your lighting business.



EVEN MORE FACETS, EVEN MORE FASCINATION: THE NEW EXPANDED SMART+ PORTFOLIO

An even wider range of lamps, indoor luminaires, outdoor luminaires and components means there are plenty of smart connected lighting solutions available to be discovered by your customers. Our brand new bathroom and wall luminaires are among the highlights in the luminaire range. Existing lighting points can be equipped with smart colored light and even non-smart luminaires can be integrated in the system.





SMART SOLUTIONS FOR ALL CUSTOMER NEEDS

Whether it's convenience, a sense of security, the ability to take advantage of a range of intelligent functions or the pleasure of configuring lighting indoors and outdoors – customers have widely differing expectations of smart lighting. SMART+ fulfills all these expectations in the best way possible.

1. Clever & convenient

Why get up every time you want to switch the lighting on or off? SMART+ customers can control their lighting via an app or voice command from the comfort of their sofa.




3. Clever & appealing

Lighting is now much more than simply a matter of “on” or “off”. More and more customers are becoming excited by the possibility of creating atmospheric lighting scenarios or automating their lighting sequences (e.g. wake-up light) throughout the course of the day.

2. Clever & mobile

SMART+ gives users an enhanced sense of security. They can control their lighting at home from practically any location – to simulate their physical presence, for example.



WHY CUSTOMERS ARE SO EXCITED ABOUT SMART+

4. Clever & outdoors

Greater convenience, increased security, heightened atmosphere: Outdoors too, LEDVANCE has a large number of smart lighting products that open up a wide range of fascinating possibilities.

SO CLEVER SMART+ FROM LEDVANCE

Your customers decide how they want to make their lights smart – LEDVANCE offers the right solution from numerous options. They can pick the smart way and use an app or go for casual and use a voice assistant for controlling their lights. They can choose between different technologies: WiFi, Bluetooth, quick to set up and no additional hardware, or Zigbee with a gateway.

1 CONTROL BY LIGHT SWITCH



— On/off

WORKS WITH:



BENEFITS:

All of our smart products can also be switched on or off in the classic way using a light switch. Automatic pairing time 3 minutes.


2 CONTROL VIA SMARTPHONE



Wifi-App



Bluetooth-App



PARTNER
APP

WORKS WITH:



BENEFITS:

The easiest way: Just use the free LEDVANCE SMART+ WiFi app for our WiFi range, the free SMART+ app for our Bluetooth range or a partner app for our Zigbee products – and enjoy the numerous possibilities of smart light control.

THREE STANDARDS FOR EVERY TASTE



SMART+ WIFI

Our WiFi products are perfect for anyone who wants to explore the fascinating possibilities of smart lighting very simply and intuitively. Plenty of new indoor wall and ceiling luminaires, spotlights, downlights, functional luminaires and outdoor luminaires are ready to be discovered.



SMART+ BLUETOOTH


Our SMART+ Bluetooth products can be easily operated by voice. This is because these products harmonize perfectly with smart speakers from Google or Amazon. Control your lights, music and much more. Your advantage is that you don't need any additional hardware and can directly connect your light sources. Setup in a snap.



SMART+ ZIGBEE

The particularly energy-efficient and versatile ZigBee wireless standard is ideal for connecting different Smart Home products. Many different luminaires and other smart products can be combined through the Mesh network. What's different is that you need an additional gateway, also called a bridge, to use ZigBee with your LEDVANCE SMART+ ZigBee products.

SMART+ CAN DO ALL OF THIS: PRODUCT FUNCTIONS*




On/Off function



Dimming function



From warm white to cool white



Light color function

* Depending on product model

3 CONTROL BY VOICE COMMAND




WORKS WITH:



BENEFITS:

For anyone who wants to control their lights by voice, all LEDVANCE SMART+ product lines work with compatible smart speakers such as Google Nest or Amazon Echo. Zigbee compatibility will depend on the partner system.

4 CONTROL BY REMOTE CONTROL



WORKS WITH:



BENEFITS:

For guests or simply because it's convenient: Wireless control of SMART+ WiFi products by remote control.

SMART+ WIFI: HUGE RANGE, FREE APP. THAT'S IT!



SMART+ WiFi is the simplest route to smart lighting. Your customers only need the following: a SMART+ WiFi lamp or luminaire, a router (most homes have one already), the free LEDVANCE SMART+ WiFi app – and they're ready to go!


Lights can also be controlled from a normal light switch (on/off), remote control or by voice command via a smart speaker. The possibilities are practically endless, with the app enabling a wide range of functions in an extremely simple manner.


¹ The maximum number will depend on your router


THE KEY BENEFITS AT A GLANCE:


- Flexible control options
- Easy integration of the products in the app or speaker
- Huge range of lamps and luminaires for indoors and outdoors
- Up to 250 products can be connected, and around 50 can be controlled simultaneously¹
- Short response time

QUICK AND EASY INTEGRATION FOR CONTROL VIA SMARTPHONE OR BY VOICE COMMAND

- 


Download the LEDVANCE SMART+ WiFi app
- 

Register and link to the router
- 

Switch on the LEDVANCE lamp/ luminaire and integrate it in the LEDVANCE SMART+ WiFi app. **Done!**
- 

If you want to expand your control options just link the LEDVANCE SMART+ WiFi app with the Google Home app, Alexa app or another system and connect your Google Nest, Amazon Echo or other compatible smart speaker. **Done!**

SMART+ WIFI CAN DO ALL OF THIS: SYSTEM FUNCTIONS



GROUP LIGHT SOURCES



For example combine indoor and outdoor light sources




LIGHT MANAGEMENT ON THE GO




For example simulate physical presence at home



AUTOMATED LIGHTING SEQUENCES




For example light for waking up and falling asleep



INTERACTING LIGHT SOURCES



For example living room lighting off, bedroom lighting on



CREATE LIGHTING SCENES



All light sources are adjusted to create the desired atmosphere

... AND MUCH MORE!

Further Information: ledvance.com/consumer/smart

SMART+ WIFI REMOTE CONTROL USEFUL LITTLE HELPER



The remote control is a useful additional help, especially when your smartphone is not available. It is suitable for the whole family, young and old, as well as guests. And it is always ready for instant lighting control because, unlike a smartphone, it does not have to be activated first.

THE KEY BENEFITS AT A GLANCE:

- Wireless control of SMART+ Wifi products without using voice control and app
- Controls up to 15 compatible SMART+ WiFi products by contactless pairing
- LEDVANCE SMART+ WiFi app required (only for configuring of SMART+ WiFi products)
- On/off and dimming
- Adjustable light color via Tunable White: Warm White to Cool White
- RGB color control
- Adjustable light scenes

QUICK AND EASY INTEGRATION FOR REMOTE CONTROL



SMART+ WIFI AND VOICE CONTROL: NO PROBLEM AT ALL





For anyone who wants to conveniently control their lighting at home by voice command using popular smart speakers such as Google Nest or Amazon Echo. No additional gateway is required. SMART+ WiFi products can be connected intuitively from cloud to cloud and the connection works perfectly. Lighting routines and scenes can be called up very easily using voice commands.


THE KEY BENEFITS AT A GLANCE:


- Easy integration of SMART+ WiFi products in the Google Home app or Alexa app
- Fast installation: less than 5 minutes
- Up to 250 products can be integrated


QUICK AND EASY INTEGRATION FOR CONTROL VIA GOOGLE NEST FOR EXAMPLE

- 

An active account is required in the Google Home app for integrating the LEDVANCE SMART+ WiFi app.
- 

Go to the profile in the lower right corner of the LEDVANCE WiFi app, scroll down and click on the "Google Assistant" icon.
- 

Click on "Link with Google Assistant".
- 

Google Home app starts; to connect the LEDVANCE WiFi account to the Google Home app, click "Confirm authorization"
- 

The devices in the LEDVANCE WiFi app can then be set up in the Google Home app (rooms, routines, etc.).

SMART+ BLUETOOTH: EASY, QUICK AND STRESS-FREE



The SMART+ Bluetooth range can be linked directly to the Google and Amazon systems. This means the products not only work perfectly with the smart speakers and are therefore ideal for voice control, they can also be integrated more easily and have faster response times. The lights can also be controlled from a normal light switch (on/off) or via the LEDVANCE SMART+ app for Bluetooth.

THE KEY BENEFITS AT A GLANCE:

- Direct integration of SMART+ Bluetooth products in the Google Home app or Alexa app
- Fast installation: less than 5 minutes
- Extremely fast response time
- Bluetooth Mesh function: each additional SMART+ Bluetooth lamp connected in series increases the range of the network
- A practically unlimited number of light sources can be connected up

QUICK AND EASY INSTALLATION FOR CONTROL WITH VOICE COMMANDS



Screw in the LEDVANCE SMART+ bluetooth lamp and switch on



Set up the lamp in the Google Home app or Alexa app and link to a Google Nest or Amazon Echo speaker^{1,2}
Done!

¹ Google account and Google speaker required | ² Amazon account and Amazon speaker required

SMART+ BLUETOOTH CAN DO ALL THIS: SYSTEM FUNCTIONS

CREATE LIGHTING SCENES



Create lighting scenes using the app and activate via speaker

CHANGE LIGHT COLORS AND INTENSITY



Control your lights as you wish

MUSIC AND AUDIO CONTROL



Sleep sensing¹, weather information, music and audio²



PROGRAM TIMES



Take advantage of the various options in addition to light control

PROGRAM YOUR DAY



Define gently intensifying lighting levels at waking-up time

... AND MUCH MORE!

Further Information: [ledvance.com/consumer/smart](https://www.ledvance.com/consumer/smart)

¹ Google Nest Hub only | ² Compatible smart home devices are required

MUSIC. SHOWS. SIMPLE SMART HOME CONTROL. GOOGLE NEST HUB 2ND GENERATION



THE EASIEST WAY TO BE ENTERTAINED.

Play music and catch up on your favorite Netflix shows and YouTube videos.¹ And view your best shots from Google Photos automatically.




AN EFFORTLESS WAY TO TRACK YOUR SLEEP.

With Nest Hub at your bedside, Sleep Sensing² can track when you go to bed, when you wake up, and how long you've slept. Enjoy a preview of Sleep Sensing. It's free until next year.



KEEP YOUR FAMILY CONNECTED.

See your calendar and create reminders and to-dos. Get answers from Google Assistant. And broadcast messages across the house with your other Nest speakers.



¹Subscription services may be required for certain content. | ²Sleep Sensing is available as a free preview until next year. Learn more at g.co/sleepsensing/preview. After preview ends, paid subscription may be required. Sleep Sensing features are subject to your permissions and settings. They use motion, sound, and other device and sensor data to work and require placing the device close to the bed and



SIMPLE SMART LIGHT CONTROL.

Control your connected lamps or luminaires in one place with a tap – or your voice.³ Just say “Hey Google, dim the lights” or “Hey Google, are the lights on in the living room?”

WIND DOWN EASILY. WAKE UP GENTLY.

The Your Evening page helps you fall asleep with a bedtime countdown and relaxing sounds. And the Sunrise Alarm makes waking up a little easier.




IT'S BEAUTIFULLY DESIGNED.

Nest Hub’s simple design and subtle colors fit any room. And it’s made with the environment in mind. The enclosure is made from 54 % recycled plastic.⁴



WORKS WITH PRODUCTS AND SERVICES YOU ALREADY LOVE.

Enjoy songs, podcasts, and audiobooks from your favorite streaming services, or ask Google to play news, sports highlights, and more.¹



calibrating the device for your sleeping position. Google Assistant, Google Fit, and other Google apps may be required for full functionality. Google Assistant requires a Google Account. | ³Compatible smart devices required. | ⁴Enclosure consists of fabric, housing, foot, and a few smaller parts.

SMART LIGHT AND MORE: GOOGLE NEST MINI AND GOOGLE ASSISTANT



Conveniently manage your lighting using voice control. But the Google Nest Mini speaker can also do a whole lot more ...



THE GOOGLE ASSISTANT IS ALWAYS READY TO HELP.²

Just ask and get the best of Google – weather, news or almost anything. Set timers and alarms, make calls and more.⁴



TURN IT UP.

Your favourite music sounds bigger and richer on Nest Mini, 40% stronger bass than the original Mini.⁶



STREAM MUSIC WITH YOUR VOICE.

You can play music from Spotify, YouTube Music and more.¹ Just tell your Google Assistant² the song, radio station, artist, album or genre that you want to hear. Or stream to Nest Mini from your phone.³



HEY GOOGLE, GOOD MORNING.

With Voice Match, your Google Assistant can give you personalised information about your day, such as your schedule, commute time, reminders and more.⁵



CONTROL YOUR HOME WITH YOUR VOICE.²

Just tell your Google Assistant to dim the lights, turn up the heat or pause the TV.^{2,7} Nest Mini works with hundreds of compatible smart devices, such as lights, thermostats or TVs, from the brands you love.

Hey Google, brighten the bedroom lights

Hey Google, change the lights to red

Hey Google, dim the lights 50 %



Hey Google, play some music

Hey Google, what is 25 times 83?

Hey Google, set the timer for 15 minutes

¹ Music subscriptions may be required. Nest Mini is optimized for select music services only.
² Requires an internet connection.
³ Android phone or Chromecast-enabled apps on iOS required.
⁴ The calling feature does not support calls to the emergency services (including 999 and 112) or premium-rate numbers.

⁵ Voice Match requires additional setup and enrollment, and supports up to six users. When using Voice Match, bear in mind that a voice similar to yours, or a recording of your voice, could result in Google incorrectly recognizing someone else as you.
⁶ Measured from 50-100 Hz at max volume.
⁷ Compatible smart devices required.



A PERFECT COMBINATION: STARTER KIT WITH SMART+ PRODUCT AND GOOGLE NEST MINI



Google Nest Mini Chalk and SMART+ Classic A lamp, dimmable, with warm white/cool white color change and light color function.



Google Nest Mini Chalk and dimmable SMART+ Classic A lamp with innovative LED "filament" technology.



Google Nest Mini Charcoal and dimmable SMART+ Classic A lamp with innovative LED "filament" technology.



Google Nest Mini Charcoal and SMART+ Classic A lamp, dimmable, with warm white/cool white color change and light color function.



Google Nest Mini Charcoal and SMART+ plug for integrating conventional electrical devices into compatible smart home systems.

¹ Nest Mini available in Chalk and Charcoal. Currently available in the DACH region, other countries on request

SMART+ ZIGBEE: SYSTEM SOLUTIONS FOR SMART LIGHTING



The SMART+ products using Zigbee technology were developed specifically for control via a gateway. This makes them ideal for anyone who wants to fully exploit the possibilities of smart lighting and wishes to integrate smart light into a comprehensive smart home system.

THE KEY BENEFITS AT A GLANCE:

- Recommended control method is a partner system app (alternatively, control via a smart speaker)
- Large range of lamps and luminaires
- Up to 50 products can be

- connected up
- Compatible with the following systems: Bosch, Philips Hue, Deutsche Telekom Qivicon, SAMSUNG SmartThings, Schwaiger HOME4YOU and many more


SMART+ ZIGBEE – FOR SOPHISTICATED SMART SYSTEMS WITH A GATEWAY

1 

LEDVANCE
lamp/luminaire

2 

Compatible partner
gateway of your choice

3 

Integration in partner app

SMART+ ZIGBEE WITH A PARTNER GATEWAY CAN DO ALL THIS: SYSTEM FUNCTIONS



GROUP LIGHT SOURCES

For example, selected light sources in the living room, all light sources in the outside area, etc.



SIMULATE PHYSICAL PRESENCE

Lighting, blinds, radio, etc. combined with alarm and warning functions to create a comprehensive security concept.



VOICE CONTROL

Convenient voice control via smart speakers is also possible



PROGRAM TIMES

For example, gently intensifying lighting levels at waking-up time and fading lighting levels when going to sleep




FIRE ALARM DURING ABSENCE:

Smoke alarms can also be integrated into a gateway system.



LIGHT MANAGEMENT ON THE GO

Controlling the lighting at home from any location – e.g. simulating physical presence while away on a business trip.



CREATE LIGHTING SCENES

All selected light sources are adjusted to create the desired atmosphere – with just a single command



ENERGY SAVING:

Energy-saving management of the heating system.

LEDVANCE & BOSCH: A FANTASTIC COMBINATION

Bosch Smart Home brings greater security for your home and more convenience in your everyday life. Possible applications for the system, among many others, include convenient and energy-saving management of heating and air quality, and integration of alarm systems to protect against fires and intruders. Responsible for lighting applications: the LEDVANCE SMART+ Zigbee products!



OUR BOSCH STARTER KITS



Bosch & LEDVANCE Smoke Alarm Set Starter Kit
with gateway, smoke alarm and two LEDVANCE RGBW lamps



Bosch & LEDVANCE Alarm System Starter Kit
with gateway, alarm system, a LEDVANCE RGBW lamp and LEDVANCE RGBW light strip

VOICE CONTROL WITH SMART+ ZIGBEE

SMART+ ZIGBEE AND GOOGLE

Our SMART+ Zigbee products can be conveniently controlled via voice as well. SMART+ Zigbee is compatible with all speakers from Google. In this case, however, a gateway from one of our partner systems and the related app are required.



SMART+ ZIGBEE AND AMAZON

Does your customer already own an Amazon speaker? Perfect! SMART+ Zigbee is compatible with all the speaker models. Depending on the particular product generation, voice control is possible with or without a gateway.

VOICE CONTROL **WITHOUT** A SEPARATE GATEWAY

For Amazon speakers with integrated Zigbee gateways, e.g. Amazon Echo (4th generation)



VOICE CONTROL **WITH** A SEPARATE GATEWAY

For Amazon speakers without an integrated Zigbee gateway, e.g. Amazon Echo Dot



SLR/ELR: GET READY FOR CLIMATE- FRIENDLY LIGHT

The EU is now gradually implementing the provisions of the EU regulations on ecodesign (Single Lighting Regulation, SLR) and energy labeling (Energy Labeling Regulation, ELR).

The focus is on further encouraging the use of climate-friendly lighting products, providing clear consumer information and strengthening the circular economy. One thing that is especially important for your lighting business is the new distinction between “light sources” and “containing products”.

LEDVANCE SMART+ LUMINAIRES: NORMALLY “CONTAINING PRODUCTS”

LIGHT SOURCES

are electrically operated products that emit white light*. These include all traditional and LED lamps for general lighting as well as SMART+ lamps – but also fully integrated luminaires from which the light sources cannot be removed using commonly available tools without permanent damage. The new EU SLR/ELR regulations apply only to light sources.



CONTAINING PRODUCTS

include luminaires and other equipment that allow the light source to be removed using commonly available tools without permanent damage. Most LEDVANCE luminaires and SMART+ luminaires have therefore been exempt from the labeling regulations since December 25th, 2019.



NO ENERGY LABEL NEEDED FOR LEDVANCE SMART+ LUMINAIRES

Good to know: Almost all LEDVANCE SMART+ luminaires are classified as “containing products”. This means that they do not have to be marked with an energy label.

* A large number of signaling and control lamps as well as very powerful lighting products (e.g. for outdoor, sports, theater or industrial lighting) are excluded from the EU regulations.

IMPORTANT FOR YOUR SMART+ LAMP BUSINESS: THE NEW EU ENERGY LABEL

Unlike the “containing products”, the “light sources” within the definition of the EU regulations have to be provided with a new energy label. The main updates are as follows:

- The new energy efficiency scale runs from A to G (instead of A++ to E as before) and is now calculated on a new basis.
- A QR code which links to additional product information stored in the EPREL product database

Classification from A to G

OLD

NEW

UNCHANGED:
Power consumption in kilowatt hours per 1000 hours of use

QR code for additional product information

HOW TO READ OUR PRODUCT TABLES

The new lighting regulation states that the new EU label indicating the energy efficiency class must be clearly visible on all product packaging. To make our product tables clearer and easier to read, the energy efficiency class isn't specified by a colored arrow but by a letter. See below.

Energy efficiency class Product packaging				Information table
A ↑ G	→			A
B ↑ G	→			B
C ↑ G	→			C
D ↑ G	→			D
E ↑ G	→			E
F ↑ G	→			F
G ↑ G	→			G

BE ON THE SAFE SIDE WITH LEDVANCE

LEDVANCE ensures that all its products and packaging comply with current EU regulations at all times. Here's what you can rely on:

- Early energy-efficient LED replacement for all affected light sources
- Reliable fulfillment of all obligations regarding labeling and product information
- Support with clear and comprehensive information – so that you can be compliant, both technically and legally

Further information: www.ledvance.com/professional/services/eu-regulations

VIEWING, TESTING, PURCHASING: OUR POS CONCEPT



ATTRACTIVE, INFORMATIVE – AND EXPANDABLE USING FURTHER MODULES

The eye-catching SMART+ POS system features information and demo tools that explain the SMART+ range of lamps and luminaires in a clear and simple manner to your customers. For additional cross-selling, the LEDVANCE & Google Starter Kits can be showcased. This POS system can be flexibly equipped and expanded as required.



POS SOLUTIONS TO MATCH YOUR STORE SIZE

HOUSE OF SMART

The House of Smart is the unmissable PoS solution for large areas in lighting departments or points of sale. The module is fully accessible, illustrates the comprehensive SMART+ range with many functional samples and provides your customers with important product information.

New modules for bathroom, ceiling and wall lights as well as for spotlights and downlights are now available.



DO YOU REQUIRE INDIVIDUAL SOLUTIONS?

Not a problem! Simply get in touch with your contact at our customer service center.



DEMO TOOL

Ideal for selling LEDVANCE & Google Starter Kits. The Demo Tool is equipped with either a header or a screen (including video) – and contains samples of a Google Nest Mini and a SMART+ lamp. Can be positioned in the main rack or on standalone displays.



DEMOBOX

An eye-catcher with loads of information, the 1.20m wide demo box complete with video screen can be individually fitted with three smart lamps and a speaker and placed on the top shelf. An ideal addition for even more sales.



DISPLAYS


Ideal for rapid sales of Bluetooth or WiFi products. Available in various versions.



PERMANENT DISPLAY

The solid wooden display is available in two sizes (1.20m wide or ¼ pallet) and can be positioned in many different ways. Customers are addressed through an attention-grabbing info tool or header board.

EVEN GREATER MOMENTUM FOR




SMART+ WEBSITE

What sort of things can I do with smart lighting? How can I control it? Which technology is right for me? Many people still have a lot of questions about smart lighting. Our new SMART+ web pages answer all of them – and guide customers through the list of potential applications and control methods (via app, voice command or gateway) to find the right technology for their particular situation. Clear, simply explained and readily understandable, with lots of application examples and testimonials from target groups. ledvance.com/consumer/smart

SMART+ INSTALLATION VIDEOS

Simple setup is a decisive sales argument for the SMART+ system. How easy it is to install and operate products is shown in our informative installation videos. Now available to view on our LEDVANCE Consumer YouTube channel.



YOUR SALES EFFORTS





SMART+ FLYER

For customers who want to peruse things at their leisure, a complete range of material and basic information about the SMART+ system is also available in printed form. Located at the PoS, this advertising material gives an additional boost to sales.

SMART+ TESTIMONIAL VIDEOS

Emotional, authentic and totally convincing. In our testimonial videos, various target groups show how smart lighting has brought a completely new dynamic to their homes. Take a look here:

www.ledvance.com/consumer/smart or on our LEDVANCE Consumer YouTube channel.



SUN@HOME: LIGHT YOU CAN'T JUST SEE BUT FEEL.

SUN@HOME lamps and luminaires automatically and almost identically simulate sunlight throughout the day, supporting your natural biorhythm. Whenever you switch on your SUN@HOME lights you will feel more alert and active during the day and will be able to concentrate better. And in the evening this natural quality of light allows you to wind down and recover more easily – even during sleep.










Type of lamp and description of base

Functions

Type of technology

Plastic-free packaging

Additional information on SunLike full-spectrum LED

	SUN@HOME LAMPS	34
	SUN@HOME OFFICE LIGHTING	36
	SUN@HOME PANEL LUMINAIRES	38
	SUN@HOME ROUND CEILING LUMINAIRES	42
	SUN@HOME DOWNLIGHTS	44
	SUN@HOME WALL LUMINAIRES	46
	SUN@HOME MOOD LIGHTING	48

SUN@HOME: THAT'S HOW GOOD LIGHT FEELS

Light inspired by nature. SUN@HOME is the innovative human centric lighting system for your home – very easy to use and with a quality of light that is very close to that of natural light and which automatically changes in the same way as natural daylight.



The large selection of lamps and luminaires offers impressive color rendering of CRI > 95, reduced blue light component for a better sleeping pattern at night and a very broad light temperature spectrum from 2200K – 5000K. And with the help of the LEDVANCE SMART+ WiFi app, this quality of light can be adapted to individual biological rhythms. The result is a greater sense of well-being, better visual comfort and an improved quality of life.

NATURAL QUALITY OF LIGHT – EASILY CONTROLLED



EXTRA BENEFIT: HYGIENIC AIR

All SUN@HOME luminaires have a special innovative coating that removes germs, bacteria, fungi and unpleasant odors from the air.




SUNRISE INDOORS

Better light – naturally. The outstanding quality of light from SUN@HOME luminaires and lamps makes you feel good – just like the natural light of the sun.



BROAD COLOR SPECTRUM





BETTER COLOR RENDERING



2200 – 5000K: From a cozy firelight glow to energizing daylight white.

Colors appear radiant and true to nature.

REDUCED BLUE LIGHT COMPONENT AND MORE EVEN LIGHT DISTRIBUTION




Close to the sunlight spectrum – for greater visual comfort and well-being.

© Toshiba Materials



THIS IS HOW SUN@HOME SUPPORTS BIORHYTHMS



SUN@HOME WIFI LAMPS

SMART CLASSIC LAMPS AND SPOTLIGHTS WITH FULL-SPECTRUM LEDS AND HCL FUNCTIONALITY





1
SUN@Home CLASSIC A 40



2
SUN@Home CLASSIC B 25



3
SUN@Home SPOT PAR 16



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t ₉₀ ²	W	lm	IP ³	K
SUN@Home CLASSIC A 40	4058075575790	1	White	Plastics	25 000	9.00	750	G	2200...5000
SUN@Home CLASSIC B 25	4058075575813	2	White	Plastics	25 000	4.90	425	G	2200...5000
SUN@Home SPOT PAR16	4058075575776	3	Transparent	Lead Free Glass	25 000	4.90	268	G	2200...5000

Product name	CRI	α	IP	Icon	X nCU	l (mm)	d (mm)	Icon
SUN@Home CLASSIC A 40	>95	220	IP20	Icon	1	118.0	60.0	4
SUN@Home CLASSIC B 25	>95	220	IP20	Icon	1	114.0	39.0	4
SUN@Home SPOT PAR16	95	38	IP20	Icon	1	54.0	50.0	4

HOW TO READ OUR PRODUCT TABLES

The new lighting regulation states that the new EU label indicating the energy efficiency class must be clearly visible on every product packaging. To make our product tables clearer and easier to read, the energy efficiency class isn't specified by a colored arrow but a letter. See on the right.

Energy efficiency class Product packaging	Information Table
	A
	B
	C
	D
	E
	F
	G

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Energy efficiency grade of the permanently integrated, non-exchangeable LED modules. Energy efficiency index (EEI) on a scale of A (highest efficiency) to G (lowest efficiency).

SUN@HOME WIFI OFFICE LIGHTING LUMINAIRES

SMART OFFICE LUMINAIRE FAMILY WITH FULL-SPECTRUM LEDS FOR GREATER CONCENTRATION AND PERFORMANCE





Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _h ²	W	lm	K	CRI	⚠
SUN@Home PANAN Floor	4058075575899	1	White	Metal	30 000	41.00	2 000	2 200 ... 5 000	>95	-
SUN@Home PANAN Desk	4058075575875	2	White	Metal	30 000	15.00	600	2 200 ... 5 000	>95	-
SUN@Home Monitor	4058075575912	3	Black	Plastic	30 000	2.50	35	2 200 ... 5 000	>95	110

Product name	IP	ⓧ	X No.	l (mm)	b (mm)	h (mm)	∅ d (mm)	ⓦ
SUN@Home PANAN Floor	IP20	15 000	1	400.0	400.0	1 800.0	400.0	1
SUN@Home PANAN Desk	IP20	15 000	1	500.0	220.0	545.0	220.0	4
SUN@Home Monitor	IP20	15 000	1	450.0	44.0	95.5	-	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SUN@HOME WIFI PLANON™ FRAMELESS

SMART, FRAMELESS PANEL LUMINAIRES WITH FULL-SPECTRUM LEDS FOR GREATER CONCENTRATION AND PERFORMANCE





1
SUN@Home PLANON FRAMELESS
120x30

2
SUN@Home PLANON FRAMELESS
60X60

3
SUN@Home PLANON FRAMELESS
30X30



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _m ²	W	lm	K	CRI	
SUN@Home PLANON FRAMELESS 120x30	4058075575974	1	White	Aluminum	30 000	35.00	3 250	2 200 ... 5 000	>95	110
SUN@Home PLANON FRAMELESS 60X60	4058075575998	2	White	Aluminum	30 000	35.00	3 250	2 200 ... 5 000	>95	110
SUN@Home PLANON FRAMELESS 30X30	4058075576018	3	White	Aluminum	30 000	20.00	1 800	2 200 ... 5 000	>95	110

Product name	IP		l (mm)	b (mm)	h (mm)		
SUN@Home PLANON FRAMELESS 120x30	IP20	15 000	1	1 200.0	300.0	61.0	3
SUN@Home PLANON FRAMELESS 60X60	IP20	15 000	1	600.0	600.0	61.0	3
SUN@Home PLANON FRAMELESS 30X30	IP20	15 000	1	300.0	300.0	61.0	5

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SUN@HOME WIFI PLANON™ PLUS

SMART PANEL LUMINAIRES WITH METAL FRAMES,
FULL-SPECTRUM LEDS FOR GREATER CONCENTRATION
AND PERFORMANCE





1
SUN@Home PLANON PLUS
120x30



2
SUN@Home PLANON PLUS
60X60



3
SUN@Home PLANON PLUS
30X30



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _m ²	W	lm	K	CRI	
SUN@Home PLANON PLUS 120x30	4058075576032	1	White	Aluminum	30 000	35.00	3 250	2 200 ... 5 000	>95	110
SUN@Home PLANON PLUS 60X60	4058075576056	2	White	Aluminum	30 000	35.00	3 250	2 200 ... 5 000	>95	110
SUN@Home PLANON PLUS 30X30	4058075576070	3	White	Aluminum	30 000	20.00	1 800	2 200 ... 5 000	>95	110

Product name	IP						
SUN@Home PLANON PLUS 120x30	IP20	15 000	1	1 200.0	300.0	56.0	3
SUN@Home PLANON PLUS 60X60	IP20	15 000	1	600.0	600.0	56.0	3
SUN@Home PLANON PLUS 30X30	IP20	15 000	1	300.0	300.0	56.0	5

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SUN@HOME WIFI ORBIS® CEILING PLATE

SMART, AESTHETIC CEILING LUMINAIRE WITH FULL-SPECTRUM LEDS FOR GREATER CONCENTRATION AND PERFORMANCE





1
SUN@Home ORBIS Plate

Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _h ²	W	lm	K	CRI	IP
--------------	------------	-----	-------	----------	-----------------------------	---	----	---	-----	----

SUN@Home ORBIS Plate	4058075575950	1	White	PMMA	30000	26.00	2100	2200 ... 5000	>95	IP20
----------------------	---------------	---	-------	------	-------	-------	------	---------------	-----	------


Product name	Quantity	Length (mm)	Width (mm)	Height (mm)	Weight (kg)
--------------	----------	-------------	------------	-------------	-------------

SUN@Home ORBIS Plate	10000	1	430.0	430.0	70.0	3
----------------------	-------	---	-------	-------	------	---

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SUN@HOME WIFI DOWNLIGHT SLIM

SMART DOWNLIGHTS FOR DIFFUSED LIGHT WITH FULL-SPECTRUM LEDS FOR GREATER CONCENTRATION AND PERFORMANCE





1
SUN@Home Downlight Slim
225mm



2
SUN@Home Downlight Slim
120mm



3
SUN@Home Downlight Slim
85mm



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _h ²	W	lm	K	CRI	⚠
SUN@Home Downlight Slim 225mm	4058075575851	1	White	Plastic	25 000	22.00	2 000	2 200 ... 5 000	>95	110
SUN@Home Downlight Slim 120mm	4058075627024	2	White	Plastic	25 000	8.00	700	2 200 ... 5 000	>95	110
SUN@Home Downlight Slim 85mm	4058075627000	3	White	Plastic	25 000	4.50	400	2 200 ... 5 000	>95	110

Product name	IP	h (mm)	d (mm)	⊞		
SUN@Home Downlight Slim 225mm	IP20	15 000	1	33.5	225.0	6
SUN@Home Downlight Slim 120mm	IP20	15 000	1	35.0	120.0	6
SUN@Home Downlight Slim 85mm	IP20	15 000	1	37.0	85.0	6

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SUN@HOME WIFI ORBIS® CROSS

SMART, ADJUSTABLE WALL LUMINAIRES WITH FULL-SPECTRUM LEDS FOR GREATER CONCENTRATION AND PERFORMANCE





1
SUN@Home ORBIS Cross

Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _h ²	W	lm	K	CRI	IP
SUN@Home ORBIS Cross	4058075575936	1	White	Steel	30 000	12.00	800	2 200 ... 5 000	>95	IP20

Product name	Quantity	Length (mm)	Width (mm)	Height (mm)	Weight (kg)	
SUN@Home ORBIS Cross	10 000	1	309.0	200.0	106.0	8

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SUN@HOME WIFI MOOD LIGHTING LUMINAIRES
SMART MOOD LIGHTS WITH FULL-SPECTRUM LEDS
FOR GREATER CONCENTRATION AND PERFORMANCE





1
SUN@Home Flex 3M



2
SUN@Home Moodlight



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _h ²	W	lm	K	CRI	⚠
SUN@Home Flex 3M	4058075576117	1	White	Silicone	30 000	13.50	850	2200 ... 5000	>95	-
SUN@Home Moodlight	4058075576094	2	White	Plastic	30 000	4.00	260	2200 ... 5000	>95	110

Product name	IP	⚡	⚡	l (mm)	b (mm)	h (mm)	∅ d (mm)	📦
SUN@Home Flex 3M	IP20	-	-	3 000.0	10.0	2.8	-	4
SUN@Home Moodlight	IP20	15 000	1	200.0	200.0	195.0	200.0	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART+ WIFI: SIMPLE INTRODUCTION – COUNTLESS POSSIBILITIES

SMART+ WiFi is the simple – and particularly cost-effective – option for getting into smart lighting. Despite its simplicity, it offers a host of clever functions and there is an extensive product portfolio.









Type of lamp and description of base

Functions

Type of technology

Plastic-free packaging

Compatibility with voice control systems

	SMART+ WIFI LAMPS AND COMPONENTS	52		SMART+ WIFI INDOOR UNDER CABINET AND DAMP-PROOF LUMINAIRES	158
	SMART+ WIFI INDOOR PANEL LUMINAIRES	66		SMART+ WIFI OUTDOOR TABLE, WALL AND PATHWAY LUMINAIRES	164
	SMART+ WIFI INDOOR SQUARE LUMINAIRES	78		SMART+ WIFI OUTDOOR GARDEN LUMINAIRES	180
	SMART+ WIFI INDOOR ROUND LUMINAIRES	90		SMART+ WIFI OUTDOOR LED STRIPS	186
	SMART+ WIFI INDOOR DOWNLIGHTS	124		SMART+ WIFI OUTDOOR CAMERA LUMINAIRES AND FLOODLIGHTS	188
	SMART+ WIFI INDOOR WALL AND FLOOR STANDING LUMINAIRES	130			
	SMART+ WIFI BATHROOM LUMINAIRES	142			
	SMART+ WIFI INDOOR LED STRIPS	156			



SMART+ WIFI CLASSIC LAMPS – SINGLE PACKS

Product name	GTIN (EAN)	No.	W ¹	lm	EE ²	Beam	Temp	Life ³	Dim	Temp	Height	Width	Depth	Weight	Icons
SMART+ WiFi Classic Dimmable															
SMART+ WiFi Classic 100 14W/2700K E27	4058075485471	1	100	14	1521	E27	F	2700	Yes	15000	142	75	1	4	Dim
SMART+ WiFi Classic 75 9.5W/2700K E27	4058075485419	1	75	10	1055	E27	F	2700	Yes	15000	115	60	1	4	
SMART+ WiFi Classic 60 9W/2700K E27	4058075485358	1	60	9	806	E27	F	2700	Yes	15000	112	60	1	4	
SMART+ WiFi Filament Classic Dimmable															
SMART+ WiFi Classic A GLFR 100 11/2700K E27	4058075609730	10	100	11	1521	E27	D	2700	Yes	15000	133	67	1	4	Dim
SMART+ WiFi Classic A GLFR 75 7.5W/2700K E27	4058075609716	11	75	7.5	1055	E27	D	2700	Yes	15000	105	60	1	4	
SMART+ WiFi Classic A CLEAR 60 6W/2700K E27	4058075528239	2	60	6	806	E27	E	2700	Yes	15000	105	60	1	4	
SMART+ WiFi Classic A Smoke 44 6W/2500K E27	4058075609815	7	44	6	540	E27	F	2500	Yes	15000	105	60	1	4	
SMART+ WiFi Classic A GLFR 60 6W/2700K B22d	4058075609891	8	60	6	806	B22d	E	2700	Yes	15000	117	60	1	4	
SMART+ WiFi Classic Tunable White															
SMART+ WiFi Classic 100 14W/2700...6500K E27	4058075485495	3	100	14	1521	E27	F	2700...6500	Yes	15000	142	75	1	4	RGBW, Warm Cool, Dim
SMART+ WiFi Classic 75 9.5W/2700...6500K E27	4058075485433	3	75	10	1055	E27	F	2700...6500	Yes	15000	115	60	1	4	
SMART+ WiFi Classic 60 9W/2700...6500K E27	4058075485372	3	60	9	806	E27	F	2700...6500	Yes	15000	112	60	1	4	
SMART+ WiFi Classic 60 9W/2700...6500K B22d	4058075515642	4	60	9	806	B22d	F	2700...6500	Yes	15000	112	60	1	4	
SMART+ WiFi Classic Multicolour															
SMART+ WiFi Classic 100 14W/2700...6500K E27	4058075485518	5	100	14	1521	E27	F	RGBW 2700...6500	Yes	15000	142	75	1	4	RGBW, Warm Cool, Dim
SMART+ WiFi Classic 75 9.5W/2700...6500K E27	4058075485457	5	75	10	1055	E27	F	RGBW 2700...6500	Yes	15000	115	60	1	4	
SMART+ WiFi Classic 60 9W/2700...6500K E27	4058075485396	5	60	9	806	E27	F	RGBW 2700...6500	Yes	15000	112	60	1	4	
SMART+ WiFi Classic 60 9W/2700...6500K B22d	4058075521414	9	60	9	806	B22d	F	RGBW 2700...6500	Yes	15000	112	60	1	4	
SMART+ WiFi Filament Classic Multicolour															
SMART+ WiFi Classic A RGBW 30 4.5W/2700K E27	4058075619012	6	30	4.5	300	E27	G	RGBW 2700...6500	Yes	15000	105	60	1	4	RGBW, Warm Cool, Dim



¹ Wattage of the conventional lamp to be replaced | ² Energy efficiency class (EEC) on a scale of A (highest efficiency) to G (lowest efficiency) | ³ Average lifespan in hrs



SMART+ WIFI CANDLE LAMPS – SINGLE PACKS

Product name	GTIN (EAN)	No.	w ¹	W	lm	Energy Efficiency Class	Beam Angle	Beam Spread	Temp. (K)	Dimmable	Lifespan (hrs)	Height (mm)	Width (mm)	Depth (mm)	Weight (kg)	Icons
SMART+ WiFi Candle Dimmable																
SMART+ WiFi Candle 40 5W/2700K E14	4058075485532	1	40	5	470	E14	F	2700	Yes	20000	107	38	1	4		
SMART+ WiFi Filament Candle Dimmable																
SMART+ WiFi Candle Clear 40 4W/2700K E14	4058075609754	2	40	4	470	E14	E	2700	Yes	15000	115	35	1	4		
SMART+ WiFi Candle Tunable White																
SMART+ WiFi Candle 40 5W/2700...6500K E14	4058075485556	3	40	5	470	E14	F	2700...6500	Yes	20000	107	38	1	4		
SMART+ WiFi Candle Multicolour																
SMART+ WiFi Candle 40 5W/2700...6500K E14	4058075485570	4	40	5	470	E14	F	RGBW 2700...6500	Yes	20000	107	38	1	4		



¹ Wattage of the conventional lamp to be replaced | ² Energy efficiency class (EEC) on a scale of A (highest efficiency) to G (lowest efficiency) | ³ Average lifespan in hrs



SMART+ WIFI MINI-GLOBE LAMPS – SINGLE PACKS

Product name	GTIN (EAN)														
SMART+ WiFi Mini Bulb Dimmable															
SMART+ WiFi Mini bulb 40 5W/2700K E14	4058075485594	1	40	5	470	E14	F	2700	Yes	20000	90	47	1	4	
SMART+ WiFi Filament Mini Bulb Dimmable															
SMART+ WiFi Mini bulb Clear 40 4W/2700K E14	4058075609778	2	40	4	470	E14	E	2700	Yes	15000	110	45	1	4	
SMART+ WiFi Mini bulb Clear 40 4W/2700K E27	4058075609792	3	40	4	470	E27	E	2700	Yes	15000	77	45	1	4	
SMART+ WiFi Mini Bulb Tunable White															
SMART+ WiFi Mini bulb 40 5W/2700...6500K E14	4058075485617	4	40	5	470	E14	F	2700...6500	Yes	20000	90	47	1	4	
SMART+ WiFi Mini Bulb Multicolour															
SMART+ WiFi Mini bulb 40 5W/2700...6500K E14	4058075485631	5	40	5	470	E14	F	RGBW 2700...6500	Yes	20000	90	47	1	4	



¹ Wattage of the conventional lamp to be replaced | ² Energy efficiency class (EEC) on a scale of A (highest efficiency) to G (lowest efficiency) | ³ Average lifespan in hrs



SMART+ WIFI FILAMENT LAMPS WITH EDISON BULB

Product name	GTIN (EAN)	No.	w ¹	W	lm	Energy Efficiency Class	Base	Beam Angle	Temp. (K)	Dimmable	Lifespan (hrs)	Height (mm)	Width (mm)	Depth (mm)	Weight (g)
--------------	------------	-----	----------------	---	----	-------------------------	------	------------	-----------	----------	----------------	-------------	------------	------------	------------

SMART+ WiFi Filament Edison Dimmable

SMART+ WiFi CL Edison Clear 60 6W/2700K E27	4058075528277	1	60	6	806	E27	E	2700	Yes	15000	143	64	1	4
SMART+ WiFi CL Edison Smoke 44 6W/2500K E27	4058075609839	2	44	6	540	E27	F	2500	Yes	15000	143	64	1	4

SMART+ WiFi Filament Edison Multicolour

SMART+ WiFi CL Edison RGBW 30 4.5W/2700K E27	4058075609914	3	30	4.5	300	E27	G	RGBW 2700	Yes	15000	140	64	1	4
--	---------------	---	----	-----	-----	-----	---	-----------	-----	-------	-----	----	---	---



¹ Wattage of the conventional lamp to be replaced | ² Energy efficiency class (EEC) on a scale of A (highest efficiency) to G (lowest efficiency) | ³ Average lifespan in hrs



SMART+ WIFI LAMPS WITH GLOBE BULB

Product name	GTIN (EAN)	No.	wΔW ¹	W	lm	Energy efficiency class ²	Life span ³ (hrs)	K	Dimmable	t _{in} ³ (mm)	l (mm)	d (mm)	Warm White	Warm Code	Dim
SMART+ WiFi Filament Globe Dimmable															
SMART+ WiFi Globe125 Clear 60 6W/2 700K E27	4058075528291	1	60	6	806	E27	E	2 700	Yes	15 000	168	125	1		4
SMART+ WiFi Globe125 Gold 53 6W/2 400K E27	4058075609693	3	53	6	680	E27	E	2 400	Yes	15 000	168	125	1		4
SMART+ WiFi Globe125 Smoke 44 6W/2 500K E27	4058075609853	4	44	6	540	E27	F	2 500	Yes	15 000	168	125	1		4
SMART+ WiFi Globe200 Smoke 42 6W/2 500K E27	4058075609877	5	42	6	540	E27	G	2 500	Yes	15 000	283	200	1		4
SMART+ WiFi Globe Tunable White															
SMART+ WiFi Globe 95 100 14W/2 700...6 500K E27	4058075609594	6	100	14	1 521	E27	F	2 700...6 500	Yes	20 000	142	95	1		4
SMART+ WiFi Globe Multicolour															
SMART+ WiFi Globe125 RGBW 30 4.5W/2 700K E27	4058075609938	2	30	4.5	300	E27	G	RGBW 2 700	Yes	15 000	173	125	1		4
SMART+ WiFi Globe 95 100 14W/2 700...6 500K E27	4058075609617	7	100	14	1 521	E27	F	RGBW 2 700...6 500	Yes	20 000	142	95	1		4



¹ Wattage of the conventional lamp to be replaced | ² Energy efficiency class (EEC) on a scale of A (highest efficiency) to G (lowest efficiency) | ³ Average lifespan in hrs



SMART+ WIFI REFLECTOR LAMPS – SINGLE PACKS

Product name	GTIN (EAN)	No.	wΔW ¹	W	lm	Energy efficiency class (EEC) ²	Energy efficiency class (EEC) ²	K	Beam angle	t ₉₀ ³	Height [mm]	Depth [mm]	Width [mm]	Weight [g]	Icons
SMART+ WIFI SPOT GU10 Dimmable															
SMART+ WiFi Spot 50 45° 5W/2700K GU10	4058075485655	1	50	5	350	GU10	G	2700	Yes	20000	52	50	1	4	
SMART+ WIFI SPOT GU10 Tunable White															
SMART+ WiFi Spot 50 45° 5W/2700...6500K GU10	4058075485679	2	50	5	350	GU10	G	2700...6500	Yes	20000	52	50	1	4	
SMART+ WIFI SPOT GU10 Multicolour															
SMART+ WiFi Spot 50 45° 5W/2700...6500K GU10	4058075485693	3	50	5	350	GU10	G	RGBW 2700...6500	Yes	20000	52	50	1	4	
SMART+ WIFI SPOT Concentra Tunable White															
SMART+ WiFi Spot 40 45° 3W/2700...6500K E14	4058075609518	4	40	3	210	E14	G	2700...6500	Yes	20000	85	50	1	4	
SMART+ WiFi Spot 60 45° 5W/2700...6500K E27	4058075609532	5	60	5	345	E27	F	2700...6500	Yes	20000	102	63	1	4	
SMART+ WIFI SPOT Concentra Multicolor															
SMART+ WiFi Spot 40 45° 3W/2700...6500K E14	4058075609556	6	40	3	210	E14	G	RGBW 2700...6500	Yes	20000	85	50	1	4	
SMART+ WiFi Spot 60 45° 5W/2700...6500K E27	4558075609570	7	60	5	345	E27	F	RGBW 2700...6500	Yes	20000	102	63	1	4	













¹ Wattage of the conventional lamp to be replaced | ² Energy efficiency class (EEC) on a scale of A (highest efficiency) to G (lowest efficiency) | ³ Average lifespan in hrs



1



SMART+ WIFI CLASSIC LAMPS – DOUBLE PACKS

Product name	GTIN (EAN)	 No.	 ¹				 ²			 ³				
SMART+ WiFi Classic Multicolour														
SMART+ WiFi Classic 60 9W/2.700...6.500K E27	4058075521438	1	60	9	806	E27	F	RGBW 2.700...6.500	Yes	15000	115	60	2	8



¹ Wattage of the conventional lamp to be replaced | ² Energy efficiency class (EEC) on a scale of A (highest efficiency) to G (lowest efficiency) | ³ Average lifespan in hrs



SMART+ WIFI CLASSIC LAMPS – TRIPLE PACKS

Product name GTIN (EAN)

No.
w¹
W
lm
Energy Efficiency Class
Energy Efficiency Class
K
Beam Angle
t₉₀³
Download
Dimensions
Weight
Quantity

SMART+ WiFi Classic Dimmable



SMART+ WiFi Classic 100 14W/2700K E27	4058075485839	1	100	14	1521	E27	F	2700	Yes	15000	142	75	3	12
SMART+ WiFi Classic 75 9.5W/2700K E27	4058075485778	1	75	10	1055	E27	F	2700	Yes	15000	115	60	3	12
SMART+ WiFi Classic 60 9W/2700K E27	4058075485716	1	60	9	806	E27	F	2700	Yes	15000	112	60	3	12

SMART+ WiFi Classic Tunable White



SMART+ WiFi Classic 100 14W/2700...6500K E27	4058075485853	2	100	14	1521	E27	F	2700...6500	Yes	15000	142	75	3	12
SMART+ WiFi Classic 75 9.5W/2700...6500K E27	4058075485792	2	75	10	1055	E27	F	2700...6500	Yes	15000	115	60	3	12
SMART+ WiFi Classic 60 9W/2700...6500K E27	4058075485730	2	60	9	806	E27	F	2700...6500	Yes	15000	112	60	3	12
SMART+ WiFi Classic 60 9W/2700...6500K B22d	4058075515666	3	60	9	806	B22d	F	2700...6500	Yes	15000	112	60	3	12

SMART+ WiFi Classic Multicolour



SMART+ WiFi Classic 100 14W/2700...6500K E27	4058075485877	4	100	14	1521	E27	F	RGBW 2700...6500	Yes	15000	142	75	3	12
SMART+ WiFi Classic 75 9.5W/2700...6500K E27	4058075485815	4	75	10	1055	E27	F	RGBW 2700...6500	Yes	15000	115	60	3	12
SMART+ WiFi Classic 60 9W/2700...6500K E27	4058075485754	4	60	9	806	E27	F	RGBW 2700...6500	Yes	15000	112	60	3	12
SMART+ WiFi Classic 60 9W/2700...6500K B22d	4058075515680	5	60	9	806	B22d	F	RGBW 2700...6500	Yes	15000	112	60	3	12



¹ Wattage of the conventional lamp to be replaced | ² Energy efficiency class (EEC) on a scale of A (highest efficiency) to G (lowest efficiency) | ³ Average lifespan in hrs



SMART+ WIFI CANDLE LAMPS – TRIPLE PACKS

Product name	GTIN (EAN)	No.	w ¹	W	lm	Energy Efficiency Class	Energy Efficiency Index	Beam Angle	Dimmable	Average Lifespan (hrs)	Height (mm)	Width (mm)	Depth (mm)	Weight (kg)	Icons
SMART+ WiFi Candle Dimmable															
SMART+ WiFi Candle 40 5W/2700K E14	4058075485891	1	40	5	470	E14	F	2700	Yes	20000	107	38	3	12	
SMART+ WiFi Candle Tunable White															
SMART+ WiFi Candle 40 5W/2700...6500K E14	4058075485914	2	40	5	470	E14	F	2700...6500	Yes	20000	107	38	3	12	
SMART+ WiFi Candle Multicolour															
SMART+ WiFi Candle 40 5W/2700...6500K E14	4058075485938	3	40	5	470	E14	F	RGBW 2700...6500	Yes	20000	107	38	3	12	




¹ Wattage of the conventional lamp to be replaced | ² Energy efficiency class (EEC) on a scale of A (highest efficiency) to G (lowest efficiency) | ³ Average lifespan in hrs



SMART+ WIFI MINI-GLOBE LAMPS – TRIPLE PACKS

Product name	GTIN (EAN)														
SMART+ WiFi Mini Bulb Dimmable															
SMART+ WiFi Mini bulb 40 5W/2700K E14	4058075485952	1	40	5	470	E14	F	2700	Yes	20000	90	47	3	12	
SMART+ WiFi Mini Bulb Tunable White															
SMART+ WiFi Mini bulb 40 5W/2700...6500K E14	4058075485976	2	40	5	470	E14	F	2700...6500	Yes	20000	90	47	3	12	
SMART+ WiFi Mini Bulb Multicolour															
SMART+ WiFi Mini bulb 40 5W/2700...6500K E14	4058075485990	3	40	5	470	E14	F	RGBW 2700...6500	Yes	20000	90	47	3	12	



¹ Wattage of the conventional lamp to be replaced | ² Energy efficiency class (EEC) on a scale of A (highest efficiency) to G (lowest efficiency) | ³ Average lifespan in hrs



SMART+ WIFI REFLECTOR LAMPS – TRIPLE PACKS

Product name	GTIN (EAN)	No.	w _{ΔW} ¹	W	lm	Energy efficiency class	Beam angle	Base	Height	Beam diameter	Beam diameter	Beam diameter	Beam diameter	Beam diameter	Beam diameter	Beam diameter	Beam diameter
SMART+ WIFI SPOT GU10 Dimmable																	
SMART+ WiFi Spot 50 45° 5W/2700K GU10	4058075486010	1	50	5	350	GU10	G	2700	Yes	20000	52	50	3	12			
SMART+ WIFI SPOT GU10 Tunable White																	
SMART+ WiFi Spot 50 45° 5W/2700...6500K GU10	4058075486034	2	50	5	350	GU10	G	2700...6500	Yes	20000	52	50	3	12			
SMART+ WIFI SPOT GU10 Multicolour																	
SMART+ WiFi Spot 50 45° 5W/2700...6500K GU10	4058075486058	3	50	5	350	GU10	G	RGBW 2700...6500	Yes	20000	52	50	3	12			



¹ Wattage of the conventional lamp to be replaced | ² Energy efficiency class (EEC) on a scale of A (highest efficiency) to G (lowest efficiency) | ³ Average lifespan in hrs



SMART+ WIFI PLUG INDOOR AND OUTDOOR

Product name	GTIN (EAN)	No.	PROTECTION CLASS	A MAX	COLOR	IP	Icon 1	Icon 2
SMART+ WiFi Plug Indoor 								
SMART+ WIFI PLUG EU	4058075537248	1	I	10	White	IP20	1	4
SMART+ WIFI PLUG UK	4058075566996	2	I	13	White	IP20	1	4
SMART+ WIFI PLUG CH	4058075586444	3	I	10	White	IP20	1	4
SMART+ WIFI MULTI POWER SOCKET EU	4058075594784	5	I	16	White	IP20	1	4
SMART+ WiFi Plug Indoor with Nightlight  								
SMART+ WIFI NIGHTLIGHT PLUG EU	4058075570993	4	I	16	White	IP20	1	4
SMART+ WiFi Plug Outdoor 								
SMART+ WIFI OUTDOOR PLUG EU	4058075532120	6	I	16	White	IP44	1	8
SMART+ WIFI COMPACT OUTDOOR PLUG EU	4058075570979	7	I	16	Anthracite	IP44	1	4










1



SMART+ WIFI REMOTE CONTROL

Product name	GTIN (EAN)	 No.	 COLOR	 IP		
SMART+ WiFi Remote Control SMART+ WiFi Remote Control	4058075570917	1	White	IP20	1	4





SMART⁺ WIFI PLANON™ FRAMELESS SQUARE

FRAMELESS, SQUARE PANEL LUMINAIRES WITH TUNABLE WHITE OR TUNABLE WHITE AND RGB FUNCTION





1
SMART+ WIFI PLANON
600x600



2
SMART+ WIFI PLANON
450x450



3
SMART+ WIFI PLANON
300x300



amazon alexa ENABLED | works with LEDVANCE app | works with Hey Google | WIFI | LDV WIFI * | SWITCH ON/OFF ** | LED MODULE INTEGRATED | EASY MOUNTING | DIM | WARM COOL | LEDVANCE 3 year guarantee | 1

Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _h ²	W	lm	K	CRI	1
Smart+ WIFI PLANON FRAMELESS TW 600x600	4058075484436	1	White	Aluminum	25 000	40.00	3400	3 000...6 500	>80	110
SMART+ WIFI PLANON FRAMELESS TW RGB 600x600**	4058075484474	1	White	Aluminum	25 000	40.00	3400	RGB, 3 000...6 000	>80	110
SMART+ WIFI PLANON FRAMELESS TW 450x450	4058075484375	2	White	Aluminum	25 000	28.00	2300	3 000...6 500	>80	110
SMART+ WIFI PLANON FRAMELESS TW 300x300	4058075484313	3	White	Aluminum	25 000	20.00	1600	3 000...6 500	>80	110
SMART+ WIFI PLANON FRAMELESS TW RGB 300x300**	4058075484351	3	White	Aluminum	25 000	20.00	1500	RGB, 3 000...6 000	>80	110

Product name	IP	l [mm]	b [mm]	h [mm]	3	
Smart+ WIFI PLANON FRAMELESS TW 600x600	IP20	15 000	596.0	596.0	69.0	3
SMART+ WIFI PLANON FRAMELESS TW RGB 600x600**	IP20	15 000	596.0	596.0	69.0	3
SMART+ WIFI PLANON FRAMELESS TW 450x450	IP20	15 000	450.0	450.0	69.0	4
SMART+ WIFI PLANON FRAMELESS TW 300x300	IP20	15 000	300.0	300.0	69.0	5
SMART+ WIFI PLANON FRAMELESS TW RGB 300x300**	IP20	15 000	300.0	300.0	69.0	5

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 10. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI PLANON™ FRAMELESS RECTANGULAR
RECTANGULAR LIGHT PANELS WITHOUT FRAMES – WITH
TUNABLE WHITE OR TUNABLE WHITE AND RGB FUNCTION





1
SMART+ WIFI PLANON
1200x300



2
SMART+ WIFI PLANON
1200x100



3
SMART+ WIFI PLANON
600x300



4
SMART+ WIFI PLANON
600x100



5
SMART+ WIFI PLANON
800x100



6
SMART+ WIFI PLANON
400x100



amazon alexa ENABLED | works with LEDVANCE app | works with Hey Google | WIFI | LDV WIFI | SWITCH ON OFF | LED MODULE INTEGRATED | EASY MOUNTING | DIM | WARM COOL | LEDVANCE 3 year guarantee |

Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _h ²	W	lm	K	CRI	
SMART+ WIFI PLANON FRAMELESS TW RGB 1200x300**	4058075484511	1	White	Aluminum	25000	40.00	3300	RGB, 3000...6500	>80	110
SMART+ WIFI PLANON FRAMELESS TW 1200x300	4058075484498	1	White	Aluminum	25000	40.00	3400	3000...6500	>80	110
SMART+ WIFI PLANON FRAMELESS TW 1200x100	4058075484535	2	White	Aluminum	25000	35.00	2500	3000...6500	>80	110
SMART+ WIFI PLANON FRAMELESS TW RGB 1200x100**	4058075484573	2	White	Aluminum	25000	35.00	2500	RGB, 3000...6500	>80	110
SMART+ WIFI PLANON FRAMELESS TW 600x300	4058075484412	3	White	Aluminum	25000	28.00	2100	3000...6500	>80	110
SMART+ WIFI PLANON FRAMELESS TW 600x100	4058075484610	4	White	Aluminum	25000	28.00	1800	3000...6500	>80	110
SMART+ WIFI PLANON FRAMELESS TW 800x100	4058075484597	5	White	Aluminum	25000	27.00	2000	3000...6500	>80	110
SMART+ WIFI PLANON FRAMELESS TW 400x100	4058075484634	6	White	Aluminum	25000	16.00	1050	3000...6500	>80	110

Product name	IP		l [mm]	b [mm]	h [mm]	
SMART+ WIFI PLANON FRAMELESS TW RGB 1200x300**	IP20	15000	1200.0	300.0	69.0	3
SMART+ WIFI PLANON FRAMELESS TW 1200x300	IP20	15000	1200.0	300.0	69.0	3
SMART+ WIFI PLANON FRAMELESS TW 1200x100	IP20	15000	1200.0	100.0	65.0	6
SMART+ WIFI PLANON FRAMELESS TW RGB 1200x100**	IP20	15000	1200.0	100.0	65.0	6
SMART+ WIFI PLANON FRAMELESS TW 600x300	IP20	15000	600.0	300.0	69.0	4
SMART+ WIFI PLANON FRAMELESS TW 600x100	IP20	15000	600.0	100.0	65.0	6
SMART+ WIFI PLANON FRAMELESS TW 800x100	IP20	15000	800.0	100.0	65.0	6
SMART+ WIFI PLANON FRAMELESS TW 400x100	IP20	15000	400.0	100.0	65.0	9

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 10. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI PLANON™ FRAMELESS ROUND

ROUND WALL AND CEILING LUMINAIRES IN FRAMELESS DESIGNS – WITH TUNABLE WHITE OR TUNABLE WHITE AND RGB FUNCTION





1
SMART+ WIFI PLANON
450



2
SMART+ WIFI PLANON
300



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _h ²	W	lm	K	CRI	°C
--------------	------------	-----	-------	----------	-----------------------------	---	----	---	-----	----

SMART+ WIFI PLANON FRAMELESS TW 450	4058075484719	1	White	Aluminum	25 000	28.00	2700	3 000...6 500	>80	110
SMART+ WIFI PLANON FRAMELESS TW RGB 300**	4058075484696	2	White	Aluminum	25 000	20.00	1 600	RGB, 3 000...6 500	>80	110
SMART+ WIFI PLANON FRAMELESS TW 300	4058075484672	2	White	Aluminum	25 000	20.00	1 700	3 000...6 500	>80	110

Product name	IP	h (mm)	d (mm)	Weight
--------------	----	--------	--------	--------

SMART+ WIFI PLANON FRAMELESS TW 450	IP20	15 000	65.0	450.0	5
SMART+ WIFI PLANON FRAMELESS TW RGB 300**	IP20	15 000	69.0	300.0	5
SMART+ WIFI PLANON FRAMELESS TW 300	IP20	15 000	65.0	300.0	5

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 10. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI PLANON™ PLUS BACKLIGHT

PANEL LUMINAIRES WITH SEPARATELY CONTROLLABLE BACKLIGHTS WITH RGB FUNCTION





1
PLANON PLUS BACKLIGHT
600x600mm Black +RC



2
PLANON PLUS BACKLIGHT
600x600mm White +RC



3
PLANON PLUS BACKLIGHT
100x25mm Black +RC



4
PLANON PLUS BACKLIGHT
100x250mm White +RC



5
PLANON PLUS BACKLIGHT
450x450mm Black +RC



6
PLANON PLUS BACKLIGHT
450x450mm White +RC



amazon alexa ENABLED | works with LEDVANCE app | works with Hey Google | WIFI | LDV WIFI* | SWITCH ON/OFF* | EASY MOUNTING | BACK LIGHT | DIM | COLOR | WARM COOL | LEDVANCE 3 year guarantee | 1 |

Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t ₉₀ ²	W	lm	K	CRI	
--------------	------------	-----	-------	----------	------------------------------	---	----	---	-----	--

PLANON PLUS BACKLIGHT 600X600mm Black +RC	4058075650275	1	Black	Aluminum	25 000	39.00	2700	3000...6500	≥80	110
PLANON PLUS BACKLIGHT 600X600mm White +RC	4058075650190	2	White	Aluminum	25 000	39.00	2700	3000...6500	≥80	110
PLANON PLUS BACKLIGHT 100X25mm Black +RC	4058075650299	3	Black	Aluminum	25 000	27.00	1800	3000...6500	≥80	110
PLANON PLUS BACKLIGHT 100X250mm White +RC	4058075650213	4	White	Aluminum	25 000	28.00	1800	3000...6500	≥80	110
PLANON PLUS BACKLIGHT 450X450mm Black +RC	4058075650251	5	Black	Aluminum	25 000	27.00	1800	3000...6500	≥80	110
PLANON PLUS BACKLIGHT 450X450mm White +RC	4058075650152	6	White	Aluminum	25 000	27.00	1800	3000...6500	≥80	110

Product name	IP						
--------------	----	--	--	--	--	--	--

PLANON PLUS BACKLIGHT 600X600mm Black +RC	IP20	15000	2	60.0	60.0	56.0	3
PLANON PLUS BACKLIGHT 600X600mm White +RC	IP20	15000	2	60.0	60.0	56.0	3
PLANON PLUS BACKLIGHT 100X250mm White +RC	IP20	15000	2	100.0	25.0	56.0	4
PLANON PLUS BACKLIGHT 100X25mm Black +RC	IP20	15000	2	100.0	25.0	56.0	4
PLANON PLUS BACKLIGHT 450X450mm Black +RC	IP20	15000	2	45.0	45.0	56.0	4
PLANON PLUS BACKLIGHT 450X450mm White +RC	IP20	15000	2	45.0	45.0	56.0	4

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 10. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI PLANON™ PLUS SQUARE

SQUARE PANEL LUMINAIRES FOR CEILING MOUNTING –
WITH TUNABLE WHITE OR TUNABLE AND RGB FUNCTION





1
SMART+ WIFI PLANON PLUS TW
600x600



2
SMART+ WIFI PLANON PLUS TW
450x450



3
SMART+ WIFI PLANON PLUS TW
300x300



Product name	GTIN (EAN)	Light No.	COLOR	MATERIAL	t _h ²	W	lm	K	CRI	⚡
SMART+ WIFI PLANON PLUS TW 600x600***	4058075525382	1	White	Aluminum	25 000	36.00	2800	3 000...6 500	≥80	110
SMART+ WIFI PLANON PLUS TW 450x450***	4058075525337	2	White	Aluminum	25 000	28.00	2 000	3 000...6 500	≥80	110
SMART+ WIFI PLANON PLUS TW 300x300***	4058075525313	3	White	Aluminum	25 000	20.00	1 400	3 000...6 500	≥80	110
SMART+ WIFI PLANON PLUS RGBW 600x600**	4058075525269	-	White	Aluminum	25 000	36.00	3 000	RGB, 3 000	≥80	110
SMART+ WIFI PLANON PLUS RGBW 450x450**	4058075525221	-	White	Aluminum	25 000	28.00	2 000	RGB, 3 000	≥80	110
SMART+ WIFI PLANON PLUS RGBW 300x300**	4058075495708	-	White	Aluminum	25 000	20.00	1 400	RGB, 3 000	≥80	110

Product name	IP	l (mm)	b (mm)	h (mm)	⊞	
SMART+ WIFI PLANON PLUS TW 600x600***	IP20	15 000	595.0	595.0	56.0	3
SMART+ WIFI PLANON PLUS TW 450x450***	IP20	15 000	450.0	450.0	56.0	4
SMART+ WIFI PLANON PLUS TW 300x300***	IP20	15 000	300.0	300.0	56.0	5
SMART+ WIFI PLANON PLUS RGBW 600x600**	IP20	15 000	595.0	595.0	56.0	3
SMART+ WIFI PLANON PLUS RGBW 450x450**	IP20	15 000	450.0	450.0	56.0	4
SMART+ WIFI PLANON PLUS RGBW 300x300**	IP20	15 000	300.0	300.0	56.0	5

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 10. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI PLANON™ PLUS RECTANGULAR

RECTANGULAR PANEL LUMINAIRES FOR CEILING MOUNTING –
WITH TUNABLE WHITE OR TUNABLE AND RGB FUNCTION





1
SMART+ WIFI PLANON PLUS TW
1200x300



2
SMART+ WIFI PLANON PLUS TW
600x300



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _h ²	W	lm	K	CRI	°C
--------------	------------	-----	-------	----------	-----------------------------	---	----	---	-----	----

SMART+ WIFI PLANON PLUS TW 1200x300***	4058075525405	1	White	Aluminum	25 000	36	2800	3 000...6 500	≥80	110
SMART+ WIFI PLANON PLUS RGBW 1200x300**	4058075525290	1	White	Aluminum	25 000	36	3 000	RGB, 3 000	≥80	110
SMART+ WIFI PLANON PLUS RGBW 600x300**	4058075525245	2	White	Aluminum	25 000	28	2 000	RGB, 3 000	≥80	110
SMART+ WIFI PLANON PLUS TW 600x300***	4058075525368	2	White	Aluminum	25 000	22	1 600	3 000...6 500	≥80	110

Product name	IP	l [mm]	b [mm]	h [mm]	Weight
--------------	----	--------	--------	--------	--------


SMART+ WIFI PLANON PLUS TW 1200x300**	IP20	15 000	1 200.0	300.0	56.0	3
SMART+ WIFI PLANON PLUS RGBW 1200x300*	IP20	15 000	1 200.0	300.0	56.0	3
SMART+ WIFI PLANON PLUS RGBW 600x300*	IP20	15 000	595.0	300.0	56.0	3
SMART+ WIFI PLANON PLUS TW 600x300**	IP20	15 000	595.0	300.0	56.0	3

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 10. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours


SMART+ WIFI ORBIS® MAGNET SQUARE

SQUARE LUMINAIRES WITH VERY SIMPLE MAGNETIC MOUNTING AND TUNABLE WHITE FUNCTION






1 SMART+ WIFI ORBIS MAGNET 450x450mm White




2 SMART+ WIFI ORBIS MAGNET 450x450mm Black




3 SMART+ WIFI ORBIS MAGNET 450x450mm Grey



4 SMART+ WIFI ORBIS MAGNET 300x300mm White



5 SMART+ WIFI ORBIS MAGNET 300x300mm Black



6 SMART+ WIFI ORBIS MAGNET 300x300mm Grey



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _h ²	W	lm	K	CRI	°
SMART+ WIFI ORBIS MAGNET 450X450mm White	4058075572690	1	White	Steel	30000	42.00	4200	3000...6500	≥80	110
SMART+ WIFI ORBIS MAGNET 450X450mm Black	4058075572751	2	Black	Steel	30000	42.00	4200	3000...6500	≥80	110
SMART+ WIFI ORBIS MAGNET 450X450mm Grey	4058075572812	3	Gray	Steel	30000	42.00	4200	3000...6500	≥80	110
SMART+ WIFI ORBIS MAGNET 300X300mm White	4058075572652	4	White	Steel	30000	26.00	2500	3000...6500	≥80	110
SMART+ WIFI ORBIS MAGNET 300X300mm Black	4058075572737	5	Black	Steel	30000	26.00	2500	3000...6500	≥80	110
SMART+ WIFI ORBIS MAGNET 300X300mm Grey	4058075572799	6	Gray	Steel	30000	26.00	2500	3000...6500	≥80	110

Product name	IP	l (mm)	b (mm)	h (mm)			
SMART+ WIFI ORBIS MAGNET 450X450mm White	IP20	15000	1	450.0	450.0	86.0	4
SMART+ WIFI ORBIS MAGNET 450X450mm Black	IP20	15000	1	450.0	450.0	86.0	4
SMART+ WIFI ORBIS MAGNET 450X450mm Grey	IP20	15000	1	450.0	450.0	86.0	4
SMART+ WIFI ORBIS MAGNET 300X300mm White	IP20	15000	1	300.0	300.0	86.0	4
SMART+ WIFI ORBIS MAGNET 300X300mm Black	IP20	15000	1	300.0	300.0	86.0	4
SMART+ WIFI ORBIS MAGNET 300X300mm Grey	IP20	15000	1	300.0	300.0	86.0	4

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 10. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART+ WIFI ORBIS® MAGNET RECTANGULAR

RECTANGULAR LUMINAIRES WITH VERY SIMPLE MAGNETIC MOUNTING AND TUNABLE WHITE FUNCTION






1
SMART+ WIFI ORBIS MAGNET
600x300mm White



2
SMART+ WIFI ORBIS MAGNET
600x300mm Black



3
SMART+ WIFI ORBIS MAGNET
600x300mm Grey




Product name	GTIN (EAN)		COLOR	MATERIAL	t_{in}^2	W	lm	K	CRI	
SMART+ WIFI ORBIS MAGNET 600X300mm White	4058075572713	1	White	Steel	30 000	42.00	4200	3 000...6 500	≥80	110
SMART+ WIFI ORBIS MAGNET 600X300mm Black	4058075572775	2	Black	Steel	30 000	42.00	4200	3 000...6 500	≥80	110
SMART+ WIFI ORBIS MAGNET 600X300mm Grey	4058075572836	3	Gray	Steel	30 000	42.00	4200	3 000...6 500	≥80	110

Product name	IP		l (mm)	b (mm)	h (mm)		
SMART+ WIFI ORBIS MAGNET 600X300mm White	IP20	15 000	1	600.0	300.0	86.0	4
SMART+ WIFI ORBIS MAGNET 600X300mm Black	IP20	15 000	1	600.0	300.0	86.0	4
SMART+ WIFI ORBIS MAGNET 600X300mm Grey	IP20	15 000	1	600.0	300.0	86.0	4

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 10. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART+ WIFI ORBIS® BACKLIGHT SQUARE

SQUARE CEILING LUMINAIRES WITH EFFECTIVE BACKLIGHTING,
AND TUNABLE WHITE AND RGB FUNCTION





1
SMART+ WIFI ORBIS BACKLIGHT
350x350mm White



2
SMART+ WIFI ORBIS BACKLIGHT
350x350mm Black



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _h ²	W	lm	K	CRI	°C
SMART+ WIFI ORBIS BACKLIGHT 350X350mm White	4058075572850	1	White	Steel	30 000	28.00	2400	3 000...6 500	≥80	110
SMART+ WIFI ORBIS BACKLIGHT 350X350mm Black	4058075572874	2	Black	Metal	30 000	28.00	2400	3 000...6 500	>80	110

Product name	IP	l (mm)	b (mm)	h (mm)	Weight		
SMART+ WIFI ORBIS BACKLIGHT 350X350mm White	IP20	15 000	2	350.0	350.0	90.0	4
SMART+ WIFI ORBIS BACKLIGHT 350X350mm Black	IP20	15 000	2	350.0	350.0	90.0	4

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 10. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART+ WIFI ORBIS® STELLA

SQUARE CEILING LUMINAIRE IN A STYLISH DESIGN WITH SEPARATE TUNABLE WHITE AND RGB FUNCTION





1
SMART+ WIFI ORBIS STELLA
485x485mm

Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _h ²	W	lm	K	CRI	°C
--------------	------------	-----	-------	----------	-----------------------------	---	----	---	-----	----

SMART+ WIFI ORBIS STELLA 485x485mm	4058075573390	1	White	Steel	30 000	32.00	3250	2700...6500	>80	110
------------------------------------	---------------	---	-------	-------	--------	-------	------	-------------	-----	-----

Product name	IP	Beam angle	Beam diameter	Beam diameter	Beam diameter	Beam diameter
--------------	----	------------	---------------	---------------	---------------	---------------

SMART+ WIFI ORBIS STELLA 485x485mm	IP20	15 000	2	485.0	485.0	80.0	3
------------------------------------	------	--------	---	-------	-------	------	---

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 10. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART+ WIFI ORBIS® SADDIE

CEILING LUMINAIRE WITH TUNABLE WHITE AND RGB FUNCTION FOR COLORED ACCENTS





1
SMART+ WIFI ORBIS SADDIE
500mm

Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _h ²	W	lm	K	CRI	°C
--------------	------------	-----	-------	----------	-----------------------------	---	----	---	-----	----

SMART+ WIFI ORBIS SADDIE 500mm	4058075573451	1	White	Steel	30 000	32.00	3400	2700...6500	>80	110
--------------------------------	---------------	---	-------	-------	--------	-------	------	-------------	-----	-----

Product name	IP	l (mm)	b (mm)	h (mm)	Weight
--------------	----	--------	--------	--------	--------

SMART+ WIFI ORBIS SADDIE 500mm	IP20	15 000	2	500.0	500.0	55.0	3
--------------------------------	------	--------	---	-------	-------	------	---

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 10. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART+ WIFI ORBIS® CLEAN

SMART CEILING LUMINAIRE WITH TUNABLE WHITE FUNCTION
IN A MODERN, PURIST LOOK





1
SMART+ WIFI ORBIS CLEAN
530x530mm













Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _h ²	W	lm	K	CRI	IP
--------------	------------	-----	-------	----------	-----------------------------	---	----	---	-----	----

SMART+ WIFI ORBIS CLEAN 530X530mm	4058075572614	1	White	Steel	30 000	42.00	4200	3 000...6 500	≥80	IP20
-----------------------------------	---------------	---	-------	-------	--------	-------	------	---------------	-----	------

Product name	l (mm)	b (mm)	h (mm)	Quantity
--------------	--------	--------	--------	----------

SMART+ WIFI ORBIS CLEAN 530X530mm	530.0	530.0	85.0	3
-----------------------------------	-------	-------	------	---

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 10. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI ORBIS[®] SPARKLE

ROUND CEILING LUMINAIRE WITH GLITTER EFFECT AND TUNABLE WHITE FUNCTION






1
SMART+ WIFI ORBIS SPARKLE
560mm



2
SMART+ WIFI ORBIS SPARKLE
460mm



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] ²	W	lm	K	CRI	IP
--------------	------------	-----	-------	----------	-------------------	---	----	---	-----	----

SMART+ WIFI ORBIS SPARKLE 560mm	4058075573499	1	White	Steel	15 000	30.00	3300	2700	>80	120	IP20
SMART+ WIFI ORBIS SPARKLE 460mm	4058075573475	2	White	Steel	15 000	24.00	2500	2700	>80	120	IP20

Product name	W	h (mm)	Ø d (mm)	Weight
--------------	---	--------	----------	--------

SMART+ WIFI ORBIS SPARKLE 560mm	15 000	76.0	560.0	5
SMART+ WIFI ORBIS SPARKLE 460mm	15 000	76.0	460.0	5

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 10. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART+ WIFI ORBIS® GAVIN, LISA AND JADEN

SMART CEILING LUMINAIRES WITH STRIKING EDGES IN BLACK AND TUNABLE WHITE FUNCTION





1
SMART+ WIFI ORBIS GAVIN
500mm



2
SMART+ WIFI ORBIS LISA
500mm



3
SMART+ WIFI ORBIS JADEN
500mm



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _h ²	W	lm	K	CRI	IP	
SMART+ WIFI ORBIS GAVIN 500mm	4058075573512	1	Black	Steel	15 000	30.00	3300	2700	>80	120	IP20
SMART+ WIFI ORBIS LISA 500mm	4058075573536	2	Black	Steel	15 000	30.00	3300	2700	>80	120	IP20
SMART+ WIFI ORBIS JADEN 500mm	4058075573550	3	Black	Steel	15 000	30.00	3300	2700	>80	120	IP20

Product name	t _h	h (mm)	ø d (mm)	Weight
SMART+ WIFI ORBIS GAVIN 500mm	15 000	85.0	484.0	5
SMART+ WIFI ORBIS LISA 500mm	15 000	85.0	484.0	5
SMART+ WIFI ORBIS JADEN 500mm	15 000	85.0	488.0	5

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 10. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART+ WIFI ORBIS® BACKLIGHT ROUND

ROUND CEILING LUMINAIRES WITH EFFECTIVE BACKLIGHTING,
AND TUNABLE WHITE AND RGB FUNCTION





1
SMART+ WIFI ORBIS BACKLIGHT
350mm White



2
SMART+ WIFI ORBIS BACKLIGHT
350mm Black



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _h ²	W	lm	K	CRI	°C
--------------	------------	-----	-------	----------	-----------------------------	---	----	---	-----	----

SMART+ WIFI ORBIS BACKLIGHT 350mm White	4058075574397	1	White	Steel	30 000	28.00	2400	3 000...6 500	≥80	110
SMART+ WIFI ORBIS BACKLIGHT 350mm Black	4058075573574	2	Black	Metal	30 000	28.00	2400	3 000...6 500	>80	110

Product name	IP	h	h	d	mm
--------------	----	---	---	---	----

SMART+ WIFI ORBIS BACKLIGHT 350mm White	IP20	15 000	2	90.0	350.0	4
SMART+ WIFI ORBIS BACKLIGHT 350mm Black	IP20	15 000	2	90.0	350.0	4

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 10. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART+ WIFI ORBIS® CIRCLE

SMART CEILING LUMINAIRES WITH TUNABLE WHITE AND RGB FUNCTION FOR COLORED ACCENTS IN THE OUTER RING





1
SMART+ WIFI ORBIS CIRCLE
460mm Black



2
SMART+ WIFI ORBIS CIRCLE
460mm White



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _h ²	W	lm	K	CRI	°C
--------------	------------	-----	-------	----------	-----------------------------	---	----	---	-----	----

SMART+ WIFI ORBIS CIRCLE 460mm Black	4058075573833	1	Black	ABS	30 000	28.00	2400	3 000...6 500	≥80	110
SMART+ WIFI ORBIS CIRCLE 460mm White	4058075573871	2	White	ABS	30 000	28.00	2400	3 000...6 500	>80	110

Product name	IP	h	h	d	mm
--------------	----	---	---	---	----

SMART+ WIFI ORBIS CIRCLE 460mm Black	IP20	15 000	2	95.0	460.0	3
SMART+ WIFI ORBIS CIRCLE 460mm White	IP20	15 000	2	95.0	460.0	3

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 10. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART+ WIFI ORBIS® STEA

ROUND CEILING LUMINAIRE IN A STYLISH DESIGN WITH SEPARATE TUNABLE WHITE AND RGB FUNCTION





1
SMART+ WIFI ORBIS STEA
485mm



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _h ²	W	lm	K	CRI	°C
SMART+ WIFI ORBIS STEA 485mm	4058075573413	1	White	Steel	30 000	32.00	3350	2700...6500	>80	110

Product name	IP	h (mm)	Ø d (mm)	Weight		
SMART+ WIFI ORBIS STEA 485mm	IP20	15 000	2	80.0	485.0	4

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 10. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART+ WIFI ORBIS® RUMOR

CEILING LUMINAIRE IN A CHARACTERISTIC DESIGN WITH SEPARATE TUNABLE WHITE AND RGB FUNCTION





1
SMART+ WIFI ORBIS RUMOR
500mm
















Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _h ²	W	lm	K	CRI	°C
--------------	------------	-----	-------	----------	-----------------------------	---	----	---	-----	----

SMART+ WIFI ORBIS RUMOR 500mm	4058075573437	1	White	Steel	30 000	32.00	3300	2700...6500	>80	110
-------------------------------	---------------	---	-------	-------	--------	-------	------	-------------	-----	-----

Product name	IP	h (mm)	Ø d (mm)	Weight
--------------	----	--------	----------	--------

SMART+ WIFI ORBIS RUMOR 500mm	IP20	15 000	2	100.0	500.0	3
-------------------------------	------	--------	---	-------	-------	---

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 10. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART+ WIFI ORBIS® DONUT

WALL AND CEILING LUMINAIRE IN A STYLISH DONUT DESIGN –
WITH TUNABLE WHITE FUNCTION





1
SMART+ WIFI ORBIS Donut
400 WT

Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _{in} ²	W	lm	K	CRI
--------------	------------	-----	-------	----------	------------------------------	---	----	---	-----

SMART+ WIFI ORBIS Donut 400 WT	4058075486300	1	White	Polymethylmethacrylate (PMMA)	30 000	24.00	2500	3 000...6 500	>80
--------------------------------	---------------	---	-------	-------------------------------	--------	-------	------	---------------	-----

Product name	°	IP	h (mm)	∅ d (mm)	mm
--------------	---	----	--------	----------	----

SMART+ WIFI ORBIS Donut 400 WT	110	IP20	15 000	85.0	400.0	3
--------------------------------	-----	------	--------	------	-------	---

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 10. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART+ WIFI ORBIS® KITE

TIMELESSLY MODERN CEILING LUMINAIRES WITH TUNABLE WHITE OR TUNABLE WHITE AND RGB FUNCTION





1
SMART+ WIFI ORBIS Kite
510 WT TW



2
SMART+ WIFI ORBIS Kite
410 WT TW



3
SMART+ WIFI ORBIS KITE
340 WT TW



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _h ²	W	lm	K	CRI	°C
SMART+ WIFI ORBIS Kite 510 WT	4058075486348	1	White	Steel	30 000	32.00	3300	3 000...6 500	>80	110
SMART+ WIFI ORBIS Kite 410 WT	4058075486324	2	White	Steel	30 000	24.00	2500	3 000...6 500	>80	110
SMART+ WIFI ORBIS KITE TW RGB 340 WT**	4058075495685	3	White	Steel	25 000	18.00	1 400	2 700...6 500	80	120

Product name	IP	h (mm)	d (mm)	mm
SMART+ WIFI ORBIS Kite 510 WT	IP20	15 000	83.0	510.0
SMART+ WIFI ORBIS Kite 410 WT	IP20	15 000	68.0	410.0
SMART+ WIFI ORBIS KITE TW RGB 340 WT	IP20	15 000	80.0	340.0

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 10. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART+ WIFI ORBIS® MOON

CEILING LUMINAIRES IN AN ATTRACTIVE LUNAR LOOK –
WITH TUNABLE WHITE FUNCTION





1
SMART+ WIFI ORBIS Moon
480 BK



2
SMART+ WIFI ORBIS Moon
480 GR



3
SMART+ WIFI ORBIS Moon
380 BK



4
SMART+ WIFI ORBIS Moon
380 GR



amazon alexa ENABLED | works with LEDVANCE app | works with Hey Google | WIFI | LDV WIFI | SWITCH ON/OFF | LED MODULE INTEGRATED | EASY MOUNTING | DIM | WARM COOL | LEDVANCE 3 year guarantee

Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _{in} ²	W	lm	K	CRI
SMART+ WIFI ORBIS Moon 480 BK	4058075486386	1	Black	Polymethylmethacrylate (PMMA)	30 000	32.00	3 300	3 000...6 500	>80
SMART+ WIFI ORBIS Moon 480 GR	4058075486423	2	Gray	Polymethylmethacrylate (PMMA)	30 000	32.00	3 300	3 000...6 500	>80
SMART+ WIFI ORBIS Moon 380 BK	4058075486362	3	Black	Polymethylmethacrylate (PMMA)	30 000	24.00	2 500	3 000...6 500	>80
SMART+ WIFI ORBIS Moon 380 GR	4058075486409	4	Gray	Polymethylmethacrylate (PMMA)	30 000	24.00	2 500	3 000...6 500	>80

Product name	h [mm]	d [mm]	IP	Beam angle	Weight
SMART+ WIFI ORBIS Moon 480 BK	110	86.0	IP20	15 000	3
SMART+ WIFI ORBIS Moon 480 GR	110	86.0	IP20	15 000	3
SMART+ WIFI ORBIS Moon 380 BK	110	85.0	IP20	15 000	3
SMART+ WIFI ORBIS Moon 380 GR	110	85.0	IP20	15 000	3

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 10. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI ORBIS[®] PLATE

CEILING LUMINAIRES IN MODERN MINIMALIST DESIGNS –
WITH TUNABLE WHITE FUNCTION; FRAMES IN WHITE AND GRAY





1
SMART+ WIFI ORBIS Plate
430 WT



2
SMART+ WIFI ORBIS Plate
430 GR



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _{in} ²	W	lm	K	CRI
--------------	------------	-----	-------	----------	------------------------------	---	----	---	-----

SMART+ WIFI ORBIS Plate 430 WT	4058075486447	1	White	Polymethylmethacrylate (PMMA)	30 000	24.00	2500	3 000...6 500	>80
SMART+ WIFI ORBIS Plate 430 GR	4058075486461	2	Gray	Polymethylmethacrylate (PMMA)	30 000	24.00	2500	3 000...6 500	>80

Product name	h	IP	h _h	d _d	h
--------------	---	----	----------------	----------------	---

SMART+ WIFI ORBIS Plate 430 WT	110	IP20	15 000	70.0	430.0	3
SMART+ WIFI ORBIS Plate 430 GR	110	IP20	15 000	70.0	430.0	3

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 10. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART+ WIFI ORBIS® CROMO

CEILING LUMINAIRE IN A PLAYFUL IRREGULAR LOOK – WITH TUNABLE WHITE FUNCTION; DESIGNS IN CHROME AND WHITE





1
SMART+ WIFI ORBIS Cromo
500 CR

Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _{in} ²	W	lm	K	CRI
--------------	------------	-----	-------	----------	------------------------------	---	----	---	-----

SMART+ WIFI ORBIS Cromo 500 CR	4058075486485	1	White	Polymethylmethacrylate (PMMA)	30 000	30.00	3300	3 000...6 500	>80
--------------------------------	---------------	---	-------	-------------------------------	--------	-------	------	---------------	-----

Product name	°	IP	lx	h (mm)	∅ d (mm)	3
--------------	---	----	----	--------	----------	---

SMART+ WIFI ORBIS Cromo 500 CR	110	IP20	15 000	89.0	500.0	3
--------------------------------	-----	------	--------	------	-------	---

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 10. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI ORBIS[®] FRAME

CEILING LUMINAIRE WITH AN ILLUMINATED FRAME AND TUNABLE WHITE FUNCTION





1
SMART+ WIFI ORBIS Frame
500 WT



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _{in} ²	W	lm	K	CRI
--------------	------------	-----	-------	----------	------------------------------	---	----	---	-----

SMART+ WIFI ORBIS Frame 500 WT	4058075486508	1	White	Polymethylmethacrylate (PMMA)	30 000	32.00	3 300	3 000...6 500	>80
--------------------------------	---------------	---	-------	-------------------------------	--------	-------	-------	---------------	-----

Product name	°	IP	h (mm)	Ø (mm)	mm
--------------	---	----	--------	--------	----

SMART+ WIFI ORBIS Frame 500 WT	110	IP20	15 000	83.0	495.0	3
--------------------------------	-----	------	--------	------	-------	---

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 10. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART+ WIFI ORBIS® EYE

PURISTIC CEILING LUMINAIRES WITH TUNABLE WHITE FUNCTION;
DESIGNS IN GRAY AND WHITE





1
SMART+ WIFI ORBIS Eye
490 WT



2
SMART+ WIFI ORBIS Eye
490 GR



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _{in} ²	W	lm	K	CRI
--------------	------------	-----	-------	----------	------------------------------	---	----	---	-----

SMART+ WIFI ORBIS Eye 490 WT	4058075486522	1	White	Polymethylmethacrylate (PMMA)	30 000	32.00	3300	3 000...6 500	>80
SMART+ WIFI ORBIS Eye 490 GR	4058075486546	2	Gray	Polymethylmethacrylate (PMMA)	30 000	32.00	3300	3 000...6 500	>80

Product name	h	IP	h _h	d (mm)	h
--------------	---	----	----------------	--------	---

SMART+ WIFI ORBIS Eye 490 WT	110	IP20	15 000	75.5	490.0	3
SMART+ WIFI ORBIS Eye 490 GR	110	IP20	15 000	75.5	490.0	3

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 10. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI ORBIS[®] CYLINDER

CEILING LUMINAIRES IN CYLINDRICAL DESIGNS WITH AESTHETIC LIGHTING EFFECT AND TUNABLE WHITE FUNCTION





1
SMART+ WIFI ORBIS Cylinder
450 WT



2
SMART+ WIFI ORBIS Cylinder
450 GR



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _{in} ²	W	lm	K	CRI
--------------	------------	-----	-------	----------	------------------------------	---	----	---	-----

SMART+ WIFI ORBIS Cylinder 450 WT	4058075486560	1	White	Polymethylmethacrylate (PMMA)	30 000	24.00	3300	3 000...6 500	>80
SMART+ WIFI ORBIS Cylinder 450 GR	4058075486584	2	Gray	Polymethylmethacrylate (PMMA)	30 000	24.00	2800	3 000...6 500	>80

Product name	h	IP	h _h	d _d	h _h
--------------	---	----	----------------	----------------	----------------

SMART+ WIFI ORBIS Cylinder 450 WT	110	IP20	15 000	134.0	450.0	3
SMART+ WIFI ORBIS Cylinder 450 GR	110	IP20	15 000	134.0	450.0	3

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 10. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI ORBIS[®] SPIRAL

CEILING LUMINAIRE IN A SPIRAL DESIGN WITH EXCEPTIONAL LIGHTING EFFECT AND WHITE LIGHT CONTROL





1
SMART+ WIFI ORBIS Spiral
500 WT

Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _{in} ²	W	lm	K	CRI
--------------	------------	-----	-------	----------	------------------------------	---	----	---	-----

SMART+ WIFI ORBIS Spiral 500 WT	4058075486607	1	White	Polymethylmethacrylate (PMMA)	30 000	40.00	4 300	3 000...6 500	>80
---------------------------------	---------------	---	-------	-------------------------------	--------	-------	-------	---------------	-----

Product name	°	IP	h (mm)	∅ (mm)	3
--------------	---	----	--------	--------	---

SMART+ WIFI ORBIS Spiral 500 WT	110	IP20	15 000	66.0	500.0	3
---------------------------------	-----	------	--------	------	-------	---

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 10. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART+ WIFI CEILING FAN

SMART MOBILE LED CEILING LUMINAIRES WITH INTEGRATED FANS





1
SMART+ WIFI CEILING FAN Cylinder + Remote control



2
SMART+ WIFI CEILING FAN Round + Remote control



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _h ²	W	lm	K	CRI	°C
--------------	------------	-----	-------	----------	-----------------------------	---	----	---	-----	----

SMART+WIFI CEILING FAN Cylinder+ Remote control	4058075572577	1	Gray	ABS	30 000	76.00	2300	3 000...6 500	>80	110
SMART+WIFI CEILING FAN Round + Remote control	4058075572553	2	White	ABS	30 000	74.00	3 050	3 000...6 500	>80	110

Product name	IP	l (mm)	b (mm)	h (mm)	Weight
--------------	----	--------	--------	--------	--------

SMART+WIFI CEILING FAN Cylinder+ Remote control	IP20	15 000	1	602.0	600.0	216.0	2
SMART+WIFI CEILING FAN Round + Remote control	IP20	15 000	1	602.0	600.0	216.0	2

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 10. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART+ WIFI UV-C CEILING FAN

SMART MOBILE LED CEILING LUMINAIRES WITH INTEGRATED FANS AND UV-C PURIFICATION





1
SMART+ WIFI CEILING FAN Round + Remote control

Product name	GTIN (EAN)	Light No.	COLOR	MATERIAL	t _h ²	W	lm	K	CRI	Temperature
SMART+ WIFI UV-C CEILING FAN	4058075575349	1	White	ABS	30000	68.00	3000	2700...6500	>80	120

Product name	IP	h (mm)	Ø d (mm)	Weight
SMART+ WIFI UV-C CEILING FAN	IP20	15000	181.0	580.0

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 10. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI ORBIS[®] DOWNLIGHT SURFACE SMART LED SPOTLIGHTS FOR CEILING MOUNTING





1 SMART+ WIFI ORBIS DOWNLIGHT Surface 600mm




2 SMART+ WIFI ORBIS DOWNLIGHT Surface 400x400mm



3 SMART+ WIFI ORBIS DOWNLIGHT Surface 400mm



4 SMART+ WIFI ORBIS DOWNLIGHT Surface 200mm



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _h ²	W	lm	K	CRI	°C
SMART+ WIFI ORBIS DOWNLIGHT Surface 600mm	4058075572959	1	White	Aluminum	25 000	30.00	2500	3 000...6 500	≥80	110
SMART+ WIFI ORBIS DOWNLIGHT Surface 400X400mm	4058075572973	2	White	Aluminum	25 000	22.00	1 800	3 000...6 500	≥80	110
SMART+ WIFI ORBIS DOWNLIGHT Surface 400mm	4058075572935	3	White	Aluminum	25 000	22.00	1 800	3 000...6 500	≥80	110
SMART+ WIFI ORBIS DOWNLIGHT Surface 200mm	4058075572911	4	White	Aluminum	25 000	12.00	900	3 000...6 500	≥80	110

Product name	IP	l [mm]	b [mm]	h [mm]	d [mm]			
SMART+ WIFI ORBIS DOWNLIGHT Surface 600mm	IP20	15 000	1	-	-	40.0	600.0	4
SMART+ WIFI ORBIS DOWNLIGHT Surface 400X400mm	IP20	15 000	1	400.0	400.0	37.0	-	5
SMART+ WIFI ORBIS DOWNLIGHT Surface 400mm	IP20	15 000	1	-	-	40.0	400.0	5
SMART+ WIFI ORBIS DOWNLIGHT Surface 200mm	IP20	15 000	1	-	-	40.0	200.0	10

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 10. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART+ WIFI DOWNLIGHT SLIM

SMART, ULTRA-SLIM LED SPOTLIGHTS WITH INTEGRATED DRIVERS





1
SMART+ WIFI DOWNLIGHT Slim
225mm



2
SMART+ WIFI DOWNLIGHT Slim
120mm



3
SMART+ WIFI DOWNLIGHT Slim
85mm



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _h ²	W	lm	K	CRI	⚠
SMART+ WIFI DOWNLIGHT Slim 225mm	4058075573277	1	White	Plastic	25 000	22.00	2 000	3 000...6 500	≥80	110
SMART+ WIFI DOWNLIGHT Slim 120mm	4058075573253	2	White	Plastic	25 000	8.00	550	3 000...6 500	≥80	110
SMART+ WIFI DOWNLIGHT Slim 85mm	4058075573239	3	White	Plastic	25 000	4.50	240	3 000...6 500	≥80	110

Product name	IP	h (mm)	d (mm)	⊞		
SMART+ WIFI DOWNLIGHT Slim 225mm	IP20	15 000	1	33.5	225.0	12
SMART+ WIFI DOWNLIGHT Slim 120mm	IP20	15 000	1	35.0	120.0	6
SMART+ WIFI DOWNLIGHT Slim 85mm	IP20	15 000	1	37.0	85.0	6

* Works with LEDVANCE WiFi Remote Control. For further information, please see page 10. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART+ WIFI SPOT

SMART LED SPOTLIGHTS WITH INTEGRATED DRIVERS,
AND TUNABLE WHITE AND RGB FUNCTION






1
SMART+ WIFI SPOT
170mm 110 Degree



2
SMART+ WIFI SPOT
86mm 36 Degree



3
SMART+ WIFI SPOT
86mm 100 Degree



Product name	GTIN (EAN)		COLOR	MATERIAL	t_{h} ²	W	lm	K	CRI	
SMART+ WIFI SPOT 170mm 110 Degree	4058075573376	1	White	PP	25 000	12.00	1000	2700...6500	≥80	110
SMART+ WIFI SPOT 86mm 36 Degree	4058075573291	2	White	PP	25 000	4.00	400	3000...6500	>80	36
SMART+ WIFI SPOT 86mm 100 Degree	4058075573314	3	White	PP	25 000	4.50	300	2700...6500	≥80	110

Product name	IP			h [mm]		
SMART+ WIFI SPOT 170mm 110 Degree	IP20	15 000	1	57.0	170.0	12
SMART+ WIFI SPOT 86mm 36 Degree	IP20	15 000	1	48.0	86.0	6
SMART+ WIFI SPOT 86mm 100 Degree	IP20	15 000	1	48.0	86.0	6

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 10. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART+ WIFI ORBIS® WALL CROSS

SMART, ADJUSTABLE WALL LUMINAIRES WITH TUNABLE WHITE FUNCTION





1
SMART+ WIFI ORBIS WALL CROSS
309x106mm Black



2
SMART+ WIFI ORBIS WALL CROSS
309x106mm White




Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] ²	W	lm	K	CRI	IP
SMART+ WIFI ORBIS WALL CROSS 309X106mm Black	4058075573949	1	Black	Aluminum	30 000	12.00	1200	3 000...6 500	>80	IP20
SMART+ WIFI ORBIS WALL CROSS 309X106mm White	4058075573994	2	White	Aluminum	30 000	12.00	1200	3 000...6 500	>80	IP20

Product name	l [mm]	b [mm]	h [mm]	Quantity	
SMART+ WIFI ORBIS WALL CROSS 309X106mm Black	15 000	309.0	50.0	106.0	4
SMART+ WIFI ORBIS WALL CROSS 309X106mm White	15 000	309.0	50.0	106.0	4

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 10. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART+ WIFI ORBIS® WALL SWAN

DECORATIVE SMART WALL LUMINAIRES MADE OF REAL PLASTER





1
SMART+ WIFI ORBIS WALL SWAN
300x150mm



2
SMART+ WIFI ORBIS WALL SWAN
200x200mm



Product name	GTIN (EAN)		COLOR	MATERIAL	t_{h} ²	W	lm	K	CRI	
--------------	------------	--	-------	----------	----------------------	---	----	---	-----	--

SMART+ WIFI ORBIS WALL SWAN 300X150mm	4058075574021	1	White	Plastic	30 000	23.00	2400	3 000...6 500	>80	360
SMART+ WIFI ORBIS WALL SWAN 200X200mm	4058075574052	2	White	Plastic	30 000	23.00	2400	3 000...6 500	>80	360

Product name	IP		l (mm)	b (mm)	h (mm)	
--------------	----	--	-------------	-------------	-------------	--

SMART+ WIFI ORBIS WALL SWAN 300X150mm	IP20	15 000	300.0	150.0	105.0	4
SMART+ WIFI ORBIS WALL SWAN 200X200mm	IP20	15 000	200.0	200.0	110.0	4

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 10. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI ORBIS[®] WALL TWIST

VERY ELEGANT SMART WALL LUMINAIRES IN BLACK OR WHITE





1
SMART+ WIFI ORBIS WALL TWIST
230x127mm



2
SMART+ WIFI ORBIS WALL TWIST
230x127mm



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _h ²	W	lm	K	CRI	°C
--------------	------------	-----	-------	----------	-----------------------------	---	----	---	-----	----

SMART+ WIFI ORBIS WALL TWIST 230X127mm	4058075574090	1	Black	Aluminum	30 000	12.00	1200	3 000...6 500	>80	360
SMART+ WIFI ORBIS WALL TWIST 230X127mm	4058075574151	2	White	Aluminum	30 000	12.00	1200	3 000...6 500	>80	360

Product name	IP	l (mm)	b (mm)	h (mm)	Icons
--------------	----	--------	--------	--------	-------

SMART+ WIFI ORBIS WALL TWIST 230X127mm	IP20	15 000	127.0	95.0	230.0	4
SMART+ WIFI ORBIS WALL TWIST 230X127mm	IP20	15 000	127.0	95.0	230.0	4

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 10. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI ORBIS[®] WALL CYLINDRO

SMART WALL LUMINAIRES IN BLACK OR WHITE – COATED INSIDE WITH A WARM METALLIC SHADE





1
SMART+ WIFI ORBIS WALL CYLDRO
200x127mm



2
SMART+ WIFI ORBIS WALL CYLDRO
200x127mm



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] ²	W	lm	K	CRI	°
--------------	------------	-----	-------	----------	-------------------	---	----	---	-----	---

SMART+ WIFI ORBIS WALL CYLDRO 200X127mm	4058075574175	1	White	Aluminum	30 000	12.00	1 200	3 000...6 500	>80	360
SMART+ WIFI ORBIS WALL CYLDRO 200X127mm	4058075574212	2	Black	Aluminum	30 000	12.00	1 200	3 000...6 500	>80	360

Product name	IP	l [mm]	b [mm]	h [mm]	°
--------------	----	--------	--------	--------	---

SMART+ WIFI ORBIS WALL CYLDRO 200X127mm	IP20	15 000	127.0	95.0	200.0	4
SMART+ WIFI ORBIS WALL CYLDRO 200X127mm	IP20	15 000	127.0	95.0	200.0	4

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 10. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART+ WIFI ORBIS® WALL WOOD

SMART WALL LUMINAIRES WITH REAL WOOD HOUSINGS AND TUNABLE WHITE FUNCTION





1
SMART+ WIFI ORBIS WALL WOOD
210x110mm



2
SMART+ WIFI ORBIS WALL WOOD
110x110mm



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] ²	W	lm	K	CRI	°C
SMART+ WIFI ORBIS WALL WOOD 210X110mm	4058075574298	1	Wooden	Wood	30000	12.00	1200	3000...6500	>80	360
SMART+ WIFI ORBIS WALL WOOD 110X110mm	4058075574250	2	Wooden	Wood	30000	7.00	600	3000...6500	>80	360

Product name	IP	l (mm)	b (mm)	h (mm)	Weight	
SMART+ WIFI ORBIS WALL WOOD 210X110mm	IP20	15000	110.0	110.0	210.0	4
SMART+ WIFI ORBIS WALL WOOD 110X110mm	IP20	15000	110.0	110.0	110.0	4

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 10. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI FLOOR CORNER

VERY SLIM FLOOR LAMP FOR CORNERS – WITH TUNABLE WHITE AND RGB FUNCTION





1
SMART+ WIFI FLOOR CORNER RGBW

Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _h ²	W	lm	K	CRI	°
SMART+ WIFI FLOOR CORNER RGBW	4058075665880	1	Black	Aluminum	30000	12.00	200	2700...6500	≥80	110

Product name	IP	Beam angle	Beam diameter (mm)	Beam diameter (mm)	Beam diameter (mm)	Beam diameter (mm)	
SMART+ WIFI FLOOR CORNER RGBW	IP20	15000	1	1420.0	110.0	72.0	6

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 10. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART+ WIFI WALL ORBIS® ROUND IP44

SMART CEILING, WALL AND MIRROR LUMINAIRES IN AN ELEGANT CHROME DESIGN – WITH TUNABLE WHITE FUNCTION





1
SMART+ ROUND IP44
480mm



2
SMART+ ROUND IP44
300mm



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _h ²	W	lm	K	CRI	
--------------	------------	-----	-------	----------	-----------------------------	---	----	---	-----	--

SMART+ ROUND IP44 480mm	4058075573727	1	Silver	Steel	30000	18.00	1800	3000...6500	>80	110
SMART+ ROUND IP44 300mm	4058075573741	2	Silver	Steel	30000	18.00	1800	3000...6500	>80	110

Product name	IP						
--------------	----	--	--	--	--	--	--

SMART+ ROUND IP44 480mm	IP44	15000	1	480.0	100.0	78.0	-	4
SMART+ ROUND IP44 300mm	IP44	15000	1	-	-	78.0	300.0	4

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 10. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART+ WIFI WALL ORBIS® WAVE IP44

SMART CEILING AND WALL LUMINAIRES WITH ONE, TWO, THREE OR FOUR LIGHT POINTS AND TUNABLE WHITE FUNCTION






1
SMART+ WAVE IP44
300mm



2
SMART+ WAVE IP44
520mm



3
SMART+ WAVE IP44
320mm



4
SMART+ WAVE IP44
200mm



amazon alexa ENABLED | works with LEDVANCE app | works with Hey Google | WIFI | LDV WIFI | SWITCH ON/OFF | TURNABLE LIGHT | DIM | IP44 | WARM COOL | LEDVANCE 3 year guarantee

Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _h ²	W	lm	K	CRI	⚠
SMART+ WAVE IP44 300mm	4058075573901	1	Silver	PMMA	30000	26.00	2800	3000...6500	>80	110
SMART+ WAVE IP44 520mm	4058075573857	2	Silver	PMMA	30000	21.00	2100	3000...6500	>80	110
SMART+ WAVE IP44 320mm	4058075573802	3	Silver	Steel	30000	15.00	1400	3000...6500	>80	110
SMART+ WAVE IP44 200mm	4058075573772	4	Silver	Steel	30000	8.00	700	3000...6500	>80	110

Product name	IP	ⓧ	l [mm]	b [mm]	h [mm]	ⓦ	
SMART+ WAVE IP44 300mm	IP44	15000	1	300.0	300.0	93.0	4
SMART+ WAVE IP44 520mm	IP44	15000	1	520.0	120.0	93.0	4
SMART+ WAVE IP44 320mm	IP44	15000	1	320.0	120.0	93.0	4
SMART+ WAVE IP44 200mm	IP44	15000	1	200.0	120.0	93.0	4

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 10. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART+ WIFI WALL ORBIS® AQUA IP44

SMART CEILING AND WALL LUMINAIRES IN A PARTICULARLY COMPACT DESIGN





1
SMART+ ORBIS AQUA IP44
280x160mm



2
SMART+ ORBIS AQUA IP44
200x200mm



3
SMART+ ORBIS AQUA IP44
200mm



amazon alexa ENABLED | works with LEDVANCE app | works with Hey Google | WIFI | LDV WIFI* | SWITCH ON/OFF* | DIM | IP 44 | WARM COOL | LEDVANCE 3 year guarantee |

Product name	GTIN (EAN)		COLOR	MATERIAL	t_{h}^2	W	lm	K	CRI	
SMART+ ORBIS AQUA IP44 280X160mm	4058075574359	1	White	Steel	30 000	12.00	1200	3 000...6 500	>80	110
SMART+ ORBIS AQUA IP44 200X200mm	4058075574373	2	White	Steel	30 000	12.00	1200	3 000...6 500	>80	110
SMART+ ORBIS AQUA IP44 200mm	4058075574410	3	White	Steel	30 000	12.00	1200	3 000...6 500	>80	110

Product name	IP		l (mm)	b (mm)	h (mm)	d (mm)		
SMART+ ORBIS AQUA IP44 280X160mm	IP44	15 000	1	280.0	160.0	94.0	-	4
SMART+ ORBIS AQUA IP44 200X200mm	IP44	15 000	1	200.0	200.0	94.0	-	4
SMART+ ORBIS AQUA IP44 200mm	IP44	15 000	1	-	-	94.0	200.0	4

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 10. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART+ WIFI CEILING ORBIS® DISC IP44

ROUND CEILING LUMINAIRES IN A PARTICULARLY SLEEK LOOK –
IN THREE SIZES AND COLORS





1
SMART+ DISC IP44
500mm



2
SMART+ DISC IP44
400mm



3
SMART+ DISC IP44
300mm



Product name	GTIN (EAN)		COLOR	MATERIAL	t_{h}^2	W	lm	K	CRI	
SMART+ DISC IP44 500mm	4058075573635	1	Black	Aluminum	30 000	32.00	4 000	3 000...6 500	>80	110
SMART+ DISC IP44 400mm	4058075573611	2	White	Aluminum	30 000	25.00	3 200	3 000...6 500	>80	110
SMART+ DISC IP44 300mm	4058075573598	3	Silver	Aluminum	30 000	18.00	2 100	3 000...6 500	>80	110

Product name	IP		h [mm]	d [mm]		
SMART+ DISC IP44 500mm	IP44	15 000	1	47.0	500.0	4
SMART+ DISC IP44 400mm	IP44	15 000	1	47.0	400.0	4
SMART+ DISC IP44 300mm	IP44	15 000	1	47.0	300.0	4

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 10. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART+ WIFI WALL ORBIS® DUPLO IP44

SMART LUMINAIRES IN A THEATER DRESSING ROOM LOOK –
WITH TUNABLE WHITE FUNCTION





1
SMART+ DUPLO IP44
580mm



2
SMART+ DUPLO IP44
450mm



3
SMART+ DUPLO IP44
300mm



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _m ²	W	lm	K	CRI	
SMART+ DUPLO IP44 580mm	4058075573703	1	Silver	ABS	30 000	27.00	2 800	3 000...6 500	>80	110
SMART+ DUPLO IP44 450mm	4058075573680	2	Silver	ABS	30 000	20.00	2 100	3 000...6 500	>80	110
SMART+ DUPLO IP44 300mm	4058075573659	3	Silver	ABS	30 000	15.00	1 400	3 000...6 500	>80	110

Product name	IP						
SMART+ DUPLO IP44 580mm	IP44	15 000	1	575.0	60.0	58.0	4
SMART+ DUPLO IP44 450mm	IP44	15 000	1	445.0	60.0	58.0	4
SMART+ DUPLO IP44 300mm	IP44	15 000	1	295.0	60.0	58.0	4

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 10. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART+ WIFI WALL ORBIS® ELYPSE IP44

SMART WALL LUMINAIRES IN A STYLISH DESIGN WITH TUNABLE WHITE FUNCTION





1
SMART+ WALL ORBIS ELYPSE IP44
560mm



2
SMART+ WALL ORBIS ELYPSE IP44
340mm



3
SMART+ WALL ORBIS ELYPSE IP44
120mm



Product name	GTIN (EAN)		COLOR	MATERIAL	t_{in}^2	W	lm	K	CRI	
SMART+ ELYPSE IP44 560mm	4058075574076	1	Silver	SteelGlass	30 000	18.00	1500	3 000...6 500	>80	110
SMART+ ELYPSE IP44 340mm	4058075573963	2	Silver	SteelGlass	30 000	12.00	1 000	3 000...6 500	>80	110
SMART+ ELYPSE IP44 120mm	4058075573925	3	Silver	SteelGlass	30 000	7.00	500	3 000...6 500	>80	110

Product name	IP		l (mm)	b (mm)	h (mm)		
SMART+ ELYPSE IP44 560mm	IP44	15 000	1	560.0	88.0	166.0	4
SMART+ ELYPSE IP44 340mm	IP44	15 000	1	340.0	88.0	166.0	4
SMART+ ELYPSE IP44 120mm	IP44	15 000	1	120.0	150.0	166.0	4

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 10. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART+ WIFI WALL ORBIS® BATH IP44

COOL & SMART WALL AND MIRROR LUMINAIRES IN BLACK OR WHITE





1
SMART+ BATH WALL IP44
400mm



2
SMART+ BATH WALL IP44
400mm



3
SMART+ BATH WALL IP44
300mm



4
SMART+ BATH WALL IP44
300mm



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _h ²	W	lm	K	CRI	
SMART+ BATH WALL IP44 400mm	4058075574236	1	White	Steel	30 000	17.00	1 600	3 000...6 500	>80	110
SMART+ BATH WALL IP44 400mm	4058075574311	2	Black	Steel	30 000	17.00	1 600	3 000...6 500	>80	110
SMART+ BATH WALL IP44 300mm	4058075574274	3	White	Steel	30 000	13.00	1 200	3 000...6 500	>80	110
SMART+ BATH WALL IP44 300mm	4058075574335	4	Black	Steel	30 000	13.00	1 200	3 000...6 500	>80	110

Product name	IP			l [mm]	b [mm]	h [mm]	
SMART+ BATH WALL IP44 400mm	IP44	15 000	1	400.0	70.0	50.0	4
SMART+ BATH WALL IP44 400mm	IP44	15 000	1	400.0	70.0	50.0	4
SMART+ BATH WALL IP44 300mm	IP44	15 000	1	300.0	70.0	50.0	4
SMART+ BATH WALL IP44 300mm	IP44	15 000	1	300.0	70.0	50.0	4

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 10. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART+ WIFI FLEX MULTICOLOR

FLEXIBLE, EXPANDABLE LED STRIP WITH
WHITE LIGHT AND RGB FUNCTION





1
SMART WIFI FLEX RGBTW
2M



2
SMART WIFI FLEX RGBTW
1M Extension



Product name **GTIN (EAN)** **No.** **MATERIAL** **t(h)²** **W** **lm** **K** **CRI** **IP**

SMART WIFI FLEX RGBTW 2M	4058075515932	1	Silicone	30000	8.50	550	2000 ... 6500	>80	110	IP20
SMART WIFI FLEX RGBTW 1M Extension	4058075523838	2	Silicone	30000	3.60	320	2000 ... 6500	>80	110	IP20

Product name **L [mm]** **b [mm]** **h [mm]**

SMART WIFI FLEX RGBTW 2M	15000	2000.0	10.0	2.6	4
SMART WIFI FLEX RGBTW 1M Extension	15000	1000.0	10.0	2.6	4

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 10. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI UNDERCABINET LED SLIM

ULTRA-SLIM, SMART UNDER-CABINET LUMINAIRE WITH EXTREMELY UNIFORM LIGHT





1
SMART+ WIFI UNDERCABINET
600mm



2
SMART+ WIFI UNDERCABINET
50x3.75 + 50x3.75 Extension



3
SMART+ WIFI UNDERCABINET
457mm



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _h ²	W	lm	CRI	°	IP	h
SMART+ WIFI UNDERCABINET 600mm	4058075575714	1	White	Aluminum/Plastic	30 000	12.00	580	>80	120	IP20	15 000
SMART+ WIFI UNDERCABINET 50x3.75	4058075576278	2	White	Aluminum/Plastic	30 000	9.00	500	>80	120	IP20	15 000
SMART+ WIFI UNDERCABINET 50x3.75 + 50x3.75 Extension	4058075576292	2	White	Aluminum/Plastic	30 000	8.00	500	≥80	120	IP20	15 000
SMART+ WIFI UNDERCABINET 457mm	4058075575691	3	White	Aluminum/Plastic	30 000	7.00	330	>80	120	IP20	15 000

Product name	x INCL.	l [mm]	b [mm]	h [mm]	h
SMART+ WIFI UNDERCABINET 600mm	1	600.0	65.0	9.0	8
SMART+ WIFI UNDERCABINET 50x3.75	1	500.0	38.0	8.0	8
SMART+ WIFI UNDERCABINET 50x3.75 + 50x3.75 Extension	1	500.0	38.0	8.0	8
SMART+ WIFI UNDERCABINET 457mm	1	457.0	65.0	9.0	8

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 10. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART+ WIFI UNDERCABINET LED PANEL

SMART UNDER-CABINET PANEL LUMINAIRE WITH EXTREMELY UNIFORM LIGHT DISTRIBUTION





1
SMART+ WIFI UNDERCABINET LED PANEL
30x20 + 30x20 Extension



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _h ²	W	lm	K	CRI	°C
--------------	------------	-----	-------	----------	-----------------------------	---	----	---	-----	----

SMART+ WIFI UNDERCABINET LED PANEL 30X20	4058075576315	1	White	Aluminum/Plastic	30 000	8.00	550	2 700...6 500	≥80	120
SMART+ WIFI UNDERCABINET LED PANEL 30x20 + 30x20 Extension	4058075576339	1	White	Aluminum/Plastic	30 000	6.80	550	2 700...6 500	≥80	120

Product name	IP	h (mm)	b (mm)	h (mm)	h (mm)
--------------	----	--------	--------	--------	--------

SMART+ WIFI UNDERCABINET LED PANEL 30X20	IP20	15 000	1	300.0	200.0	7.5	8
SMART+ WIFI UNDERCABINET LED PANEL 30x20 + 30x20 Extension	IP20	15 000	1	300.0	200.0	7.5	8

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 10. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART+ WIFI SUBMARINE® LED

SMART LED DAMP-PROOF LUMINAIRE WITH
A ROBUST POLYCARBONATE HOUSING





1
SMART+ WIFI SUBMARINE
120cm

amazon alexa ENABLED | works with LEDVANCE app | works with Hey Google | WIFI | LDV WIFI * | SWITCH ON/OFF * | EASY MOUNTING | DIM | IP65 | WARM COOL | LEDVANCE 3 year guarantee |

Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _h ²	W	lm	IP ³	K	CRI
--------------	------------	-----	-------	----------	-----------------------------	---	----	-----------------	---	-----

SMART+ WIFI SUBMARINE 120CM	4058075576353	1	Gray	Plastic	30000	18.00	1900	F	2700...6500	≥80
-----------------------------	---------------	---	------	---------	-------	-------	------	---	-------------	-----

Product name	°	IP	h	l (mm)	b (mm)	h (mm)	h (mm)
--------------	---	----	---	--------	--------	--------	--------

SMART+ WIFI SUBMARINE 120CM	140	IP65	100000	1	1261.0	66.0	75.0	9
-----------------------------	-----	------	--------	---	--------	------	------	---

HOW TO READ OUR PRODUCT TABLES

The new lighting regulation states that the new EU label indicating the energy efficiency class must be clearly visible on every product packaging. To make our product tables clearer and easier to read, the energy efficiency class isn't specified by a colored arrow but a letter. See on the right.

Energy efficiency class	Product packaging	Information Table
A		A
B		B
C		C
D		D
E		E
F		F
G		G

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 10. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Energy efficiency grade of the permanently integrated, non-exchangeable LED modules. Energy efficiency index (EEI) on a scale of A (highest efficiency) to G (lowest efficiency).

SMART+ WIFI TABLEFRAME WITH USB POWERBANK

MOBILE OUTDOOR TABLE LAMP WITH RGBW FUNCTION –
RECHARGEABLE VIA USB AND USABLE AS A POWER BANK





1
SMART+ WIFI OUTDOOR TABLEFRAME
POWERBANK Dark grey



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _h ²	W	lm	K	CRI	IP
--------------	------------	-----	-------	----------	-----------------------------	---	----	---	-----	----

SMART+ WIFI OUTDOOR TABLEFRAME POWERBANK	4058075564466	1	Dark gray	Aluminum	25 000	5.00	270	3000	≥80	360	IP44
--	---------------	---	-----------	----------	--------	------	-----	------	-----	-----	------

Product name	l	b	h	Weight
--------------	---	---	---	--------

SMART+ WIFI OUTDOOR TABLEFRAME POWERBANK Dark grey	12 500	1	120.0	120.0	203.0	4
--	--------	---	-------	-------	-------	---

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 10. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI PIPE

SMART OUTDOOR LUMINAIRE FAMILY WITH RGBW FUNCTION
IN A SLIM PIPE LOOK





1 SMART+ WIFI OUTDOOR PIPE Wall



2 SMART+ WIFI OUTDOOR PIPE 80cm Post



3 SMART+ WIFI OUTDOOR PIPE 50cm Post



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _h ²	W	lm	K	CRI	IP	
SMART+ WIFI OUTDOOR PIPE Wall	4058075564183	1	Dark gray	Aluminum	25 000	10.00	380	3000	≥80	270	IP44
SMART+ WIFI OUTDOOR PIPE 80CM Post	4058075564220	2	Dark gray	Stainless Steel	25 000	10.00	380	3000	≥80	270	IP44
SMART+ WIFI OUTDOOR PIPE 50CM Post	4058075564206	3	Dark gray	Stainless Steel	25 000	10.00	380	3000	≥80	270	IP44

Product name	Weight [kg]	Quantity	Length [mm]	Width [mm]	Height [mm]	Depth [mm]	Volume [cm³]
SMART+ WIFI OUTDOOR PIPE Wall	12.500	1	129.0	89.0	197.0	-	4
SMART+ WIFI OUTDOOR PIPE 80CM Post	12.500	1	-	-	800.0	89.0	2
SMART+ WIFI OUTDOOR PIPE 50CM Post	12.500	1	-	-	500.0	135.0	2

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 10. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI CASCADE

SMART OUTDOOR LUMINAIRE FAMILY WITH RGBW FUNCTION
IN AN EXTRAORDINARY DESIGN





1
SMART+ WIFI OUTDOOR CASCADE
80cm Post



2
SMART+ WIFI OUTDOOR CASCADE
50cm Post



3
SMART+ WIFI OUTDOOR CASCADE Wall



amazon alexa ENABLED | works with LEDVANCE app | works with Hey Google | WIFI | LDV WIFI* | SWITCH ON/OFF** | EASY MOUNTING | DIM | COLOR | WARM LIGHT | LEDVANCE 3 year guarantee¹ |

Product name	GTIN (EAN)		COLOR	MATERIAL	t_{h} ²	W	lm	K	CRI		IP
SMART+ WIFI OUTDOOR CASCADE 80CM Post	4058075564282	1	Dark gray	Aluminum	25 000	10.00	420	3000	≥80	270	IP44
SMART+ WIFI OUTDOOR CASCADE 50CM Post	4058075564268	2	Dark gray	Aluminum	25 000	10.00	420	3000	≥80	270	IP44
SMART+ WIFI OUTDOOR CASCADE Wall	4058075564244	3	Dark gray	Aluminum	25 000	10.00	420	3000	≥80	270	IP44

Product name		x [mm]	y [mm]	z [mm]	h [mm]	
SMART+ WIFI OUTDOOR CASCADE 80CM Post	12 500	1	200.0	160.0	800.0	2
SMART+ WIFI OUTDOOR CASCADE 50CM Post	12 500	1	200.0	160.0	500.0	2
SMART+ WIFI OUTDOOR CASCADE Wall	12 500	1	160.0	120.0	180.0	4

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 10. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART+ WIFI FLARE UPDOWN

SMART OUTDOOR LUMINAIRE FAMILY WITH RGBW FUNCTION –
LIGHT OUTPUT UPWARD AND DOWNWARD





1 SMART+ WIFI OUTDOOR FLARE UPDOWN 80cm Post



2 SMART+ WIFI OUTDOOR FLARE UPDOWN 50cm Post



3 SMART+ WIFI OUTDOOR FLARE UPDOWN Wall



amazon alexa ENABLED | works with LEDVANCE app | works with Hey Google | WIFI | LDV WIFI* | SWITCH ON/OFF** | EASY MOUNTING | DIM | COLOR | WARM LIGHT | LEDVANCE 3 year guarantee¹ |

Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] ²	W	lm	K	CRI	
SMART+ WIFI OUTDOOR FLARE UPDOWN 80CM Post	4058075564343	1	Dark gray	Aluminum	25 000	14.00	1 000	3 000	≥80	320 IP44
SMART+ WIFI OUTDOOR FLARE UPDOWN 50CM Post	4058075564329	2	Dark gray	Aluminum	25 000	14.00	1 000	3 000	≥80	320 IP44
SMART+ WIFI OUTDOOR FLARE UPDOWN Wall	4058075564305	3	Dark gray	Aluminum	25 000	14.00	1 000	3 000	≥80	320 IP44

Product name			l [mm]	b [mm]	h [mm]	
SMART+ WIFI OUTDOOR FLARE UPDOWN 80CM Post	12 500	1	194.0	144.0	800.0	2
SMART+ WIFI OUTDOOR FLARE UPDOWN 50CM Post	12 500	1	194.0	144.0	500.0	2
SMART+ WIFI OUTDOOR FLARE UPDOWN Wall	12 500	1	132.0	100.0	246.0	4

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 10. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART+ WIFI CUBE MULTICOLOR

STYLISH WALL AND BOLLARD LUMINAIRES WITH
COLOR-CHANGING FUNCTION





1 SMART+ WIFI CUBE UpDown



2 SMART+ WIFI CUBE 80CM Post



3 SMART+ WIFI CUBE 50CM Post



4 SMART+ WIFI CUBE Wall



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _h ²	W	lm	K	CRI	°C
SMART+ WIFI CUBE UpDown	4058075478077	1	Dark gray	Aluminum	25 000	13.50	900	RGB, 3 000	≥80	315
SMART+ WIFI CUBE 80CM Post	4058075478176	2	Dark gray	Aluminum	25 000	9.50	450	RGB, 3 000	≥80	205
SMART+ WIFI CUBE 50CM Post	4058075478152	3	Dark gray	Aluminum	25 000	9.50	450	RGB, 3 000	≥80	205
SMART+ WIFI CUBE Wall	4058075478114	4	Dark gray	Aluminum	25 000	9.50	450	RGB, 3 000	≥80	205

Product name	IP	l [mm]	b [mm]	h [mm]	Weight	
SMART+ WIFI CUBE UpDown	IP44	12500	110.0	80.0	205.0	4
SMART+ WIFI CUBE 80CM Post	IP44	12500	120.0	120.0	800.0	2
SMART+ WIFI CUBE 50CM Post	IP44	12500	120.0	120.0	500.0	2
SMART+ WIFI CUBE Wall	IP44	12500	110.0	80.0	116.0	4

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 10. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI LANTERN FLARE MULTICOLOR

WALL AND BOLLARD LUMINAIRES IN FLARE DESIGNS WITH COLOR-CHANGING FUNCTION





1
SMART+ WIFI FLARE Wall



2
SMART+ WIFI FLARE
60CM Post



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _h ²	W	lm	K	CRI	°C
SMART+ WIFI FLARE Wall	4058075478275	1	Dark gray	Aluminum	25 000	7.50	320	RGB, 3 000	≥80	230
SMART+ WIFI FLARE 60CM Post	4058075478299	2	Dark gray	Aluminum	25 000	7.50	320	RGB, 3 000	≥80	230


Product name	IP	l (mm)	b (mm)	h (mm)	∅ d (mm)	Weight
SMART+ WIFI FLARE Wall	IP44	12 500	98.0	66.0	331.0	-
SMART+ WIFI FLARE 60CM Post	IP44	12 500	-	-	604.0	110.0

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 10. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART+ WIFI BRICK

SMART WALL LUMINAIRES WITH RGBW FUNCTION AND LIGHT OUTPUT UPWARD AND DOWNWARD





1 SMART+ WIFI OUTDOOR BRICK Wide Dark Grey



2 SMART+ WIFI OUTDOOR BRICK Dark grey



3 SMART+ WIFI OUTDOOR BRICK Stainless steel



4 SMART+ WIFI OUTDOOR BRICK Wide Stainless steel



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _h ²	W	lm	K	CRI	IP	
SMART+ WIFI OUTDOOR BRICK Wide Dark Grey	4058075564404	1	Dark gray	Aluminum	25 000	14.00	600	3000	≥80	290	IP44
SMART+ WIFI OUTDOOR BRICK Dark grey	4058075564367	2	Dark gray	Aluminum	25 000	14.00	550	3000	≥80	275	IP44
SMART+ WIFI OUTDOOR BRICK Stainless steel	4058075564428	3	Steel	Aluminum/Steel	25 000	14.00	550	3000	≥80	275	IP44
SMART+ WIFI OUTDOOR BRICK Wide Stainless steel	4058075564442	4	Steel	Aluminum/Steel	25 000	14.00	600	3000	≥80	290	IP44

Product name	l [mm]	b [mm]	h [mm]	Weight		
SMART+ WIFI OUTDOOR BRICK Wide Dark Grey	12500	1	145.0	75.0	85.0	4
SMART+ WIFI OUTDOOR BRICK Dark grey	12500	1	85.0	85.0	85.0	4
SMART+ WIFI OUTDOOR BRICK Stainless steel	12500	1	85.0	85.0	85.0	4
SMART+ WIFI OUTDOOR BRICK Wide Stainless steel	12500	1	75.0	145.0	85.0	4

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 10. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART+ WIFI CURVE MULTICOLOR

WALL LUMINAIRES IN AESTHETIC CURVED DESIGNS WITH COLOR-CHANGING FUNCTION





1
SMART+ WIFI CURVE DG



2
SMART+ WIFI CURVE SI



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _h ²	W	lm	K	CRI	°C
SMART+ WIFI CURVE DG	4058075478336	1	Dark gray	Aluminum	25 000	9.00	520	RGB, 3 000	≥80	260
SMART+ WIFI CURVE SI	4058075478350	2	Silver	Aluminum	25 000	9.00	520	RGB, 3 000	≥80	260

Product name	IP	l (mm)	b (mm)	h (mm)	Weight	
SMART+ WIFI CURVE DG	IP44	12 500	93.0	100.0	248.0	4
SMART+ WIFI CURVE SI	IP44	12 500	93.0	100.0	248.0	4

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 10. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART+ WIFI GARDEN POLE MULTICOLOR

DECORATIVE, EXPANDABLE GARDEN LIGHTING WITH COLOR-CHANGING FUNCTION





1
SMART+ WIFI GARDEN
5 Pole



2
SMART+ WIFI GARDEN
5 Pole mini



3
SMART+ WIFI GARDEN
3 Pole extension



4
SMART+ WIFI GARDEN
3 Pole mini extension



amazon alexa ENABLED | works with LEDVANCE app | works with Hey Google | WIFI | LDV WIFI* | LED MODULE INTEGRATED | DIM | COLOR | WARM LIGHT | LEDVANCE 3 year guarantee¹ |

Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _h ²	W	lm	K	CRI	
SMART+ WIFI GARDEN 5 Pole	4058075478213	1	Steel	Stainless steel	25 000	5.70	180	RGB, 3 000	≥80	280
SMART+ WIFI GARDEN 5 Pole mini	4058075478190	2	Steel	Stainless steel	25 000	3.80	80	RGB, 3 000	≥80	280
SMART+ WIFI GARDEN 3 Pole extension	4058075478251	3	Steel	Stainless steel	25 000	3.10	45	RGB, 3 000	≥80	280
SMART+ WIFI GARDEN 3 Pole mini extension	4058075478237	4	Steel	Stainless steel	25 000	1.90	108	RGB, 3 000	≥80	280

Product name	IP	b [mm]	h [mm]	d [mm]		
SMART+ WIFI GARDEN 5 Pole	IP65	12500	38.0	365.0	38.0	4
SMART+ WIFI GARDEN 5 Pole mini	IP65	12500	22.0	227.0	22.0	4
SMART+ WIFI GARDEN 3 Pole extension	IP65	12500	38.0	365.0	38.0	4
SMART+ WIFI GARDEN 3 Pole mini extension	IP65	12500	22.0	227.0	22.0	4

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 10. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI GARDEN SPOT MULTICOLOR

COMPACT SPOTLIGHTS FOR GARDENS AND TERRACES WITH COLOR-CHANGING FUNCTION





1
SMART+ WIFI GARDEN
3 Spot



2
SMART+ WIFI GARDEN
1 Spot



3
SMART+ WIFI GARDEN
1 Spot extension



amazon alexa ENABLED | works with LEDVANCE app | works with Hey Google | WIFI | LDV WIFI* | EASY MOUNTING | DIM | COLOR | WARM LIGHT | LEDVANCE 3 year guarantee |


Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t_{h}^2	W	lm	K	CRI	
SMART+ WIFI GARDEN 3 Spot	4058075478497	1	Dark gray	Aluminum	25 000	14.50	680	RGB, 3 000	≥80	76
SMART+ WIFI GARDEN 1 Spot	4058075478374	2	Dark gray	Aluminum	25 000	5.00	260	RGB, 3 000	≥80	76
SMART+ WIFI GARDEN 1 Spot extension	4058075478398	3	Dark gray	Aluminum	25 000	4.50	260	RGB, 3 000	≥80	76


Product name	IP		l [mm]	b [mm]	h [mm]	
SMART+ WIFI GARDEN 3 Spot	IP65	12 500	145.0	90.0	295.0	4
SMART+ WIFI GARDEN 1 Spot	IP65	12 500	145.0	90.0	295.0	4
SMART+ WIFI GARDEN 1 Spot extension	IP65	12 500	145.0	90.0	295.0	4

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 10. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART+ WIFI GARDEN DOT MULTICOLOR

SMALL GARDEN SPOTLIGHTS WITH FLEXIBLE MOUNTING AND COLOR-CHANGING FUNCTION





1
SMART+ WIFI GARDEN
18 Dot



2
SMART+ WIFI GARDEN
9 Dot



3
SMART+ WIFI GARDEN
3 Dot extension



amazon alexa ENABLED | works with LEDVANCE app | works with Hey Google | WIFI | LDV WIFI* | LED MODULE INTEGRATED | EASY MOUNTING | DIM+ | COLOR | LEDVANCE 3 year guarantee¹ |

Product name	GTIN (EAN)	No.	COLOR	MATERIAL	²	W	lm	K		IP
SMART+ WIFI GARDEN 18 Dot	4058075478558	1	Transparent	Polycarbonate (PC)	25 000	4.00	680	RGB	33	IP65
SMART+ WIFI GARDEN 9 Dot	4058075478534	2	Transparent	Polycarbonate (PC)	25 000	2.50	380	RGB	33	IP65
SMART+ WIFI GARDEN 3 Dot extension	4058075478572	3	Transparent	Polycarbonate (PC)	25 000	0.70	110	RGB	33	IP65

Product name		(mm)	(mm)	(mm)	
SMART+ WIFI GARDEN 18 Dot	12 500	23.0	96.0	23.0	4
SMART+ WIFI GARDEN 9 Dot	12 500	23.0	96.0	23.0	4
SMART+ WIFI GARDEN 3 Dot extension	12 500	23.0	96.0	23.0	4

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 10. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI NEON FLEX MULTICOLOR

DECORATIVE LED STRIPS WITH PARTICULARLY HOMOGENEOUS LIGHT DISTRIBUTION – FOR INDOORS AND OUTDOORS





1
SMART+ WIFI NEON FLEX



Product name	GTIN (EAN)	No.	MATERIAL	t(h) ²	W	lm	K	CRI	°	IP
--------------	------------	-----	----------	-------------------	---	----	---	-----	---	----

SMART+ WIFI NEON FLEX 5M	4058075504806	1	Silicone	30000	20.00	630	2700...6500	>80	110	IP44
SMART+ WIFI NEON FLEX 3M	4058075504783	1	Silicone	30000	15.00	520	2700...6500	>80	110	IP44

Product name	l [mm]	b [mm]	h [mm]	mm
--------------	--------	--------	--------	----

SMART+ WIFI NEON FLEX 5M	15000	5000.0	8.8	17.5	4
SMART+ WIFI NEON FLEX 3M	15000	3000.0	8.8	17.5	4

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 10. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI CAMERA

SMART OUTDOOR WALL LUMINAIRES WITH CAMERA, INTERCOM AND ALARM FUNCTION





1
SMART+ WIFI OUTDOOR WALL CAMERA CONTROL DG



2
SMART+ WIFI OUTDOOR ROUND CAMERA DG



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _h ²	W	lm	K	CRI	IP
--------------	------------	-----	-------	----------	-----------------------------	---	----	---	-----	----

SMART+ WIFI OUTDOOR WALL CAMERA CONTROL DG	4058075564602	1	Dark gray	Plastic	25 000	16.00	900	3000	>80	208	IP44
SMART+ WIFI OUTDOOR ROUND CAMERA DG	4058075564480	2	Dark gray	Plastic	25 000	15.00	950	3000	≥80	120	IP44

Product name			l (mm)	b (mm)	h (mm)	d (mm)	
--------------	--	--	--------	--------	--------	--------	--

SMART+ WIFI OUTDOOR WALL CAMERA CONTROL DG	12 500	1	120.0	80.0	320.0	-	4
SMART+ WIFI OUTDOOR ROUND CAMERA DG	12 500	1	105.0	-	105.0	180.0	4

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 10. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART+ WIFI FLOOD CAMERA

SMART OUTDOOR FLOODLIGHTS WITH CAMERA,
INTERCOM AND ALARM FUNCTION





1
SMART+ WIFI FLOOD Camera



2
SMART+ WIFI OUTDOOR FLOOD CAMERA CONTROL DG



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _h ²	W	lm	K	CRI	IP
--------------	------------	-----	-------	----------	-----------------------------	---	----	---	-----	----

SMART+ WIFI FLOOD Camera	4058075478312	1	Dark gray	Aluminum	25 000	24.00	1800	3000	>80	110	IP44
SMART+ WIFI OUTDOOR FLOOD CAMERA CONTROL DG	4058075564626	2	Dark gray	Aluminum	25 000	23.00	2000	3000	>80	200	IP44

Product name	Weight (g)	Quantity	Length (mm)	Width (mm)	Height (mm)	Volume (cm³)
--------------	------------	----------	-------------	------------	-------------	--------------

SMART+ WIFI FLOOD Camera	15 000	1	163.0	169.0	250.0	4
SMART+ WIFI OUTDOOR FLOOD CAMERA CONTROL DG	12 500	1	200.0	197.0	262.0	4

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 10. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI FLOOD

EXTREMELY LOW-PROFILE AND ROBUST FLOODLIGHTS IN DIFFERENT SIZES – ALSO AVAILABLE WITH RGB FUNCTION





1
SMART+ WIFI FLOOD
50W



2
SMART+ WIFI FLOOD
30W



3
SMART+ WIFI FLOOD
20W



4
SMART+ WIFI FLOOD
10W



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _h ²	W	lm	K	CRI	IP	
SMART+ WIFI FLOOD 50 W	4058075474666	1	Dark gray	Aluminum	30 000	50.00	4250	3000	≥80	-	IP65
SMART+ WIFI FLOOD 30W	4058075474642	2	Dark gray	Aluminum	30 000	30.00	2190	3000	≥80	-	IP65
SMART+ WIFI FLOOD 20W	4058075474628	3	Dark gray	Aluminum	30 000	20.00	1260	3000	≥80	-	IP65
SMART+ WIFI FLOOD 10W	4058075474604	4	Dark gray	Aluminum	30 000	10.00	630	3000	≥80	100	IP65

Product name	l [mm]	b [mm]	h [mm]	Weight	
SMART+ WIFI FLOOD 50 W	30 000	237.0	200.0	36.0	8
SMART+ WIFI FLOOD 30W	30 000	209.0	168.0	30.0	12
SMART+ WIFI FLOOD 20W	30 000	152.0	125.0	28.0	12
SMART+ WIFI FLOOD 10W	30 000	152.0	125.0	28.0	12

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 10. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART+ BLUETOOTH: TOTALLY CONVENIENT, TOTALLY EFFICIENT

There are so many attractive SMART+ Bluetooth products to choose from. And the coverage of the network is extended via the Bluetooth Mesh function with every additional product connected in series.



Type of lamp and description of base

Functions

Type of technology

Plastic-free packaging

Compatibility with voice control systems



**SMART+ BLUETOOTH
LAMPS AND COMPONENTS**

196



**SMART+ BLUETOOTH
INDOOR LED STRIPS**

204



**SMART+ BLUETOOTH
OUTDOOR WALL AND PATHWAY LUMINAIRES**

206










**SMART+ BLUETOOTH
OUTDOOR LED STRIPS**

208



SMART+ BLUETOOTH CLASSIC LAMPS

Product name	GTIN (EAN)	No.	W ¹	lm	EEC ²	K	Beam angle	t ₉₀ ³	Height [mm]	Ø d [mm]	Weight	Icons		
SMART+ Bluetooth Classic Dimmable 														
SMART+ BT Classic 60 60 9W/2 700K E27	4058075208506	6	60	9	806	E27	F	2 700	Yes	15 000	118	60	1	4
SMART+ Bluetooth Filament Classic Dimmable 														
SMART+ BT Classic 67 GLFR 100 11W/2 700K E27	4058075486089	1	100	11	1 521	E27	D	2 700	Yes	15 000	133	67	1	4
SMART+ BT Classic 60 GLFR 75 7.5W/2 700K E27	4058075609631	10	75	7.5	1 055	E27	D	2 700	Yes	15 000	105	60	1	4
SMART+ BT Classic 60 SMOKE 44 6W/2 700K E27	4058075486126	2	44	6	540	E27	F	2 700	Yes	15 000	105	60	1	4
SMART+ BT Classic 60 GOLD 52 6W/2 400K E27	4058075208582	3	52	6	680	E27	E	2 400	Yes	15 000	105	60	1	4
SMART+ BT Classic 60 CLEAR 60 6W/2 700K E27	4058075208551	5	60	6	806	E27	E	2 700	Yes	15 000	105	60	1	4
SMART+ BT Classic 60 CLEAR 60 6W/2 700K B22d	4058075486201	4	60	6	806	B22d	E	2 700	Yes	15 000	117	60	1	4
SMART+ Bluetooth Classic Tunable White  														
SMART+ BT Classic 60 9W/2 700...6 500K E27	4058075485198	7	60	9	806	E27	F	2 700...6 500	Yes	15 000	118	60	1	4
SMART+ Bluetooth Classic Multicolour   														
SMART+ BT Classic 60 60 9W/2 700...6 500K E27	4058075208469	9	60	9	806	E27	F	RGBW 2 700...6 500	Yes	15 000	118	60	1	4
SMART+ BT Classic 60 60 9W/2 700...6 500K B22d	4058075208476	8	60	9	806	B22d	F	RGBW 2 700...6 500	Yes	15 000	118	60	1	4



¹ Wattage of the conventional lamp to be replaced | ² Energy efficiency class (EEC) on a scale of A (highest efficiency) to G (lowest efficiency) | ³ Average lifespan in hrs



SMART+ BLUETOOTH CANDLE LAMPS

Product name	GTIN (EAN)	No.	w _{equiv} ¹	W	lm	EEC ²	Beam angle	K	Dimmable	t ₉₀ ³	Height [mm]	Width [mm]	Weight [g]	Volume [cm ³]	Icons
SMART+ Bluetooth Candle Dimmable															
SMART+ BT Candle 40 5W/2700K E14	4058075485211	2	40	5	470	E14	F	2700	Yes	15000	114	39	1	4	
SMART+ Bluetooth Filament Classic Dimmable															
SMART+ BT Candle Clear 40 4W/2700K E14	4058075486102	1	40	4	470	E14	E	2700	Yes	15000	115	35	1	4	
SMART+ Bluetooth Candle Tunable White															
SMART+ BT Candle 40 5W/2700...6500K E14	4058075485235	3	40	5	470	E14	F	2700...6500	Yes	15000	114	39	1	4	



¹ Wattage of the conventional lamp to be replaced | ² Energy efficiency class (EEC) on a scale of A (highest efficiency) to G (lowest efficiency) | ³ Average lifespan in hrs



SMART+ BLUETOOTH MINI-GLOBE LAMPS

Product name	GTIN (EAN)	No.	w ¹	W	lm	EEC ²	K	Beam angle	t ₉₀ ³	Height [mm]	Ø [mm]	Weight [g]	Quantity	Icons
SMART+ Bluetooth Mini Bulb Dimmable														
SMART+ BT Mini bulb 40 5W/2700K E14	4058075485259	1	40	5	470	E14	F	2700	Yes	15000	89	45	1	
SMART+ Bluetooth Filament Mini Globe Dimmable														
SMART+ BT Mini bulb Clear 40 4W/2700K E14	4058075609655	2	40	4	470	E14	E	2700	Yes	15000	110	45	1	
SMART+ BT Mini bulb Clear 40 4W/2700K E27	4058075609679	3	40	4	470	E27	E	2700	Yes	15000	77	45	1	
SMART+ Bluetooth Mini Bulb Tunable White														
SMART+ BT Mini bulb 40 5W/2700...6500K E14	4058075485273	4	40	5	470	E14	F	2700...6500	Yes	15000	89	45	1	



¹ Wattage of the conventional lamp to be replaced | ² Energy efficiency class (EEC) on a scale of A (highest efficiency) to G (lowest efficiency) | ³ Average lifespan in hrs



SMART+ BLUETOOTH FILAMENT LAMPS WITH EDISON BULB

Product name GTIN (EAN)

No.
W¹
W
lm
lm/W²
K
h
t_h³
l [mm]
d [mm]
h [mm]
h [mm]

SMART+ Bluetooth Filament Edison Dimmable



SMART+ BT CL EDISON SMOKE 44 6W/2500K E27	4058075486140	1	44	6	540	E27	F	2500	Yes	15000	143	64	1	4
SMART+ BT CL EDISON GOLD 52 6W/2400K E27	4058075208605	2	52	6	725	E27	E	2400	Yes	15000	143	64	1	4
SMART+ BT CL EDISON CLEAR 60 6W/2700K E27	4058075208575	3	60	6	806	E27	E	2700	Yes	15000	143	64	1	4



¹ Wattage of the conventional lamp to be replaced | ² Energy efficiency class (EEC) on a scale of A (highest efficiency) to G (lowest efficiency) | ³ Average lifespan in hrs



SMART+ BLUETOOTH FILAMENT LAMPS WITH GLOBE BULB

Product name GTIN (EAN)

Lightbulb No.
Wattage (W)
Light output (lm)
Energy efficiency class (EEC)
Energy consumption (kWh/100h)
Beam angle (°)
Life span (h)
Height (mm)
Weight (g)
Volume (cm³)

Product name	GTIN (EAN)	No.	W	lm	EEC	kWh/100h	Beam angle (°)	Life span (h)	Height (mm)	Weight (g)	Volume (cm³)			
SMART+ Bluetooth Filament Globe Dimmable														
SMART+ BT CL GLOBE125 SMOKE 44 6W/2500K E27	4058075486164	1	44	6	540	E27	F	2500	Yes	15000	168	125	1	4
SMART+ BT CL GLOBE125 GOLD 52 6W/2400K E27	4058075208599	2	52	6	680	E27	E	2400	Yes	15000	168	125	1	4
SMART+ BT CL GLOBE125 CLEAR 60 6W/2700K E27	4058075208568	3	60	6	806	E27	E	2700	Yes	15000	168	125	1	4
SMART+ BT CL GLOBE200 SMOKE 42 6W/2500K E27	4058075486188	4	42	6	540	E27	G	2500	Yes	15000	283	200	1	2



¹ Wattage of the conventional lamp to be replaced | ² Energy efficiency class (EEC) on a scale of A (highest efficiency) to G (lowest efficiency) | ³ Average lifespan in hrs



SMART+ BLUETOOTH REFLECTOR LAMPS



Product name	GTIN (EAN)	No.	w _{equiv} ¹	W	lm	Energy efficiency class ²	Beam angle	Base	Color temperature (K)	Dimmable	Lifespan (hrs) ³	Height (mm)	Width (mm)	Depth (mm)	Weight (kg)	Icons
SMART+ Bluetooth Spot GU10 Dimmable																
SMART+ BT SPOT 50 45° 5W/2700K GU10	4058075485297	1	50	5	350	GU10	G	2700	Yes	20000	54	50	1	4		
SMART+ Bluetooth Spot GU10 Tunable White																
SMART+ BT SPOT 50 45° 5W/2700...6500K GU10	4058075485310	2	50	5	350	GU10	G	2700...6500	Yes	20000	54	50	1	4		
SMART+ Bluetooth Spot GU10 Multicolour																
SMART+ BT SPOT 50 100° 5W/2700...6500K GU10	4058075485334	3	50	5	300	GU10	G	RGBW 2700...6500	Yes	20000	56	50	1	4		
SMART+ Bluetooth Spot Concentra Multicolor																
SMART+ BT SPOT 40 45° 3W/2700...6500K E14	4058075609471	4	40	3	210	E14	G	RGBW 2700...6500	Yes	20000	83	50	1	4		
SMART+ BT SPOT 60 45° 6W/2700...6500K E27	4058075609495	5	60	6	345	E27	F	RGBW 2700...6500	Yes	20000	98	63	1	4		



¹ Wattage of the conventional lamp to be replaced | ² Energy efficiency class (EEC) on a scale of A (highest efficiency) to G (lowest efficiency) | ³ Average lifespan in hrs











SMART+ BLUETOOTH PLUG INDOOR AND OUTDOOR

Product name	GTIN (EAN)	No.	PROTECTION CLASS	A MAX	COLOR	IP			
SMART+ Bluetooth Plug Outdoor 									
SMART+ BT OUTDOOR PLUG EU	4058075503106	1	I	16	White	IP44	1	8	
SMART+ Bluetooth Plug Indoor 									
SMART+ BT PLUG EU	4058075208513	2	I	16	White	IP20	1	4	
SMART+ BT PLUG UK	4058075208520	3	I	13	White	IP20	1	4	
SMART+ BT NIGHTLIGHT PLUG EU	4058075571013	4	I	16	White	IP20	1	4	





SMART+ BLUETOOTH STARTER KITS WITH GOOGLE NEST MINI

Product name	GTIN (EAN)	 No.		
STARTER KIT SMART HOME Google Nest Mini with Filament lamp 				
Google Mini Bundle chalk Classic A60 FIL DIM E27 BT	4058075534186	1	1	2
Google Mini Bundle black Classic A60 FIL DIM E27 BT	4058075534162	2	1	2
STARTER KIT SMART HOME Google Nest Mini with Classic lamp   				
Google Mini Bundle chalk Classic A60 FR RGBW E27 BT	4058075534223	3	1	2
Google Mini Bundle black Classic A60 FR RGBW E27 BT	4058075534209	4	1	2
STARTER KIT SMART HOME Google Nest Mini with Plug 				
Google Mini Bundle black Indoor Plug BT	4058075534247	5	1	2



SMART⁺ BLUETOOTH FLEX MULTICOLOR

FLEXIBLE LED STRIPS FOR INDOOR USE WITH
TUNABLE WHITE LIGHT AND RGB FUNCTION





1
SMART+ BT FLEX
3M



Product name	GTIN (EAN)	No.	MATERIAL	t_{h1} ²	W	lm	K	CRI		IP
--------------	------------	-----	----------	-----------------------	---	----	---	-----	--	----

SMART+ BT FLEX 5M	4058075504844	1	Silicone	30 000	16.00	1 100	2000...6500	>80	110	IP20
SMART+ BT FLEX 3M	4058075504820	1	Silicone	30 000	12.00	900	2000...6500	>80	110	IP20

Product name		l [mm]	b [mm]	h [mm]	
--------------	--	----------	----------	----------	--

SMART+ BT FLEX 5M	15 000	5 000.0	10.0	2.6	4
SMART+ BT FLEX 3M	15 000	3 000.0	10.0	2.6	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ BLUETOOTH MODERN LANTERN MULTICOLOR

PURISTIC WALL AND BOLLARD LUMINAIRES WITH TUNABLE WHITE AND RGB FUNCTION





1 SMART+ MODERN LANTERN Wall Multicolor



2 SMART+ MODERN LANTERN Bollard 90cm Multicolor



3 SMART+ MODERN LANTERN Bollard 50cm Multicolor




Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _h ²	W	lm	K	CRI	⚠
SMART+ MODERN LANTERN Wall Multicolor	4058075184572	1	Dark gray	Aluminum	25 000	12.00	650	RGB, 2 000...6 500	80	360
SMART+ MODERN LANTERN Bollard 90cm Multicolor	4058075184619	2	Dark gray	Aluminum	25 000	12.00	650	RGB, 2 000...6 500	80	360
SMART+ MODERN LANTERN Bollard 50cm Multicolor	4058075184589	3	Dark gray	Aluminum	25 000	12.00	650	RGB, 2 000...6 500	80	360

Product name	IP	l [mm]	b [mm]	h [mm]	∅ d [mm]	⊞	
SMART+ MODERN LANTERN Wall Multicolor	IP44	100 000	176.0	110.0	240.0	-	4
SMART+ MODERN LANTERN Bollard 90cm Multicolor	IP44	100 000	-	-	900.0	110.0	2
SMART+ MODERN LANTERN Bollard 50cm Multicolor	IP44	100 000	-	-	500.0	110.0	2

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ BLUETOOTH FLEX OUTDOOR MULTICOLOR FLEXIBLE LED STRIP WITH COLOR-CHANGING FUNCTION AND TUNABLE WHITE – FOR OUTDOOR USE





1
SMART+ BT FLEX



Product name	GTIN (EAN)	No.	MATERIAL	t(h) ²	W	lm	K	CRI	IP
--------------	------------	-----	----------	-------------------	---	----	---	-----	----

SMART+ BT FLEX 5M	4058075504882	1	Silicone	30 000	16.00	1 100	RGB, 2000...6500	>80	110	IP44
SMART+ BT FLEX 3M	4058075504868	1	Silicone	30 000	12.00	850	RGB, 2000...6500	>80	110	IP44

Product name	l [mm]	b [mm]	h [mm]	Quantity
--------------	--------	--------	--------	----------

SMART+ BT FLEX 5M	15 000	5 000.0	12.0	4.5	4
SMART+ BT FLEX 3M	15 000	3 000.0	12.0	4.5	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART+ ZIGBEE: SMART LIGHT FOR THE INTELLIGENT HOME

For those who would like to control their light via a gateway the SMART+ Zigbee products are compatible with a multitude of smart home systems. They are operated via the partner system app. This range of lamps and luminaires is especially suitable for customers who would like to fully exploit the potential of smart lighting in combination with other smart home functions.



Type of lamp and description of base

Functions

Type of technology

Plastic-free packaging

Compatibility with voice control systems



**SMART+ ZIGBEE
LAMPS AND COMPONENTS**

212



**SMART+ ZIGBEE
INDOOR LED STRIPS**

220



**SMART+ ZIGBEE
OUTDOOR GARDEN LUMINAIRES**

222



**SMART+ ZIGBEE
OUTDOOR LED STRIPS**

224



SMART+ ZIGBEE CLASSIC LAMPS

Product name	GTIN (EAN)	No.	w ₂ W ¹	W	lm	Energy Efficiency Class ²	K	Beam Angle	t ₉₀ ³	Height [mm]	Width [mm]	Depth [mm]	Weight [g]	Quantity	Icons
SMART+ Zigbee Classic Dimmable															
SMART+ ZB Classic 60 60 9W E27	4058075208377	1	60	9	806	E27	F	2700	Yes	20000	112	60	1	4	
SMART+ Zigbee Filament Classic Dimmable															
SMART+ ZB Classic A53 GOLD 6W/2400K E27	4058075528178	2	53	6	680	E27	E	2400	Yes	15000	105	60	1	4	
SMART+ Zigbee Classic Tunable White															
SMART+ ZB Classic 60 60 9W E27	4058075208384	3	60	9	806	E27	F	2700...6500	Yes	20000	112	60	1	4	
SMART+ Zigbee Classic Multicolour															
SMART+ ZB Classic 60 60 9W E27	4058075208391	4	60	9	806	E27	F	RGBW 2700...6500	Yes	20000	112	60	1	4	
SMART+ ZB Classic 60 60 10W B22d	4058075208407	5	60	9	806	B22d	F	RGBW 2700...6500	Yes	20000	110	60	1	4	



¹ Wattage of the conventional lamp to be replaced | ² Energy efficiency class (EEC) on a scale of A (highest efficiency) to G (lowest efficiency) | ³ Average lifespan in hrs



SMART+ ZIGBEE CANDLE LAMPS

Product name	GTIN (EAN)	No.	wΔW ¹	W	lm	Energy Efficiency Class ²	K	Beam Angle	t ₉₀ ³	Height [mm]	Ø d [mm]	Weight [g]	Quantity	Icons
--------------	------------	-----	------------------	---	----	--------------------------------------	---	------------	------------------------------	-------------	----------	------------	----------	-------

SMART+ Zigbee Candle Dimmable

SMART+ ZB Candle 40 5W/2700K E14	4058075208421	1	40	5	470	E14	F	2700	Yes	20000	107	37	1	
----------------------------------	---------------	---	----	---	-----	-----	---	------	-----	-------	-----	----	---	--

SMART+ Zigbee Candle Tunable White

SMART+ ZB Candle 40 5W E14	4058075208414	2	40	5	470	E14	F	2700...6500	Yes	20000	107	37	1	
----------------------------	---------------	---	----	---	-----	-----	---	-------------	-----	-------	-----	----	---	--



¹ Wattage of the conventional lamp to be replaced | ² Energy efficiency class (EEC) on a scale of A (highest efficiency) to G (lowest efficiency) | ³ Average lifespan in hrs



SMART+ ZIGBEE MINI-GLOBE LAMPS

Product name	GTIN (EAN)	No.	w ¹	W	lm	EEC ²	K	Dimmable	t ₉₀ ³	l [mm]	d [mm]	Weight	Quantity	Icons
--------------	------------	-----	----------------	---	----	------------------	---	----------	------------------------------	--------	--------	--------	----------	-------

SMART+ Zigbee Mini Bulb Dimmable

SMART+ ZB Mini bulb 40 5W/2700K E14	4058075485150	1	40	5	470	E14	F	2700	Yes	20000	93	45	1	4	
-------------------------------------	---------------	---	----	---	-----	-----	---	------	-----	-------	----	----	---	---	--

SMART+ Zigbee Mini Bulb Tunable White

SMART+ ZB Mini bulb 40 5W/2700...6500K E14	4058075485174	2	40	5	470	E14	F	2700...6500	Yes	20000	93	45	1	4	
--	---------------	---	----	---	-----	-----	---	-------------	-----	-------	----	----	---	---	--



¹ Wattage of the conventional lamp to be replaced | ² Energy efficiency class (EEC) on a scale of A (highest efficiency) to G (lowest efficiency) | ³ Average lifespan in hrs



1

SMART+ ZIGBEE FILAMENT LAMP WITH EDISON BULB

Product name GTIN (EAN)

Light No.
Wattage ¹
W
lm
Energy Efficiency ²
Class ²
Power Factor ³
t₉₀ ³
Height [mm]
Width [mm]
Depth [mm]
Weight [kg]
Volume [cm³]

SMART+ Zigbee Filament Edison Dimmable

SMART+ ZB CL EDISON 53 GOLD 6W/2400K E27	4058075528192	1	53	6	680	E27	E	2400	15000	143	64	1	4
--	---------------	---	----	---	-----	-----	---	------	-------	-----	----	---	---


















¹ Wattage of the conventional lamp to be replaced | ² Energy efficiency class (EEC) on a scale of A (highest efficiency) to G (lowest efficiency) | ³ Average lifespan in hrs



1



SMART+ ZIGBEE FILAMENT LAMP WITH GLOBE BULB





















Product name	GTIN (EAN)	 No.	 w@W ¹	 W	 lm											
SMART+ Zigbee Filament Globe Dimmable																
SMART+ ZB CL GLOBE 53 GOLD 6W/2.400K E27	4058075528215	1	53	6	680	E27	E	2.400	15.000	168	125	1	4			



¹ Wattage of the conventional lamp to be replaced | ² Energy efficiency class (EEC) on a scale of A (highest efficiency) to G (lowest efficiency) | ³ Average lifespan in hrs



SMART+ ZIGBEE REFLECTOR LAMPS

Product name	GTIN (EAN)														
SMART+ Zigbee Spot GU10 Dimmable 															
SMART+ ZB Spot 50 5W/2700 36° GU10	4058075208452	1	50	5	350	GU10	G	2700	Yes	20000	52	50	1	4	
SMART+ Zigbee Spot GU10 Tunable White  															
SMART+ ZB Spot 50 5W/2700...6500K 36° GU10	4058075208438	2	50	5	350	GU10	G	2700...6500	Yes	20000	52	50	1	4	
SMART+ Zigbee Spot GU10 Multicolour   															
SMART+ ZB Spot 28 5W/2700...6500K 120° GU10	4058075208445	3	28	5	300	GU10	G	RGBW 2700...6500	Yes	20000	56	50	1	4	



¹ Wattage of the conventional lamp to be replaced | ² Energy efficiency class (EEC) on a scale of A (highest efficiency) to G (lowest efficiency) | ³ Average lifespan in hrs



SMART+ ZIGBEE PLUG INDOOR AND OUTDOOR

Product name	GTIN (EAN)	No.	PROTECTION CLASS	A MAX	COLOR	IP			
SMART+ Zigbee Plug Indoor									
SMART+ ZB PLUG EU	4058075208315	1	I	16	White	IP20	1	4	
SMART+ ZB PLUG UK	4058075208322	2	II	13	White	IP20	1	4	
SMART+ ZB NIGHTLIGHT PLUG EU	4058075570955	3	I	16	White	IP20	1	4	
SMART+ Zigbee Plug Outdoor									
SMART+ ZB OUTDOOR PLUG EU	4058075209985	4	I	16	White	IP44	1	8	
SMART+ ZB COMPACT OUTDOOR PLUG EU	4058075570931	5	I	16	Anthracite	IP44	1	4	





SMART+ ZIGBEE FLEX MULTICOLOR

FLEXIBLE, EXPANDABLE LED STRIP WITH TUNABLE WHITE LIGHT AND RGB FUNCTION





1
SMART+ ZB FLEX
3P RGBW



2
SMART+ ZB FLEX RGBW EXT



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _h ²	W	lm	K	CRI	⚠
--------------	------------	-----	-------	----------	-----------------------------	---	----	---	-----	---

SMART+ ZB FLEX 3P RGBW	4058075208339	1	White	Plastic	20000	11.00	700	2000...6500	80	120
SMART+ ZB FLEX RGBW EXT	4058075208612	2	White	Plastic	20000	6.00	500	2000...6500	80	120

Product name	IP	l (mm)	b (mm)	h (mm)	⊞
--------------	----	--------	--------	--------	---

SMART+ ZB FLEX 3P RGBW	IP20	100 0000	1 800.0	12.0	3.0	4
SMART+ ZB FLEX RGBW EXT	IP20	100 0000	1 200.0	12.0	3.0	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ ZIGBEE GARDENPOLE MULTICOLOR

DECORATIVE, EXPANDABLE GARDEN SPOTLIGHTS WITH
COLOR-CHANGING FUNCTION





1 SMART+ ZB GARDENPOLE Basic Set




2 SMART+ ZB GARDENPOLE Extension



3 SMART+ ZB GARDENPOLE Basic Set Mini



4 SMART+ ZB GARDENPOLE Extension Mini



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _h ²	W	lm	K	CRI	⚠
SMART+ ZB GARDENPOLE Basic Set	4058075208346	1	Gray	Aluminum	20 000	8.50	420	RGB, 2 000...6 500	>80	90
SMART+ ZB GARDENPOLE Extension	4058075208629	2	Gray	Aluminum	20 000	4.30	250	RGB, 2 000...6 500	>80	90
SMART+ ZB GARDENPOLE Basic Set Mini	4058075208353	3	Gray	Aluminum	20 000	4.20	180	RGB, 2 000...6 500	80	90
SMART+ ZB GARDENPOLE Extension Mini	4058075208636	4	Gray	Aluminum	20 000	2.10	110	RGB, 2 000...6 500	80	80

Product name	IP	l [mm]	b [mm]	h [mm]	∅ d [mm]	⊞	
SMART+ ZB GARDENPOLE Basic Set	IP65	10 000	14 000.0	38.0	365.0	38.0	2
SMART+ ZB GARDENPOLE Extension	IP65	10 000	6 000.0	-	270.0	38.0	2
SMART+ ZB GARDENPOLE Basic Set Mini	IP65	10 000	-	23.0	227.0	23.0	4
SMART+ ZB GARDENPOLE Extension Mini	IP65	10 000	-	-	227.0	23.0	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ ZIGBEE FLEX OUTDOOR MULTICOLOR

FLEXIBLE LED STRIP WITH COLOR-CHANGING FUNCTION AND TUNABLE WHITE – FOR OUTDOOR USE





1
SMART+ ZB OUTDOOR FLEX



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] ²	W	lm	K	CRI	
--------------	------------	-----	-------	----------	-------------------	---	----	---	-----	--

SMART+ ZB OUTDOOR FLEX EU	4058075208360	1	White	Plastic	20000	24.00	1500	2000...6500	>80	120
---------------------------	---------------	---	-------	---------	-------	-------	------	-------------	-----	-----

Product name	IP		l [mm]	b [mm]	h [mm]	
--------------	----	--	--------	--------	--------	--

SMART+ ZB OUTDOOR FLEX EU	IP65	100 0000	4880.0	14.5	4.0	4
---------------------------	------	----------	--------	------	-----	---

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

ALPHABETICAL PRODUCT INDEX SMART+

B	91	L	91
BRICK SMART+ WIFI		LAMPS WITH GLOBE BULB SMART+ WIFI	56
C		LANTERN FLARE MULTICOLOR SMART+ WIFI	174
CAMERA SMART+ WIFI	188	M	
CANDLE LAMPS SMART+ BLUETOOTH	197	MINI-GLOBE LAMPS SMART+ BLUETOOTH	198
CANDLE LAMPS SMART+ WIFI – SINGLE PACKS	53	MINI-GLOBE LAMPS SMART+ WIFI – SINGLE PACKS	54
CANDLE LAMPS SMART+ WIFI – TRIPLE PACKS	60	MINI-GLOBE LAMPS SMART+ WIFI – TRIPLE PACKS	61
CANDLE LAMPS SMART+ ZIGBEE	213	MINI-GLOBE LAMPS SMART+ ZIGBEE	214
CANDLE LAMPS SUN@HOME WIFI	34	MODERN LANTERN MULTICOLOR SMART+ BLUETOOTH	206
CASCADE SMART+ WIFI	168	MONITOR SUN@HOME WIFI	36
CEILING FAN SMART+ WIFI	120	MOODLIGHT SUN@HOME WIFI	48
CEILING ORBIS® DISC IP44 SMART+ WIFI	148	N	
CLASSIC LAMPS SMART+ BLUETOOTH	196	NEON FLEX MULTICOLOR SMART+ WIFI	186
CLASSIC LAMPS SMART+ WIFI – DOUBLE PACKS	58	O	
CLASSIC LAMPS SMART+ WIFI – SINGLE PACKS	52	ORBIS® BACKLIGHT ROUND SMART+ WIFI	94
CLASSIC LAMPS SMART+ WIFI – TRIPLE PACKS	59	ORBIS® BACKLIGHT SQUARE SMART+ WIFI	82
CLASSIC LAMPS SMART+ ZIGBEE	212	ORBIS® CEILING PLATE SUN@HOME WIFI	42
CLASSIC LAMPS SUN@HOME WIFI	34	ORBIS® CIRCLE SMART+ WIFI	96
CUBE MULTICOLOR SMART+ WIFI	172	ORBIS® CLEAN SMART+ WIFI	88
CURVE MULTICOLOR SMART+ WIFI	178	ORBIS® CROMO SMART+ WIFI	110
D		ORBIS® CROSS SUN@HOME WIFI	46
DOWNLIGHT SLIM SMART+ WIFI	126	ORBIS® CYLINDER SMART+ WIFI	116
DOWNLIGHT SLIM SUN@HOME WIFI	44	ORBIS® DONUT SMART+ WIFI	102
F		ORBIS® DOWNLIGHT SURFACE SMART+ WIFI	124
FILAMENT LAMPS WITH EDISON BULB SMART+ BLUETOOTH	199	ORBIS® EYE SMART+ WIFI	114
FILAMENT LAMPS WITH EDISON BULB SMART+ WIFI	55	ORBIS® FRAME SMART+ WIFI	112
FILAMENT LAMP WITH EDISON BULB SMART+ ZIGBEE	215	ORBIS® GAVIN SMART+ WIFI	92
FILAMENT LAMPS WITH GLOBE BULB SMART+ BLUETOOTH	200	ORBIS® JADEN SMART+ WIFI	92
FILAMENT LAMPS WITH GLOBE BULB SMART+ ZIGBEE	216	ORBIS® KITE SMART+ WIFI	104
FLARE UPDOWN SMART+ WIFI	170	ORBIS® LISA SMART+ WIFI	92
FLEX MULTICOLOR SMART+ BLUETOOTH	204	ORBIS® MAGNET RECTANGULAR SMART+ WIFI	80
FLEX MULTICOLOR SMART+ WIFI	156	ORBIS® MAGNET SQUARE SMART+ WIFI	78
FLEX MULTICOLOR SMART+ ZIGBEE	220	ORBIS® MOON SMART+ WIFI	106
FLEX OUTDOOR MULTICOLOR SMART+ BLUETOOTH	208	ORBIS® PLATE SMART+ WIFI	108
FLEX OUTDOOR MULTICOLOR SMART+ ZIGBEE	224	ORBIS® RUMOR SMART+ WIFI	100
FLEX SUN@HOME WIFI	48	ORBIS® SADDIE SMART+ WIFI	86
FLOOD CAMERA SMART+ WIFI	190	ORBIS® SPARKLE SMART+ WIFI	90
FLOOD SMART+ WIFI	192	ORBIS® SPIRAL SMART+ WIFI	118
FLOOR CORNER SMART+ WIFI	140	ORBIS® STEA SMART+ WIFI	98
G		ORBIS® STELLA SMART+ WIFI	84
GARDEN DOT MULTICOLOR SMART+ WIFI	184	ORBIS® WALL CROSS SMART+ WIFI	130
GARDEN POLE MULTICOLOR SMART+ WIFI	180	ORBIS® WALL CYLINDRO SMART+ WIFI	136
GARDEN POLE MULTICOLOR SMART+ ZIGBEE	222	ORBIS® WALL SWAN SMART+ WIFI	132
GARDEN SPOT MULTICOLOR SMART+ WIFI	182	ORBIS® WALL TWIST SMART+ WIFI	134
		ORBIS® WALL WOOD SMART+ WIFI	138

P	91
PANAN DESK SUN@HOME WIFI	36
PANAN FLOOR SUN@HOME WIFI	36
PAR16 SUN@HOME WIFI	34
PIPE SMART+ WIFI	166
PLANON™ FRAMELESS RECTANGULAR SMART+ WIFI	68
PLANON™ FRAMELESS ROUND SMART+ WIFI	70
PLANON™ FRAMELESS SQUARE SMART+ WIFI	66
PLANON™ FRAMELESS SUN@HOME WIFI	38
PLANON™ PLUS BACKLIGHT SMART+ WIFI	72
PLANON™ PLUS RECTANGULAR SMART+ WIFI	76
PLANON™ PLUS SQUARE SMART+ WIFI	74
PLANON™ PLUS SUN@HOME WIFI	40
PLUG INDOOR AND OUTDOOR SMART+ BLUETOOTH	202
PLUG INDOOR AND OUTDOOR SMART+ WIFI	63
PLUG INDOOR AND OUTDOOR SMART+ ZIGBEE	218
R	
REFLECTOR LAMPS SMART+ BLUETOOTH	201
REFLECTOR LAMPS SMART+ WIFI – SINGLE PACKS	57
REFLECTOR LAMPS SMART+ WIFI – TRIPLE PACKS	62
REFLECTOR LAMPS SMART+ ZIGBEE	217
REMOTE CONTROL SMART+ WIFI	64
S	
SPOT SMART+ WIFI	37
STARTER KITS WITH GOOGLE NEST MINI SMART+ BLUETOOTH	33
SUBMARINE® LED SMART+ WIFI	95
T	
TABLEFRAME WITH USB POWERBANK SMART+ WIFI	164
U	
UNDERCABINET LED PANEL SMART+ WIFI	160
UNDERCABINET LED SLIM SMART+ WIFI	158
UV-C CEILING FAN SMART+ WIFI	122
W	
WALL ORBIS® AQUA IP44 SMART+ WIFI	146
WALL ORBIS® BATH IP44 SMART+ WIFI	154
WALL ORBIS® DUPLO IP44 SMART+ WIFI	150
WALL ORBIS® ELYPSE IP44 SMART+ WIFI	152
WALL ORBIS® ROUND IP44 SMART+ WIFI	142
WALL ORBIS® WAVE IP44 SMART+ WIFI	144

Any manipulation of our products or packaging, including but not limited to modification, reworking or restamping, is prohibited and infringes our registered trademark rights. Such modifications may impair the technical properties of our products, destroy them or cause consequential damage or injury, for which LEDVANCE cannot under any circumstances be held responsible.

For more information on our products, go to:

www.ledvance.de

www.ledvance.com

Subject to change without notice. Errors and omissions excepted.
The pictures in the catalog are for illustration purposes only.

ABOUT LEDVANCE



LEDVANCE

With offices in more than 50 countries and business activities in more than 140 countries, LEDVANCE is one of the world's leading general lighting providers for professional users and end consumers. Having emerged from OSRAM's general lighting division, LEDVANCE offers a wide-ranging portfolio of LED luminaires for a broad spectrum of applications, intelligent lighting products for Smart Home and Smart Building solutions, one of the most comprehensive ranges of advanced LED lamps in the lighting industry, traditional light sources, an LED Strip System and light management systems.

Customer Service Centre:

kundenservice.retail@ledvance.com

Germany:

Phone: +49 89 780673-670

Fax: +49 89 780670-665

LEDVANCE GmbH

Parkring 29-33

85748 Garching

Germany

LEDVANCE.COM

LEDVANCE.COM