

Resources:

Catalogs

Flyers

Product Toolbox

Lighting Layout Tool

Warranty

YouTube Channel

www.ledvanceUS.com

SYLVANIA

Natural™ Series with TruWave Technology™

Item Number Legend

Discontinued with inventory

Limited inventory available

Arriving soon

December 2025

LEDVANCE

Family	Item Number	Description (click description for spec sheet)	Pricing	Bulb Shape	Length	Wattage	Lumens	CRI	CCT	Lifetime	Pack Size	Case Size	Base Type	Material	DLC ID#	Energy Star	CEC	Traditional Equivalent	Replacment Item Number
Natural™ Series - Clear (General Purpose)																			
	40761	LED5.5A15DIM927CL13YTLBL2		A15	-	5.5	450	>90	2700K	15,000	2	8	Medium	Soft Glass	-	-	Title 20	40W Incandescent	-
	40774	LED5.5A15CDIM927CL13YTLBL2		A15	-	5.5	450	>90	2700K	15,000	2	8	Candelabra	Soft Glass	-	-	Title 20	40W Incandescent	-
	40699	LED5.5A19DIMCL92713YTLRP		A19	-	5.5	450	>90	2700K	15,000	1	6	Medium	Soft Glass	-	-	Title 20	40W Incandescent	-
	40686	LED5.5A19DIMCL92713YTLRP4		A19	-	5.5	450	>90	2700K	15,000	4	16	Medium	Soft Glass	-	-	Title 20	40W Incandescent	-
	49826	LED5.5A19DIMCL95013YTLRP4		A19	-	5.5	450	>90	5000K	15,000	4	16	Medium	Soft Glass	-	-	Title 20	40W Incandescent	-
	40700	LED8A19DIMCL92713YTLRP		A19	-	8	800	>90	2700K	15,000	1	6	Medium	Soft Glass	-	-	Title 20	60W Incandescent	-
	40687	LED8A19DIMCL92713YTLRP4		A19	-	8	800	>90	2700K	15,000	4	16	Medium	Soft Glass	-	-	Title 20	60W Incandescent	-
	49827	LED8A19DIMCL95013YTLRP4		A19	-	8	800	>90	5000K	15,000	4	16	Medium	Soft Glass	-	-	Title 20	60W Incandescent	-
	40701	LED11A19DIMCL92713YTLRP		A19	-	11	1100	>90	2700K	15,000	1	6	Medium	Soft Glass	-	-	Title 20	75W Incandescent	-
	40688	LED11A19DIMCL92713YTLRP4		A19	-	11	1100	>90	2700K	15,000	4	16	Medium	Soft Glass	-	-	Title 20	75W Incandescent	-
	40803	LED11A19DIMCL95013YTLRP4		A19	-	11	1100	>90	5000K	15,000	4	16	Medium	Soft Glass	-	-	Title 20	75W Incandescent	-
	42304	LED15A19DIMO92713YTLRP		A19	-	15	1600	>90	2700K	15,000	1	6	Medium	Soft Glass	-	-	Title 20	100W Incandescent	-
	42303	LED15A19DIMCL92713YTLRP		A19	-	15	1600	>90	2700K	15,000	1	6	Medium	Soft Glass	-	-	Title 20	100W Incandescent	-
	42306	LED15A19DIMO92713YTLRP2		A19	-	15	1600	>90	2700K	15,000	2	6	Medium	Soft Glass	-	-	Title 20	100W Incandescent	-
	42305	LED15A19DIMCL92713YTLRP2		A19	-	15	1600	>90	2700K	15,000	2	6	Medium	Soft Glass	-	-	Title 20	100W Incandescent	-
	42278	LED15A19DIMO92713YTLRP4		A19	-	15	1600	>90	2700K	15,000	4	16	Medium	Soft Glass	-	-	Title 20	100W Incandescent	-
	42276	LED15A19DIMO95013YTLRP4		A19	-	15	1600	>90	5000K	15,000	4	16	Medium	Soft Glass	-	-	Title 20	100W Incandescent	-
	42290	LED15A19DIMO95013YTLRP		A19	-	15	1600	>90	5000K	15,000	1	6	Medium	Soft Glass	-	-	Title 20	100W Incandescent	-
	42275	LED15A19DIMCL92713YTLRP4		A19	-	15	1600	>90	2700K	15,000	4	16	Medium	Soft Glass	-	-	Title 20	100W Incandescent	-
	42292	LED15A19DIMO95013YTLRP2		A19	-	15	1600	>90	5000K	15,000	2	8	Medium	Soft Glass	-	-	Title 20	100W Incandescent	-
	42273	LED15A19DIMCL95013YTLRP4		A19	-	15	1600	>90	5000K	15,000	4	16	Medium	Soft Glass	-	-	Title 20	100W Incandescent	-
	42296	LED15A19DIMO94013YTLRP		A19	-	15	1600	>90	4000K	15,000	1	6	Medium	Soft Glass	-	-	Title 20	100W Incandescent	-
	42295	LED15A19DIMO93013YTLRP		A19	-	15	1600	>90	3000K	15,000	1	6	Medium	Soft Glass	-	-	Title 20	100W Incandescent	-
	42294	LED15A19DIMO93513YTLRP		A19	-	15	1600	>90	3500K	15,000	1	6	Medium	Soft Glass	-	-	Title 20	100W Incandescent	-
	42277	LED15A19DIMO93513YTLRP4		A19	-	15	1600	>90	3500K	15,000	4	16	Medium	Soft Glass	-	-	Title 20	100W Incandescent	-
	42291	LED15A19DIMCL95013YTLRP2		A19	-	15	1600	>90	5000K	15,000	2	8	Medium	Soft Glass	-	-	Title 20	100W Incandescent	-
	42274	LED15A19DIMCL93513YTLRP4		A19	-	15	1600	>90	3500K	15,000	4	16	Medium	Soft Glass	-	-	Title 20	100W Incandescent	-
	40754	LED15A21DIMCL92713YTLRP2		A21	-	15	1600	>90	2700K	15,000	2	8	Medium	Soft Glass	-	-	Title 20	100W Incandescent	-
	40689	LED15A21DIMCL92713YTLRP4		A21	-	15	1600	>90	2700K	15,000	4	16	Medium	Soft Glass	-	-	Title 20	100W Incandescent	-
	40875	LED15A21DIMCL95013YTLRP4		A21	-	15	1600	>90	5000K	15,000	4	16	Medium	Soft Glass	-	-	Title 20	100W Incandescent	-
	40769	LED13.5A213WAY/O927CL13YTLRP		A21 3-way	-	13.5	450/800/1450	>90	2700K	15,000	1	6	Medium	Soft Glass	-	-	Title 20	40/60/100W Incandescent	-
	40770	LED13.5A213WAY/O950CL13YTLRP		A21 3-way	-	13.5	450/800/1450	>90	5000K	15,000	1	6	Medium	Soft Glass	-	-	Title 20	40/60/100W Incandescent	-
	40854	LED3B10CBENTDIM927CL13YTLBL2		B10	-	3	200	>90	2700K	15,000	2	12	Candelabra	Soft Glass	-	-	Title 20	25W Incandescent	-
	40855	LED3B10CBENTDIM950CL13YTLBL2		B10	-	3	200	>90	5000K	15,000	2	12	Candelabra	Soft Glass	-	-	Title 20	25W Incandescent	-
	40756	LED4B10BENTDIM927CL13YTLBL2		B10	-	4	350	>90	2700K	15,000	2	12	Candelabra	Soft Glass	-	-	Title 20	40W Incandescent	-
	40793	LED4B10BLUNTDIM927CL13YTLBL2		B10	-	4	350	>90	2700K	15,000	2	12	Medium	Soft Glass	-	-	Title 20	40W Incandescent	-
	40755	LED4B10CBENTDIM927CL13YTLBL2		B10	-	4	350	>90	2700K	15,000	2	12	Candelabra	Soft Glass	-	-	Title 20	40W Incandescent	-
	40794	LED4B10CBLUNTDIM927CL13YTLBL2		B10	-	4	350	>90	2700K	15,000	2	12	Candelabra	Soft Glass	-	-	Title 20	40W Incandescent	-
	40792	LED4B10BENTDIM950CL13YTLBL2		B10	-	4	350	>90	5000K	15,000	2	12	Medium	Soft Glass	-	-	Title 20	40W Incandescent	-
	40791	LED4B10CBENTDIM950CL13YTLBL2		B10	-	4	350	>90	5000K	15,000	2	12	Candelabra	Soft Glass	-	-	Title 20	40W Incandescent	-
	40758	LED5.5B10BENTDIM927CL13YTLBL2		B10	-	5.5	500	>90	2700K	15,000	2	12	Medium	Soft Glass	-	-	Title 20	60W Incandescent	-
	40795	LED5.5B10BLUNTDIM927CL13YTLBL2		B10	-	5.5	500	>90	2700K	15,000	2	12	Medium	Soft Glass	-	-	Title 20	60W Incandescent	-
	40757	LED5.5B10CBENTDIM927CL13YTLBL2		B10	-	5.5	500	>90	2700K	15,000	2	12	Candelabra	Soft Glass	-	-	Title 20	60W Incandescent	-
	40796	LED5.5B10CBLUNTDIM927CL13YTLBL2		B10	-	5.5	500	>90	2700K	15,000	2	12	Candelabra	Soft Glass	-	-	Title 20	60W Incandescent	-
	40760	LED5.5B10BENTDIM950CL13YTLBL2		B10	-	5.5	500	>90	5000K	15,000	2	12	Medium	Soft Glass	-	-	Title 20	60W Incandescent	-
	40759	LED5.5B10CBENTDIM950CL13YTLBL2		B10	-	5.5	500	>90	5000K	15,000	2	12	Candelabra	Soft Glass	-	-	Title 20	60W Incandescent	-
	42279	LED7.5B10CBENTDIM950CL13YTLRP2		B10	-	7.5	750	>90	5000K	15,000	2	8	Candelabra	Soft Glass	-	-	Title 20	75W Incandescent	-
	42280	LED7.5B10CBENTDIM935CL13YTLRP2		B10	-	7.5	750	>90	3500K	15,000	2	8	Candelabra	Soft Glass	-	-	Title 20	75W Incandescent	-
	42281	LED7.5B10CBENTDIM927CL13YTLRP2		B10	-	7.5	750	>90	2700K	15,000	2	8	Candelabra	Soft Glass	-	-	Title 20	75W Incandescent	-
	42282	LED8B10CBENTDIM950CL13YTLRP2		B10	-	8	900	>90	5000K	15,000	2	8	Candelabra	Soft Glass	-	-	Title 20	100W Incandescent	-
	42283	LED8B10CBENTDIM935CL13YTLRP2		B10	-	8	900	>90	3500K	15,000	2	8	Candelabra	Soft Glass	-	-	Title 20	100W Incandescent	-
	42284	LED8B10CBENTDIM927CL13YTLRP2		B10	-	8	900	>90	2700K	15,000	2	8	Candelabra	Soft Glass	-	-	Title 20	100W Incandescent	-
	41323	LED6B13CBENTDIM927CL13YTLRP2		B13	-	6	650	>90	2700K	15,000	2	12	Candelabra	Soft Glass	-	-	Title 20	75W Incandescent	-
	41324	LED6B13CBENTDIM950CL13YTLRP2		B13	-	6	650	>90	5000K	15,000	2	12	Candelabra	Soft Glass	-	-	Title 20	75W Incandescent	-
	41325	LED6.5B13CBENTDIM927CL13YTLRP2		B13	-	6.5	750	>90	2700K	15,000	2	12	Candelabra	Soft Glass	-	-	Title 20	100W Incandescent	-
	41326	LED6.5B13CBENTDIM950CL13YTLRP2		B13	-	6.5	750	>90	5000K	15,000	2	12	Candelabra	Soft Glass	-	-	Title 20	100W Incandescent	-
	40847	LED4G16.5DIM927CL13YTLBL2		G16.5	-	4	350	>90	2700K	15,000	2	8	Medium	Soft Glass	-	-	Title 20	40W Incandescent	-
	40784	LED4G16.5CDIM927CL13YTLBL2		G16.5	-	4	350	>90	2700K	15,000	2	8	Candelabra	Soft Glass	-	-	Title 20	40W Incandescent	-
	40848	LED4G16.5DIM950CL13YTLBL2		G16.5	-	4	350	>90	5000K	15,000	2	8	Medium	Soft Glass	-	-	Title 20	40W Incandescent	-
	40849	LED4G16.5CDIM950CL13YTLBL2		G16.5	-	4	350	>90	5000K	15,000	2	8	Candelabra	Soft Glass	-	-	Title 20	40W Incandescent	-
	40850	LED5.5G16.5DIM927CL13YTLBL2		G16.5	-	5.5	500	>90	2700K	15,000	2	8	Medium	Soft Glass	-	-	Title 20	60W Incandescent	-
	40852	LED5.5G16.5CDIM927CL13YTLBL2		G16.5	-	5.5	500	>90	2700K	15,000	2	8	Candelabra	Soft Glass	-	-	Title 20	60W Incandescent	-
	40851	LED5.5G16.5DIM950CL13YTLBL2		G16.5	-	5.5	500	>90	5000K	15,000	2	8	Medium	Soft Glass	-	-	Title 20	60W Incandescent	-
	40853	LED5.5G16.5CDIM950CL13YTLBL2		G16.5	-	5.5	500	>90	5000K	15,000	2	8	Candelabra	Soft Glass	-	-	Title 20	60W Incandescent	-
	40764	LED4.5G25DIM927CL13YTLRP2		G25	-	4.5	350	>90	2700K	15,000	2	6	Medium	Soft Glass	-	-	Title 20	40W Incandescent	-
	41336	LED8G25DIM927CL13YTLRP2		G25	-	8	800	>90	2700K	15,000	2	6	Medium	Soft Glass	-	-	-	75W Incandescent	-
	41338	LED8G25DIM950CL13YTLRP2		G25	-	8	800	>90	5000K	15,000	2	6	Medium	Soft Glass	-	-	-	75W Incandescent	-
	41340	LED11G25DIM927CL13YTLRP2		G25	-	11	1200	>90	2700K	15,000	2	6	Medium	Soft Glass	-	-	-	100W Incandescent	-
	41342	LED11G25DIM950CL13YTLRP2		G25	-	11	1200	>90	5000K	15,000	2	6	Medium	Soft Glass	-	-	-	100W Incandescent	-
	40771	LED5ST19DIM927CL13YTLRP		ST19	-	5	425	>90	2700K	15,000	1	6							

www.ledvanceUS.com							Discontinued with inventory													
SYLVANIA							Limited inventory available		December 2025											
Natural™ Series with TruWave Technology™					Item Number Legend		Arriving soon													

www.ledvanceUS.com

SYLVANIA

Natural™ Series with TruWave Technology™

Item Number Legend

Discontinued with inventory

Limited inventory available

Arriving soon

December 2025

Family	Item Number	Description (click description for spec sheet)	Pricing	Bulb Shape	Length	Wattage	Lumens	CRI	CCT	Lifetime	Pack Size	Case Size	Base Type	Material	DLC ID#	Energy Star	CEC	Traditional Equivalent	Replacment Item Number
Natural™ Series Reflector Family																			
	40788	LED5R20DIM927TLRP2		R20	-	5.5	450	>90	2700K	15,000	2	12	Medium	Plastic	-	-	Title 20	45W R20	-
	40789	LED5R20DIM930TLRP2		R20	-	5.5	450	>90	3000K	15,000	2	12	Medium	Plastic	-	-	Title 20	45W R20	-
	41153	LED5R20DIM935TLRP2		R20	-	5	450	>90	3500K	15,000	2	12	Medium	Plastic	-	-	Title 20	45W R20	-
	41188	LED5R20DIM940TLRP2		R20	-	5	450	>90	4000K	15,000	2	12	Medium	Plastic	-	-	Title 20	45W R20	-
	40790	LED5R20DIM950TLRP2		R20	-	5.5	450	>90	5000K	15,000	2	12	Medium	Plastic	-	-	Title 20	45W R20	-
	40728	LED7.5BR30DIM927TLRP2		BR30	-	7.5	650	>90	2700K	15,000	2	12	Medium	Plastic	-	-	Title 20	65W BR30	-
	40831	LED7.5BR30DIM930TLRP2		BR30	-	7.5	650	>90	3000K	15,000	2	12	Medium	Plastic	-	-	Title 20	65W BR30	-
	41154	LED7.5BR30DIM935TLRP2		BR30	-	7.5	650	>90	3500K	15,000	2	12	Medium	Plastic	-	-	Title 20	65W BR30	-
	40832	LED7.5BR30DIM940TLRP2		BR30	-	7.5	650	>90	4000K	15,000	2	12	Medium	Plastic	-	-	Title 20	65W BR30	-
	40730	LED7.5BR30DIM950TLRP2		BR30	-	7.5	650	>90	5000K	15,000	2	12	Medium	Plastic	-	-	Title 20	65W BR30	-
	40785	LED12.5BR40DIM927TLRP2		BR40	-	12.5	1100	>90	2700K	15,000	2	12	Medium	Plastic	-	-	Title 20	85W BR40	-
	40786	LED12.5BR40DIM930TLRP2		BR40	-	12.5	1100	>90	3000K	15,000	2	12	Medium	Plastic	-	-	Title 20	85W BR40	-
	41155	LED12.5BR40DIM935TLRP2		BR40	-	12.5	1100	>90	3500K	15,000	2	12	Medium	Plastic	-	-	Title 20	85W BR40	-
	41214	LED12.5BR40DIM940TLRP2		BR40	-	12.5	1100	>90	4000K	15,000	2	12	Medium	Plastic	-	-	Title 20	85W BR40	-
	40787	LED12BR40DIM950TLRP2		BR40	-	12.5	1100	>90	5000K	15,000	2	12	Medium	Plastic	-	-	Title 20	85W BR40	-
Natural™ Series PAR Family																			
	40930	LED6PAR16DIM930TLFL40GLRP		PAR16	-	6	450	>90	3000K	25,000	1	6	Medium	Glass	-	-	Title 20	50W Halogen	-
	40932	LED6PAR16GU10DIM930TLFL40GLRP		PAR16	-	6	450	>90	3000K	25,000	1	6	GU10	Glass	-	-	Title 20	50W Halogen	-
	40931	LED6PAR16DIM950TLFL40GLRP		PAR16	-	6	450	>90	5000K	25,000	1	6	Medium	Glass	-	-	Title 20	50W Halogen	-
	40933	LED6PAR16GU10DIM950TLFL40GLRP		PAR16	-	6	450	>90	5000K	25,000	1	6	GU10	Glass	-	-	Title 20	50W Halogen	-
	40920	LED6.5PAR20DIM930TLFL40GLRP		PAR20	-	6.5	550	>90	3000K	25,000	1	6	Medium	Glass	-	-	Title 20	50W Halogen	-
	41156	LED6.5PAR20DIM935TLFL40GLRP		PAR20	-	6.5	550	>90	3500K	25,000	1	6	Medium	Glass	-	-	Title 20	50W Halogen	-
	41119	LED6.5PAR20DIM940TLFL40GLRP		PAR20	-	6.5	550	>90	4000K	25,000	1	6	Medium	Glass	-	-	Title 20	50W Halogen	-
	40921	LED6.5PAR20DIM950TLFL40GLRP		PAR20	-	6.5	550	>90	5000K	25,000	1	6	Medium	Glass	-	-	Title 20	50W Halogen	-
	40914	LED10.5PAR30DIM930TLNFL25GLRP		PAR30	-	10.5	850	>90	3000K	25,000	1	6	Medium	Glass	-	-	Title 20	75W Halogen	-
	40916	LED10.5PAR30DIM930TLNFL40GLRP		PAR30	-	10.5	850	>90	3000K	25,000	1	6	Medium	Glass	-	-	Title 20	75W Halogen	-
	41159	LED10PAR30DIM935TLFL40GLRP		PAR30	-	10	850	>90	3500K	25,000	1	6	Medium	Glass	-	-	Title 20	75W Halogen	-
	41118	LED10PAR30DIM940TLFL40GLRP		PAR30	-	10	850	>90	4000K	25,000	1	6	Medium	Glass	-	-	Title 20	75W Halogen	-
	40915	LED10.5PAR30DIM950TLNFL25GLRP		PAR30	-	10.5	850	>90	5000K	25,000	1	6	Medium	Glass	-	-	Title 20	75W Halogen	-
	40917	LED10.5PAR30DIM950TLFL40GLRP		PAR30	-	10	850	>90	5000K	25,000	1	6	Medium	Glass	-	-	Title 20	75W Halogen	-
	40910	LED10.5PAR30LNDIM930TLNFL25GLR		PAR30LN	-	10.5	850	>90	3000K	25,000	1	6	Medium	Glass	-	-	Title 20	75W Halogen	-
	40912	LED10.5PAR30LNDIM930TLFL40GLR		PAR30LN	-	10.5	850	>90	3000K	25,000	1	6	Medium	Glass	-	-	Title 20	75W Halogen	-
	40911	LED10PAR30LNDIM950TLNFL25GLRP		PAR30LN	-	10	850	>90	5000K	25,000	1	6	Medium	Glass	-	-	Title 20	75W Halogen	-
	40913	LED10.5PAR30LNDIM950TLFL40GLRP		PAR30LN	-	10.5	850	>90	5000K	25,000	1	6	Medium	Glass	-	-	Title 20	75W Halogen	-
	40901	LED11.5PAR38DIM930TLFL40GLRP		PAR38	-	11.5	1100	>90	3000K	25,000	1	6	Medium	Glass	-	-	Title 20	100W Halogen	-
	40899	LED11.5PAR38DIM930TLNFL25GLRP		PAR38	-	11.5	1100	>90	3000K	25,000	1	6	Medium	Glass	-	-	Title 20	100W Halogen	-
	41157	LED11.5PAR38DIM935TLFL40GLRP		PAR38	-	11.5	1100	>90	3500K	25,000	1	6	Medium	Glass	-	-	Title 20	100W Halogen	-
	41115	LED11.5PAR38DIM940TLFL40GLRP		PAR38	-	11.5	1100	>90	4000K	25,000	1	6	Medium	Glass	-	-	Title 20	100W Halogen	-
	40902	LED11.5PAR38DIM950TLFL40GLRP		PAR38	-	11.5	1100	>90	5000K	25,000	1	6	Medium	Glass	-	-	Title 20	100W Halogen	-
	40900	LED13PAR38DIM950TLNFL25RP		PAR38	-	13	1100	>90	5000K	25,000	1	6	Medium	Glass	-	-	Title 20	100W Halogen	-
	41116	LED15.5PAR38DIM940TLFL40GLRP		PAR38	-	15.5	1250	>90	4000K	25,000	1	6	Medium	Glass	-	-	Title 20	120W Halogen	41867
Natural™ Series MR16 Family																			
	40922	LED4.5MR16DIM930TLNFL25GLRP		MR16	-	4.5	350	>90	3000K	25,000	1	6	GU5.3	Glass	-	-	Title 20	20W Halogen	-
	40924	LED4.5MR16DIM930TLFL40GLRP		MR16	-	4.5	350	>90	3000K	25,000	1	6	GU5.3	Glass	-	-	Title 20	20W Halogen	-
	40923	LED4.5MR16DIM950TLNFL25GLRP		MR16	-	4.5	350	>90	5000K	25,000	1	6	GU5.3	Glass	-	-	Title 20	20W Halogen	-
	40925	LED4.5MR16DIM950TLFL40GLRP		MR16	-	4.5	350	>90	5000K	25,000	1	6	GU5.3	Glass	-	-	Title 20	20W Halogen	-
	40928	LED6MR16DIM930TLFL40GLRP		MR16	-	6	450	>90	3000K	25,000	1	6	GU5.3	Glass	-	-	Title 20	30W Halogen	-
	40929	LED6MR16DIM950TLFL40GLRP		MR16	-	6	450	>90	5000K	25,000	1	6	GU5.3	Glass	-	-	Title 20	30W Halogen	-
LEDiescent™ TruWave™ LED T8																			
	40895	LED17T8L48FP930TLBF		T8	4'	17	2100	90	3000K	60,000	1	25	Medium bi-pin G13	Plastic	PLYTP5GP69CY	-	-	32W Fluorescent	-
	40896	LED17T8L48FP935TLBF		T8	4'	17	2100	90	3500K	60,000	1	25	Medium bi-pin G13	Plastic	PLKQFKMCMT5C	-	-	32W Fluorescent	-
	40898	LED17T8L48FP950TLBF		T8	4'	17	2200	90	5000K	60,000	1	25	Medium bi-pin G13	Plastic	PLZ6U47ASAF7	-	-	32W Fluorescent	-
SubstiTUBE® TruWave™ IPS LED T8																			
	40891	LED13T8L48FPDIM930TLSUB		T8	4'	13	2000	90	3000K	70,000	1	25	Medium bi-pin G13	Plastic	PL5ZF3NLGQHU	-	-	32W Fluorescent	-
	40892	LED13T8L48FPDIM935TLSUB		T8	4'	13	2000	90	3500K	70,000	1	25	Medium bi-pin G13	Plastic	PLHHV335JZE6	-	-	32W Fluorescent	-
	40894	LED13T8L48FPDIM950TLSUB		T8	4'	13	2100	90	5000K	70,000	1	25	Medium bi-pin G13	Plastic	PLR0ODKG8QFU	-	-	32W Fluorescent	-
Hi-PerformanceLED™ Undercabinet Light with TruWave Technology™																			
	61848	UNDCAB002TL9SC66INWH		Undercabinet	6"	2	130	>93	2700K, 4000K, 5000K	50,000	1	4	In-line Driver	-	-	-	-	-	-
	61851	UNDCAB003TL9SC69INWH		Undercabinet	9"	3	195	>93	2700K, 4000K, 5000K	50,000	1	4	In-line Driver	-	-	-	-	-	-
	61854	UNDCAB0049TLSC612INWH		Undercabinet	12"	4	265	>93	2700K, 4000K, 5000K	50,000	1	4	In-line Driver	-	-	-	-	-	-
	61857	UNDCAB0069TLSC618INWH		Undercabinet	18"	6	400	>93	2700K, 4000K, 5000K	50,000	1	4	In-line Driver	-	-	-	-	-	-
	61860	UNDCAB008TL9SC624INWH		Undercabinet	24"	8	540	>93	2700K, 4000K, 5000K	50,000	1	4	In-line Driver	-	-	-	-	-	-
	61863	UNDCAB010TL9SC630INWH		Undercabinet	30"	10	680	>93	2700K, 4000K, 5000K										