



CERTIFICATE

No. U6 097386 0125 Rev. 03

Holder of Certificate: LEDVANCE GmbH

Parking 1-5
85748 Garching
GERMANY

Certification Mark:



Product:

**Fixed general purpose luminaires
LED water proof light**

The product was voluntarily tested according to the listed standards. The product can be marked with the certification mark shown above. It is not permitted to alter the certification mark in any way. In addition, the certificate holder must not transfer the certificate to third parties. All applicable requirements of the testing and certification regulations of TÜV SÜD Group have to be complied. For details see: www.tuvsud.com/ps-cert

Test report no.:

7040220696223-03

Date,

2023-10-20

(Yin Ji)

CERTIFICATE

No. U6 097386 0125 Rev. 03

Model(s):

DP 1200 18W 840 IP65 GY; DP 1200 18W 865 IP65 GY;
 DP 1200 32W 830 IP65 GY; DP 1200 32W 840 IP65 GY;
 DP 1200 32W 865 IP65 GY; DP 1500 26W 840 IP65 GY;
 DP 1500 26W 865 IP65 GY; DP 1500 46W 830 IP65 GY;
 DP 1500 46W 840 IP65 GY; DP 1500 46W 865 IP65 GY;
 DP 1500 58W 840 IP65 GY; DP 1500 58W 865 IP65 GY;
 DP 1500 81W 840 IP65 GY; DP 1500 81W 865 IP65 GY;
 DP 5TH 1200 18W 840 IP65 GY; DP 5TH 1200 18W 865 IP65
 GY; DP 5TH 1200 32W 830 IP65 GY; DP 5TH 1200 32W 840
 IP65 GY; DP 5TH 1200 32W 865 IP65 GY; DP 5TH 1500 26W
 840 IP65 GY; DP 5TH 1500 26W 865 IP65 GY; DP 5TH 1500
 46W 830 IP65 GY; DP 5TH 1500 46W 840 IP65 GY; DP 5TH
 1500 46W 865 IP65 GY; DP 5TH 1500 58W 840 IP65 GY; DP
 5TH 1500 58W 865 IP65 GY; DP 5TH 1500 81W 840 IP65 GY;
 DP 5TH 1500 81W 865 IP65 GY; DP TH 5x1.5 1200 18W 840
 IP65 GY;
 DP TH 5x1.5 1200 18W 865 IP65 GY;
 DP TH 5x1.5 1200 32W 830 IP65 GY;
 DP TH 5x1.5 1200 32W 840 IP65 GY;
 DP TH 5x1.5 1200 32W 865 IP65 GY;
 DP TH 5x1.5 1500 26W 840 IP65 GY;
 DP TH 5x1.5 1500 26W 865 IP65 GY;
 DP TH 5x1.5 1500 46W 830 IP65 GY;
 DP TH 5x1.5 1500 46W 840 IP65 GY;
 DP TH 5x1.5 1500 46W 865 IP65 GY;
 DP TH 5x1.5 1500 58W 840 IP65 GY;
 DP TH 5x1.5 1500 58W 865 IP65 GY;
 DP TH 5x1.5 1500 81W 840 IP65 GY;
 DP TH 5x1.5 1500 81W 865 IP65 GY;
 DP 3TH 1200 18W 840 IP65 GY; DP 3TH 1200 18W 865 IP65
 GY;
 DP 3TH 1200 32W 830 IP65 GY; DP 3TH 1200 32W 840 IP65
 GY; DP 3TH 1200 32W 865 IP65 GY; DP 3TH 1500 26W 840
 IP65 GY; DP 3TH 1500 26W 865 IP65 GY; DP 3TH 1500 46W
 830 IP65 GY; DP 3TH 1500 46W 840 IP65 GY; DP 3TH 1500
 46W 865 IP65 GY; DP 3TH 1500 58W 840 IP65 GY; DP 3TH
 1500 58W 865 IP65 GY; DP 3TH 1500 81W 840 IP65 GY; DP
 3TH 1500 81W 865 IP65 GY; DP 1500 81W 840 IP65 PS GY; DP
 1500 81W 865 IP65 PS GY

Brand Name:

LEDVANCE



Parameters:

Rated voltage: 220-240V~
 Rated frequency: 50/60Hz
 Rated power: See model list
 Protection class: Class I
 Degree of protection: IP65
 ta: 40°C

CERTIFICATE

No. U6 097386 0125 Rev. 03

Model	Rated power
DP 1200 18W 840 IP65 GY	18W
DP 1200 18W 865 IP65 GY	18W
DP 1200 32W 830 IP65 GY	32W
DP 1200 32W 840 IP65 GY	32W
DP 1200 32W 865 IP65 GY	32W
DP 1500 26W 840 IP65 GY	26W
DP 1500 26W 865 IP65 GY	26W
DP 1500 46W 830 IP65 GY	46W
DP 1500 46W 840 IP65 GY	46W
DP 1500 46W 865 IP65 GY	46W
DP 1500 58W 840 IP65 GY	58W
DP 1500 58W 865 IP65 GY	58W
DP 1500 81W 840 IP65 GY	81W
DP 1500 81W 865 IP65 GY	81W
DP 5TH 1200 18W 840 IP65 GY	18W
DP 5TH 1200 18W 865 IP65 GY	18W
DP 5TH 1200 32W 830 IP65 GY	32W
DP 5TH 1200 32W 840 IP65 GY	32W
DP 5TH 1200 32W 865 IP65 GY	32W
DP 5TH 1500 26W 840 IP65 GY	26W
DP 5TH 1500 26W 865 IP65 GY	26W
DP 5TH 1500 46W 830 IP65 GY	46W
DP 5TH 1500 46W 840 IP65 GY	46W
DP 5TH 1500 46W 865 IP65 GY	46W
DP 5TH 1500 58W 840 IP65 GY	58W
DP 5TH 1500 58W 865 IP65 GY	58W
DP 5TH 1500 81W 840 IP65 GY	81W
DP 5TH 1500 81W 865 IP65 GY	81W
DP TH 5x1.5 1200 18W 840 IP65 GY	18W
DP TH 5x1.5 1200 18W 865 IP65 GY	18W
DP TH 5x1.5 1200 32W 830 IP65 GY	32W
DP TH 5x1.5 1200 32W 840 IP65 GY	32W
DP TH 5x1.5 1200 32W 865 IP65 GY	32W
DP TH 5x1.5 1500 26W 840 IP65 GY	26W
DP TH 5x1.5 1500 26W 865 IP65 GY	26W
DP TH 5x1.5 1500 46W 830 IP65 GY	46W
DP TH 5x1.5 1500 46W 840 IP65 GY	46W
DP TH 5x1.5 1500 46W 865 IP65 GY	46W
DP TH 5x1.5 1500 58W 840 IP65 GY	58W
DP TH 5x1.5 1500 58W 865 IP65 GY	58W
DP TH 5x1.5 1500 81W 840 IP65 GY	81W
DP TH 5x1.5 1500 81W 865 IP65 GY	81W
DP 3TH 1200 18W 840 IP65 GY	18W
DP 3TH 1200 18W 865 IP65 GY	18W
DP 3TH 1200 32W 830 IP65 GY	32W
DP 3TH 1200 32W 840 IP65 GY	32W



CERTIFICATE

No. U6 097386 0125 Rev. 03

DP 3TH 1200 32W 865 IP65 GY	32W
DP 3TH 1500 26W 840 IP65 GY	26W
DP 3TH 1500 26W 865 IP65 GY	26W
DP 3TH 1500 46W 830 IP65 GY	46W
DP 3TH 1500 46W 840 IP65 GY	46W
DP 3TH 1500 46W 865 IP65 GY	46W
DP 3TH 1500 58W 840 IP65 GY	58W
DP 3TH 1500 58W 865 IP65 GY	58W
DP 3TH 1500 81W 840 IP65 GY	81W
DP 3TH 1500 81W 865 IP65 GY	81W
DP 1500 81W 840 IP65 PS GY	81W
DP 1500 81W 865 IP65 PS GY	81W

Tested according to:

EN IEC 60598-2-1:2021
 EN 60598-2-24:2013
 EN IEC 60598-1:2021/A11:2022

Production Facility(ies):

076831