






LINEAR MR






	EAN	l x w x h (mm)	W	V _{ac}	Hz	lm	lm/W
LN MR 600 P 11W ML 83040	4099854401794	561 x 82 x 82	*	220 - 240	50/60	*	*
LN MR SN 600 P 11W ML 83040	4099854401817	561 x 82 x 82	*	220 - 240	50/60	*	*
LN MR SWITCH 600 P 11W ML 83040	4099854401831	561 x 82 x 82	*	220 - 240	50/60	*	*


	EAN	K	IP	IK		R _a	🌡️ (°C)	PF	
LN MR 600 P 11W ML 83040	4099854401794	3000/4000	44	08	120°	>80	-20...+45	>0.9	0.8 kg
LN MR SN 600 P 11W ML 83040	4099854401817	3000/4000	44	03	120°	>80	-20...+45	>0.9	0.8 kg
LN MR SWITCH 600 P 11W ML 83040	4099854401831	3000/4000	44	03	120°	>80	-20...+45	>0.9	0.8 kg

LINEAR MR




LINEAR MR








8








*

	CCT	W	lm	lm/W	mA
LN MR 600 LN SEN 600 LN SWITCH 600	4000K	11	1430	130	290
		8	1040	130	210
		6	780	130	150
	3000K	11	1320	120	290
		8	960	120	210
		6	720	120	150

9








LN MR END CAPS CR (Chrome)

EAN 4058075849440



	n*	B16	C10	C16	DIM
	LN MR 600	52	39	62	
	LN MR SEN 600	52	39	62	
	LN MR SWITCH 600	52	39	62	



FR
Cet appareil et
ses accessoires
se recyclent



Points de collecte sur www.quefairedemesdechets.fr



C10449058
G11214327

06.11.24

LEDVANCE SASU
CQM, 5 rue d'Altorf
67120 Molsheim France
www.ledvance.com

GB LEDVANCE Ltd, Sterling House,
810 Mandarin Court, Warrington,
Cheshire, WA1 1GG, United Kingdom