

# PRODUCT DATASHEET

## SMART+ WIFI REMOTE CONTROL COLOR CHANGE

SMART+ WIFI REMOTE CONTROL | Remote control with WiFi Technology for Color change



### Areas of application

- Smart Home in indoor and outdoor
- Controls up to 15 compatible SMART+ WiFi products by contactless pairing

### Product benefits

- Wireless control of compatible SMART+ WiFi products
- Control of SMART+ Wifi products without using voice control and APP
- Selection of preset light scenes via remote control

### Product features

- Controllable via LEDVANCE SMART+ App (with minimum Android 8.0 or iOS 14.0)
- On/off and dimming
- Adjustable light color via Tunable White: Warm White to Cool White
- RGB color control
- Light scenes adjustable
- Controllable up to 15 SMART+ WiFi products
- Network protocol: WiFi




TECHNICAL DATA

Electrical data

Nominal voltage	3 V
Operating mode	Battery

Dimensions & Weight



Product weight	47.00 g
Length	19.00 mm
Width	41.00 mm
Height	120.00 mm

Lifespan

Number of switching cycles	100000
----------------------------	--------

Colors & materials

Product color	White
Body material	Plastic

Temperatures & operating conditions

Ambient temperature range	-10...+35 °C
---------------------------	--------------

Capabilities

Dimmable	No
----------	----

Certificates & Standards

Standards	CE
Type of protection	IP20

EQUIPMENT / ACCESSORIES




- For control via LEDVANCE SMART+ App, a smartphone or tablet is required (with minimum Android 8.0 or iOS 14.0)
- LEDVANCE SMART+ WiFi APP required (only for the configuration of SMART+ WiFi products)

- Requires 2xAAA batteries (not included)

### Safety advice

- Battery Warning: Keep out of reach for children. Swallowing can lead to chemical burns, perforation of soft tissue, and death. Severe burns can occur within 2 hours of ingestion. Seek medical attention immediately.
- Please avoid: Maximal ambient temperature: +35 °C. Replacement of a battery with an incorrect type that can defeat safeguard (for example, in the case of some lithium battery types). Altitude during operation: 2000 m. Disposal of a battery into fire or a hot oven, or mechanically crushing or cutting of a battery, that can result in an explosion.
- If the battery compartment (if applicable) does not close securely, stop using the product and keep it away from children. If you think batteries might have been swallowed or placed inside any part of the body, seek immediate medical attention.

### DOWNLOAD DATA

Documents and certificates		Document name
	User instruction / safety instructions	SMART WIFI REMOTE CONTROL
	Extended installation guide	SMART+ WIFI INSTALLATION REMOTE CONTROL
	Declarations of conformity	EU Declaration of Conformity – Smart WiFi Remote Control_AC31265

### LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075570917	Folding box 1	78 mm x 143 mm x 61 mm	106.00 g	0.68 dm <sup>3</sup>
4058075570924	Shipping box 4	166 mm x 153 mm x 138 mm	510.00 g	3.50 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### References / Links

- Further information and frequently asked questions (FAQs) at [www.ledvance.com/consumer/smart/faq](http://www.ledvance.com/consumer/smart/faq)

### DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.