

PRODUCT DATASHEET TRUSYS FLEX L02-NODE 8P WT

TruSys® FLEX L-NODE | L-shaped rail connector for corners



Product benefits

- Simple installation

Product features

- Through-wired with 5- or 8-core cable
- A node connector consists of at least one feeder and one exiter with through-wiring
- Steel-sheet housing




TECHNICAL DATA

Electrical data

| Protection class | |
|------------------|--|
| | |

Dimensions & Weight

| Length | 446 mm |
|----------------|-----------|
| Width | 296 mm |
| Height | 59 mm |
| Product weight | 1100.00 g |



TRUSYS FLEX L02-NODE

Materials & Colors

| Product color | White |
|---------------|-------|
| Body material | Steel |

Application & Mounting

| Mounting location | Ceiling |
|--------------------------|---------|
| Replaceable light source | No |

Certificates & Standards

| Standards CE / CB / UKCA / ENEC / EAC |
|---------------------------------------|
|---------------------------------------|

DOWNLOAD DATA

| | Documents and certificates | Document name |
|-----|---------------------------------|---------------------|
| POF | Declarations of conformity | TRUSYS FLEX NODE 8P |
| POF | Declarations of conformity UKCA | TRUSYS FLEX NODE 8P |
| | Tender texts | Document name |

| Tender documer | TruSys FLEX L NODE L02 NODE 8P WT-EN | |
|----------------|--------------------------------------|--|
|----------------|--------------------------------------|--|

LOGISTICAL DATA

| Product code | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Gross weight | Volume |
|---------------|------------------------------|--------------------------------------|--------------|-----------------------|
| 4058075782105 | Shipping box 2 | 588 mm x 328 mm x 95 mm | 2889.00 g | 18.32 dm ³ |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.