

PRODUCT DATASHEET

TRUSYS FLEX T01-NODE 8P WT

TruSys® FLEX T-NODE | T-shaped rail connector for corners



Product benefits

- Simple installation

Product features

- Through-wired with 5- or 8-core cable
- A node connector consists of at least one feeder and one exit with through-wiring
- Steel-sheet housing




TECHNICAL DATA

Electrical data

| | |
|------------------|---|
| Protection class | I |
|------------------|---|

Dimensions & Weight

| | |
|----------------|-----------|
| Length | 650 mm |
| Width | 446 mm |
| Height | 59 mm |
| Product weight | 1900.00 g |



TRUSYS FLEX T01-NODE

Materials & Colors

| | |
|---------------|-------|
| Product color | White |
| Body material | Steel |




Application & Mounting

| | |
|--------------------------|---------|
| Mounting location | Ceiling |
| Replaceable light source | No |

Certificates & Standards

| | |
|-----------|-----------------------------|
| Standards | CE / CB / UKCA / ENEC / EAC |
|-----------|-----------------------------|

DOWNLOAD DATA

| Documents and certificates | | Document name |
|---|---------------------------------|--------------------------------------|
|  | Declarations of conformity | TRUSYS FLEX NODE 8P |
|  | Declarations of conformity UKCA | TRUSYS FLEX NODE 8P |
| Tender texts | | Document name |
|  | Tender documents | TruSys FLEX T NODE T01 NODE 8P WT-EN |

LOGISTICAL DATA

| Product code | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Gross weight | Volume |
|---------------|------------------------------|--------------------------------------|--------------|-----------|
| 4058075782143 | Shipping box 2 | 685 mm x 685 mm x 185 mm | 6824.00 g | 86.81 dm³ |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.