

PRODUCT DATASHEET Tracklight Rail 1M White

Tracklight rail and base | Tracklight rail and base



Areas of application

- Kitchens, living rooms, children's rooms or home offices
- Entrance areas

Product benefits

- Timeless elegant design
- Made of solid aluminum with high-quality appearance

Product features

- Customisable modular tracklight system



TECHNICAL DATA

Electrical data

Nominal voltage	220240 V
Mains frequency	50/60 Hz
Protection class	l I

Dimensions & Weight

Length	1000 mm
Width	35.0 mm
Height	18.0 mm
Product weight	460.00 g



Materials & Colors

Product color	White
Body material	Aluminum

Application & Mounting

Ambient temperature range	-20+40 °C
Type of connection	Terminal, 2-pin
Mounting type	Surface
With light source	No
Replaceable light source	No

Certificates & Standards

Standards	CE / UKCA
Ball shot safe	No

Safety advice

- All electrical connections must be made by a qualified person.
- Caution, risk of electric shock.
- Product in protection class I. All electrically conductive, metallic housing parts that can absorb voltage during operation or during maintenance in the event of a fault must be continuously connected to the protective earthing conductor.

- Check wall-ceiling for suitability. If uncertain, seek professional advice.

DOWNLOAD DATA

	Documents and certificates	cates Document name	
PDF	User instruction / safety instructions	TRACKLIGHT RAIL	
PDF	Legal information	Safety insert G11219601	
PDF	Declarations of conformity	TRACKLIGHT	
PDF	Declarations of conformity UKCA	TRACKLIGHT ACCESSORIES	

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4099854507687	Folding box 1	22 mm x 48 mm x 1,008 mm	567.00 g	1.06 dm ³
4099854507694	Shipping box 4	106 mm x 54 mm x 1,020 mm	2448.00 g	5.84 dm ³
4099854507700	Shipping box 24	1,036 mm x 230 mm x 170 mm	15503.00 g	40.51 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.