

# PRODUCT DATASHEET LN MAG BATTEN T5 1168

LINEAR MAGNETIC BATTEN T5 | Luminaire insert for LED TUBE T5 AC



#### Areas of application

- Replacement kit for modernizing existing metallic ceiling lights (T8 and T5 Fluorescent) to energy-saving LED technology
- Offices, public buildings
- Supermarkets and department stores
- Industry
- Corridors, foyers, waiting areas



#### **Product benefits**

- Retrofitting without completely replacing existing luminaires
- If necessary, the old luminaire may remain installed on the ceiling during the conversion process
- Control gear and wiring may remain in the old luminaire if necessary
- Easy replacement of the LED TUBE T5 AC allows to participate in progress of LED technology over time
- Simple and quick upgrade solution
- Integrated fuse for additional safety
- 5 years guarantee

#### **Product features**

- Available in 4 different lengths: 568 mm, 868 mm, 1168 mm and 1468 mm
- Luminaire insert for accommodating one LED TUBE T5 AC 230V
- Suitable for LED TUBE T5 AC, HE or HO, 830/840/865
- Strong neodym magnets



## **TECHNICAL DATA**

## Electrical data

Nominal voltage	220240 V
Mains frequency	50/60 Hz
Protection class	1
Operating mode	Mains voltage

# Dimensions & Weight

Length	1168.00 mm
Width	25.00 mm
Height	45.00 mm
Product weight	550.00 g
Cable length	800 mm



LN MAG BATTEN T5 1168

# Materials & Colors

Product color	White
Housing color	White
RAL Color (most similar)	RAL 9016
Body material	Steel
Glow Wire Test according to IEC 60695-2-12	850 °C
Mercury content	0.0 mg

# Application & Mounting

Ambient temperature range	-20+45 °C
Temperature range at storage	-2080 °C
Type of connection	Screwless terminal, 3-Pole
Type of protection	IP20
Protection class IK (shock resistance)	IK02
Dimmable	No

Mounting type	Surface
Mounting location	Ceiling
Application environment	Indoor
With light source	No
Replaceable light source	No
Holder designation	G5

## Certificates & Standards

Standards CE / UKCA / ENEC / CB / DEKRA		
Luminaire with limited surface temperature, "D sign"	No	
Ball shot safe	No	

# Additional product data

Number of illuminants	1
-----------------------	---

## DOWNLOAD DATA

	Documents and certificates	Document name	
PDF	User instruction / safety instructions	LN MAG BATTEN T5	
PDF	User instruction / safety instructions	LINEAR MAGNETIC BATTEN T5	
PDF	Legal information	Legal Insert LN MAG BATTEN	
PDF	Legal information	Informationstext 18 Abs 4 ElektroG	
POF	Legal information	Safety Insert G11205497	
PDF	Declarations of conformity	LN MAG BATTEN T5	
POF	Declarations of conformity UKCA	LN MAG BATTEN T5	
	Tender texts E	Document name	

LINEAR MAGNETIC BATTEN T5 1168-EN

# LOGISTICAL DATA


Tender documents


Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4099854009747	Folding box 1	70 mm x 1,182 mm x 37 mm	662.00 g	3.06 dm <sup>3</sup>
4099854009754	Shipping box 10	1,204 mm x 372 mm x 90 mm	7229.00 g	40.31 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

#### ADDITIONAL CATALOG INFORMATION







#### References / Links

- For Guarantee see www.ledvance.com/guarantee

# DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.