


# PRODUCT DATASHEET

## LN INV SUSPENSION KIT WT

LINEAR INDIVILED SUSPENSION KIT | Suspension kit



### Product benefits

- Complete suspension kit for easy and quick mounting of one luminaire
- Wire length adjustable thanks to quick-release clamp

### Product features


- Complete suspension kit (ceiling connection box, push fit terminal, 2 suspension wires, transparent cable)
- Connection with 5-pin double plug terminal
- Ceiling box made of metal sheet, white powder-coated
- Stainless steel pendant cable and cable clips
- Available in black and white color



TECHNICAL DATA

Dimensions & Weight

Diameter	120 mm
Height	1500 mm
Product weight	600.00 g



Materials & Colors

Product color	White
Body material	Steel

Application & Mounting

With light source	No
Replaceable light source	No








Certificates & Standards

Standards	CE / UKCA
Luminaire with limited surface temperature, "D sign"	No

Safety advice

- All electrical connections must be made by a qualified person.

DOWNLOAD DATA


Documents and certificates		Document name
	User instruction / safety instructions	LN INV accessories
	Legal information	Informationstext 18 Abs 4 ElektroG
	Legal information	Safety Insert G11218828
	Legal information	LN INV Accessories
	Declarations of conformity	LN INV
	Declarations of conformity UKCA	LN INV
Tender texts		Document name
	Tender documents	LINEAR INDIVILED SUSPENSION KIT WT-EN

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4099854215537	Folding box 1	142 mm x 177 mm x 142 mm	720.00 g	3.57 dm <sup>3</sup>
4099854215544	Shipping box 12	557 mm x 317 mm x 307 mm	10377.00 g	54.21 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

ADDITIONAL CATALOG INFORMATION



DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.