

PRODUCT DATASHEET LN INV INFILL 1500 BK

LINEAR INDIVILED INFILL | Mechanical and electrical connector for light line installation between luminaires, in 600 mm, 1200 mm or 1500 mm

Product benefits

- Easy and quick connection of luminaires for light line installations
- Very solid connector for long operation

Product features


- $\ \ \text{Mechanical and electric connector (profile, 5 \times 2.5 \ \text{mm}^2 \ \text{internal wiring and terminal plug, male-female AC plug)}$
- Connector made of aluminum, white powder-coated
- Available in black and white color



TECHNICAL DATA

Dimensions & Weight

Length	1600 mm
Width	125 mm
Height	43 mm
Product weight	3100.00 g



LN INV INFILL 1500 WT

Materials & Colors

Product color	Black
Body material	Aluminum

Application & Mounting

Replaceable light source	No

Certificates & Standards

Standards	CE / UKCA
Luminaire with limited surface temperature, "D sign"	No

Safety advice

- All electrical connections must be made by a qualified person.

DOWNLOAD DATA

	Documents and certificates	Document name	
PDF	User instruction / safety instructions	LN INV accessories	
PDF	Legal information	Safety Insert G11218828	
PDF	Legal information	Informationstext 18 Abs 4 ElektroG	
PDF	Legal information	LN INV Accessories	
PDF	Declarations of conformity	LN INV	
PDF	Declarations of conformity UKCA	LN INV	
	Tender texts	Document name	
	Tender documents	LINEAR INDIVILED INFILL 1500 BK-EN	

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4099854297021	Folding box 1	177 mm x 1,657 mm x 102 mm	3591.00 g	29.92 dm ³
4099854297038	Shipping box 2	1,677 mm x 197 mm x 224 mm	8242.00 g	74.00 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

ADDITIONAL CATALOG INFORMATION



DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.