

# PRODUCT DATASHEET

## FLASHLIGHT SPOTLIGHT SIDELIGHT

FLASHLIGHT SPOTLIGHT SIDELIGHT | Outdoor mobiles



---

### Areas of application

- Multifunctional

---

### Product benefits

- 4 operating modes: 1 press: bright light 300 lm, 2nd press: soft light 100 lm, 3rd press: side light, 4th press: flashing mode
- 3 hours of running at full brightness
- 4 hours to fully charge from empty-to-full
- Battery capacity: 2400 mA
- Power Bank mode

---

### Product features

- Shoulder strap (70 cm) included.
- Convenient button for switching modes
- COB LED for side light.

TECHNICAL DATA

Electrical data

Nominal wattage	3.00 W
Inrush current	800 mA
Inrush current time T <sub>h50</sub>	0.5 s
Operating mode	Battery

Photometrical data

Luminous flux	300 lm
Luminous efficacy	100 lm/W
Color temperature	6500 K
Light color (designation)	Cool White
Color rendering index Ra	70

Dimensions & Weight

Length	202.00 mm
Width	110.00 mm
Height	163.00 mm
Product weight	420.00 g

Materials & Colors

Product color	Orange
Housing color	Orange
Body material	ABS I EVA (Ethylene Vinyl Acetate)
Mercury content	0.0 mg

Application & Mounting

Ambient temperature range	-20...+40 °C
Type of connection	USB Type-C
Type of protection	IP20
Dimmable	No
Adjustable	No
With light source	Yes
Replaceable light source	No

Lifespan

Lifespan L70/B50 at 25 °C	30000 h <sup>1)</sup>
---------------------------	-----------------------

1) t[h]: L70 / B50 @ 25 °C (Ta), t[h]: L80 / B10 @ 25 °C (Ta), t[h]: L90 / B10 @ 25 °C (Ta)

## BATTERY

Battery size [GMS]	18650
Battery charging time	4 h




## Certificates &amp; Standards

Standards	CE / UKCA
Replaceable light source (EPREL)	Not replaceable

## EQUIPMENT / ACCESSORIES

– USB C cable

## DOWNLOAD DATA

Documents and certificates		Document name
	Legal information	Informationstext 18 Abs 4 ElektroG
	Legal information	FLASHL
	Declarations of conformity	CE Declaration Flashlight

## LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4099854175787	Folding box 1	172 mm x 119 mm x 212 mm	498.00 g	4.34 dm <sup>3</sup>
4099854583971	Shipping box 4	490 mm x 300 mm x 200 mm	2644.00 g	29.40 dm <sup>3</sup>
4099854175794	Shipping box 20	610 mm x 365 mm x 455 mm	11139.00 g	101.31 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

## DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.