

PRODUCT DATASHEET SENSOR CEILING MOUNTING KIT

SENSOR CEILING MOUNTING KIT | Adapter for surface mounting installations



Areas of application

Compatible with SENSOR DALI-2 LS-PD-8 IR CI, SENSOR DALI-2 LS-PD-40X5 IR CI



Product benefits

- Simple ceiling installation with spring clips
- Integrated cable clamp

Product features

- Enables surface or recessed ceiling mounting
- Surface mounting: protection class IP54
- Ceiling integration: protection class IP20

TECHNICAL DATA

Dimensions & Weight





| Length | 68.00 mm |
|----------------|----------|
| Width | 68.00 mm |
| Height | 44.00 mm |
| Product weight | 80.00 g |

Colors & materials

Capabilities

| Dimmable | No |
|----------------------|------------------|
| Type of installation | Surface mounting |

Certificates & Standards

| Approval marks – approval | CE |
|---------------------------|------|
| Protection class | П |
| Type of protection | IP20 |

DOWNLOAD DATA

| | Documents and certificates | Document name |
|-----|--|---------------|
| PDF | User instruction / safety instructions | SENSOR CM KIT |
| PDF | Declarations of conformity | SENSOR CM KIT |

| Tender texts | Document name |
|------------------|--|
| Tender documents | DALI-2 SENSORS CEILING MOUNTING KIT-EN |

LOGISTICAL DATA

| Product code | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Gross weight | Volume |
|---------------|------------------------------|--------------------------------------|--------------|-----------------------|
| 4058075843905 | Folding box 1 | 110 mm x 110 mm x 100 mm | 144.00 g | 1.21 dm³ |
| 4058075843912 | Shipping box 48 | 630 mm x 460 mm x 244 mm | 8032.00 g | 70.71 dm ³ |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

References / Links

- For current information see www.ledvance.com/light-management-systems

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.