

PRODUCT DATASHEET SMART MATTER FLEX 1M EXT RGB Tunable White

SMART+ MATTER FLEX | Decorative, extendable LED Strips with Matter technology



Areas of application

- Living areas (living rooms, dining rooms, bedrooms etc.)

Product benefits

- Uses multi color and cold or warm white light for most flexible lighting scenes

Product features

- RGB color control
- Flexible, bendable LED strips

TECHNICAL DATA

Electrical data

Nominal wattage	3.40 W
Nominal voltage	220240 V
Nominal current	142.000 mA
Protection class	П

Photometrical data

Color temperature	27006500 K	
Light color (designation)	Red / Green / Blue / Tunable White	
Color rendering index Ra	80	
Standard deviation of color matching	< 6 sdcm	
Photobiological safety group acc. to EN62778	RG0	
Beam angle	120 °	

Dimensions & Weight

Length	1000.00 mm
Width	12.00 mm
Height	8.00 mm
Product weight	61.00 g



SMART MAT FLEX 1M EXT RGBTW

Materials & Colors

Product color	White	
Housing color	White	
Body material	Acrylonitrile butadiene styrene (ABS)	

Application & Mounting

Temperature range at storage	-20+80 °C
Type of connection	Plug type C (EU)
Type of protection	IP20
Dimmable	Yes
Mounting type	Surface

With light source	Yes	
Certificates & Standards		
Standards	CF	

Not replaceable

Additional product data

Replaceable light source (EPREL)

Product remark	Available from March 2025

Safety advice

 Do not connect the rope light to the supply while it is wound onto a reel. Do not use the lightstrip when covered or recessed into a surface. The string of lights may not be operated within the packaging. Do not open the lightstrip.

DOWNLOAD DATA

	Documents and certificates	Document name
PDF	User instruction / safety instructions	SMART MATTER FLEX
PDF	Declarations of conformity	CE Declaration Smart Matter Flex

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4099854373046	Folding box 1	26 mm x 106 mm x 107 mm	77.00 g	0.29 dm ³
4099854373053	Shipping box 6	220 mm x 88 mm x 120 mm	521.00 g	2.32 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.