

PRODUCT DATASHEET

Decor Folded Globe Ceiling E27 Gold

Decor Folded Globe | Decorative luminaire made of golden metal



Areas of application

- Indoor applications
- Corridors, entrance areas, stairwells, living rooms, bedrooms, basements

Product benefits

- High-quality housing with electroplated gold surface
- Different types of luminaires with the same design language maintain a consistent style at home
- Easy mounting

Product features

- Housing material: metal
- Modern industrial design
- Optional 1.6 m cable provided with fitted EU plug (only for wall luminaire)
- Textile cable (except ceiling luminaire)



TECHNICAL DATA

Electrical data


Nominal voltage	220...240 V
Mains frequency	50...60 Hz
Protection class	II
Operating mode	Mains voltage

Photometrical data

Total luminous flux of contained light sources	
--	--

Dimensions & Weight

Diameter	380.00 mm
Height	395.00 mm
Product weight	1855.00 g



DECOR FOLDED GLOBE CEILING
E27 GD

Materials & Colors

Product color	Gold
Housing color	Gold
Body material	Steel
Mercury content	0.0 mg

Application & Mounting

Ambient temperature range	-20...+40 °C
Temperature range at storage	-20...+80 °C

Type of connection	Terminal, 2-Pole (L, N)
Type of protection	IP20/IP20
Dimmable	No
Mounting type	Surface
Mounting location	Ceiling
Application environment	Indoor
With light source	No
Replaceable light source	No
Holder designation	E27

Emergency lighting

Type of emergency operation test	None
----------------------------------	------

Certificates & Standards

Standards	CE / UKCA
Luminaire with limited surface temperature, "D sign"	No
Ball shot safe	No


Additional product data

Product remark	Maximum bulb wattage: 15 W (LED) / Available from October 2025
Number of illuminants	1

Safety advice

- Check wall-ceiling for suitability. If uncertain, seek professional advice.
- All electrical connections must be made by a qualified person.
- Caution, risk of electric shock.
- If the external flexible cable or cord of this luminaire is damaged, it shall be exclusively replaced by a qualified person in order to avoid a hazard.
- To reduce the risk of strangulation the flexible wiring connected to this luminaire shall be effectively fixed to the wall if the wiring is within arm's reach.

DOWNLOAD DATA

Documents and certificates	Document name
 User instruction / safety instructions	DECOR FOLDED GLOBE WALL/CEILING

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075852372	Folding box 1	333 mm x 333 mm x 443 mm	2467.00 g	49.12 dm ³
4058075852389	Shipping box 2	687 mm x 352 mm x 474 mm	6279.00 g	114.62 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.