

PRODUCT DATASHEET

NAV-T SUPER 70 W E27

VIALOX® NAV®-T SUPER | High-pressure sodium vapor lamps for open and enclosed luminaires



TECHNICAL DATA

Electrical data

| | |
|----------------------|---------|
| Nominal wattage | 70 W |
| Construction wattage | 70.00 W |
| Nominal current | 1 A |

Photometrical data

| | |
|-------------------|---------|
| Luminous flux | 6600 lm |
| Luminous efficacy | 94 lm/W |

Dimensions & Weight

| | |
|----------------|-----------|
| Overall length | 156.00 mm |
| Diameter | 38.00 mm |
| Product weight | 69.00 g |

Additional product data

| | |
|-----------------------------|--------|
| Base (standard designation) | E27 |
| Mercury content | 3.0 mg |

Country-specific categorizations

| | |
|-----------------|-----------------|
| Order reference | NAV-T 70W SUPER |
|-----------------|-----------------|

Energy labelling regulation data acc EU 2019/2015

| | |
|-----------------------------------------------------|-----------|
| Light source cap-type (or other electric interface) | E27 |
| Length | 156.00 mm |
| Height | 38.00 mm |
| Width | 38.00 mm |

LOGISTICAL DATA

| Product code | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Gross weight | Volume |
|---------------|------------------------------|--------------------------------------|--------------|----------------------|
| 4052899381292 | Sleeve 1 | 41 mm x 41 mm x 196 mm | 85.00 g | 0.33 dm ³ |
| 4052899381308 | Shipping box 12 | 176 mm x 135 mm x 216 mm | 1127.00 g | 5.13 dm ³ |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

