

PRODUCT DATASHEET SPC.T FR 10 W 225 V E14

SPECIAL OVEN T | Incandescent lamps, tubular shape, for oven lighting



Areas of application

- Domestic baking ovens

Product features

– Ambient temperature: up to 300 $^{\circ}\text{C}$


TECHNICAL DATA

Electrical data

Nominal wattage	10 W
Construction wattage	10.00 W
Nominal voltage	230 V

Photometrical data

Luminous flux	30 lm
Luminous efficacy	3 lm/W
Lumen main.fact.at end of nom.life time	0.80
Color temperature	2700 K
Color rendering index Ra	100
Light color	1027



349635_HAL_ohne_UVS

Light technical data

Dimensions & Weight

Overall length	57.00 mm
Diameter	25,0 mm
Product weight	9.6 g

Additional product data

Base (standard designation)	E14
Mercury-free	Yes
Design / version	Frosted

Capabilities

Dimmable	Yes	

Country-specific categorizations

ILCOS	IBT/F-10-230-E14-25
Order reference	SPC.T25/57 FR 1

Energy labelling regulation data acc EU 2019/2015

Lighting technology used	OTHER
Non-directional or directional	NDLS
Mains or non-mains	MLS
Light source cap-type (or other electric interface)	E14
Connected light source (CLS)	No
Color-tuneable light source	No
Envelope	No
High luminance light source	No
Anti-glare shield	No
Standby power	0 W
Networked standby power for CLS	0 W
Claim of equivalent power	No
Length	56.00 mm
Height	25,0 mm
Width	25,0 mm
Chromaticity coordinate x	0.503
Chromaticity coordinate y	0.416
Beam angle correspondence	SPHERE_360
EPREL ID	714466
Model number	AC35395,AC35395

Safety advice

- Do not touch the lamp if broken.
- Must not be used if outer bulb is defective.
- Lamp to be used only in a closed luminaire.
- Not designed as a replacement for conventional lighting in private household.

DOWNLOAD DATA

Documents and certificates Document name		Document name
PDF	On-Pack-Info	ELR - exempt lamps
PDF	Declarations of conformity	SPC.T OVEN 15W SPC.T25 57 10W

Photometric and lighting design files	Document name
Spectral power distribution	349635_HAL_ohne_UVS

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4050300102641	Blister 2	122 mm x 20 mm x 85 mm	37.00 g	0.21 dm ³
4050300102658	Shipping box 20	283 mm x 146 mm x 152 mm	444.71 g	6.28 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.