

## PRODUCT DATASHEET POWER SUPPLY PS 30

Power Supply PS 30 | Converters



---

### Areas of application

- Wide range of applications

---

### Product benefits

- Large input voltage range

---

### Product features


- Output voltage: 24 V DC
- Output current: 1.3 A

## TECHNICAL DATA

### Electrical data

Nominal wattage	30.00 W
Nominal voltage	100...240 V
Mains frequency	50/60 Hz

### Dimensions & Weight



Length	90.00 mm
Width	36.00 mm
Height	58.00 mm
Product weight	120.00 g

### Temperatures & operating conditions

Ambient temperature range	-20...+55 °C
---------------------------	--------------


### Capabilities

Dimmable	No
Type of installation	DIN rail mounting

### Certificates & Standards

Approval marks – approval	CE
Protection class	II
Type of protection	IP20

## DOWNLOAD DATA

Documents and certificates	Document name
 Declarations of conformity	PS30-24 SO

## LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4052899553880	Folding box 1	92 mm x 71 mm x 60 mm	138.00 g	0.39 dm <sup>3</sup>
4052899553897	Shipping box 200	610 mm x 460 mm x 540 mm	29400.00 g	151.52 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

---

## DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.