

# PRODUCT DATASHEET LS AY -PW02/UW/39X26/14/1

Wide Profiles for LED Strips | Wide Profiles for LED Strips



## Areas of application

- General indoor illumination

#### **Product benefits**

- Robust aluminum profile
- Quick and simple installation

#### **TECHNICAL DATA**

# Dimensions & Weight

Length	1000 mm
Width	39.0 mm
Height	26.0 mm
Product weight	260.00 g

#### Colors & materials

Product color	Grey

# Temperatures & operating conditions

Ambient temperature range	-15+45 °C	
Temperature range in operation	-15+45 °C	

## Additional product data

Product remark	Can be combined with all LEDVANCE LED Strips including connectors	
1 Toddot Tolliant	and endcap	

## LOGISTICAL DATA

Temperature range at storage	-35+85 °C

# Accessories Optional

Product image	Product name	EAN
	LS AY -PW02/EC/H	4058075277427
	LS AY -PW02/EC	4058075277397
	LS AY -PC/W02/C/1	4058075402348
of the same of the	LS AY -PW02/MB	4058075276659
	LS AY -PC/W02/D/1	4058075279421

#### **DOWNLOAD DATA**

	Documents and certificates	Document name	
PDF	Declarations of conformity	LS AY PM_PF_PW_PC	

Tender texts	Document name
Tender documents	Wide Profiles for LED Strips PW02UW39X26141-EN

#### LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075278134	BAG 1	1,200 mm x 80 mm x 10 mm	261.00 g	0.96 dm <sup>3</sup>
4058075278141	Bundle 10	500 mm x 55 mm x 100 mm	2611.00 g	2.75 dm <sup>3</sup>
4058075278158	Shipping box 50	1,030 mm x 230 mm x 310 mm	13593.00 g	73.44 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

#### **DISCLAIMER**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.