

PRODUCT DATASHEET LS AY -PM04/UW/23X15,5/10/2

MEDIUM PROFILES FOR LED STRIPS | Medium Profiles for LED Strips



Areas of application

- General indoor illumination

Product benefits

- Robust aluminum profile
- Quick and simple installation

TECHNICAL DATA

Dimensions & Weight

Length	2000 mm
Width	23.0 mm
Height	14.4 mm
Product weight	340.00 g

Colors & materials

Product color	Grey

Temperatures & operating conditions

Ambient temperature range	-15+45 °C	
Temperature range in operation	-15+45 °C	

Additional product data

Product remark	Can be combined with SUPERIOR UNPROTECTED Strips / Cannot be combined with SUPERIOR PROTECTED Strips / Can be combined with PERFORMANCE UNPROTECTED Strips / Can be combined with PERFORMANCE PROTECTED Strips including endcap and excluding connectors / Can be combined with VALUE UNPROTECTED Strips /
	Can be combined with VALUE PROTECTED Strips

LOGISTICAL DATA

Temperature range at storage -35+85 °C
--

Accessories Optional

Product image	Product name	EAN
	LS AY -PC/R02/D/1	4058075305793
	LS AY -PM04/EC/H	4058075275836
	LS AY -PM04/MB	4058075276970
	LS AY -PC/R02/C/1	4058075402287

Product image	Product name	EAN
	LS AY -PC/R02/C/2	4058075402102
	LS AY -PC/R02/D/2	4058075401921
	LS AY -PM04/EC	4058075277939

DOWNLOAD DATA

Declarations of conformity Declarations of conformity UKCA		Documents and certificates	Document name
Declarations of conformity UKCA	PDF	Declarations of conformity	
	PDF	Declarations of conformity UKCA	

Tender texts	Document name
Tender documents	Medium Profiles for LED Strips PM04UW 23X15 5 10 2-EN

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075401747	BAG 1	2,000 mm x 26 mm x 8 mm	341.00 g	0.42 dm ³
4058075401754	Bundle 5	2,000 mm x 26 mm x 40 mm	1706.00 g	2.08 dm ³
4058075401761	Shipping box 25	2,040 mm x 180 mm x 110 mm	9257.00 g	40.39 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.