

PRODUCT DATASHEET LS AY -PM02/R/18X15,5/10/1

Medium Profiles for LED Strips | Medium Profiles for LED Strips



Areas of application

- General indoor illumination

Product benefits

- Robust aluminum profile
- Quick and simple installation

TECHNICAL DATA

Dimensions & Weight

Length	1000 mm
Width	18.0 mm
Height	15.5 mm
Product weight	210.00 g

Colors & materials

Product color Grey

Temperatures & operating conditions

Ambient temperature range	-15+45 °C
Temperature range in operation	-15+45 °C

Additional product data

Product remark	Can be combined with SUPERIOR UNPROTECTED Strips / Cannot be combined with SUPERIOR PROTECTED Strips / Can be combined with PERFORMANCE UNPROTECTED Strips / Cannot be combined with PERFORMANCE PROTECTED Strips / Can be combined with VALUE UNPROTECTED Strips / Cannot be combined with VALUE PROTECTED Strips
----------------	---

LOGISTICAL DATA

Temperature range at storage	-35+85 °C
------------------------------	-----------

Accessories Optional

Product image	Product name	EAN
	LS AY -PM02/EC/H	4058075277847
	LS AY -PM02/MB	4058075276918
	LS AY -PM02/EC	4058075277816
	LS AY -PC/P01/C/1	4058075402195

Product image	Product name	EAN	
	LS AY -PC/P01/D/1	4058075279339	
DOWNLOAD DATA			

	Documents and certificates	Document name	
POF	Declarations of conformity	LS AY PM_PF_PW_PC	
	Tender texts	Document name	
	Tender documents	Medium Profiles for LED Strips PM02R18X15 5 10 1-EN	

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075278349	BAG 1	1,200 mm x 50 mm x 5 mm	211.00 g	0.30 dm ³
4058075278356	Bundle 10	500 mm x 55 mm x 50 mm	2110.00 g	1.38 dm ³
4058075278363	Shipping box 50	1,030 mm x 190 mm x 120 mm	11089.00 g	23.48 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.