

PRODUCT DATASHEET

SF CIRCULAR 500 COVER

SURFACE CIRCULAR COVER | Replacement cover



Areas of application

- Replacement for SURFACE CIRCULAR 350 3CCT covers

Product benefits

- Easy replacement of the cover without changing the luminaire

Product features

- Opal cover made of PMMA
- Impact resistance: IK03




TECHNICAL DATA

Photometrical data

Beam angle	120 °
------------	-------

Dimensions & Weight

Diameter	500 mm
Height	105.00 mm
Product weight	370.00 g



SF CIRCULAR 500 COVER

Materials & Colors

Product color	White
Body material	Polymethylmethacrylate (PMMA)
Cover material	Polymethylmethacrylate (PMMA)

Application & Mounting

Replaceable light source	No
--------------------------	----


Certificates & Standards





Ball shot safe	No
----------------	----

EQUIPMENT / ACCESSORIES

– Replacement cover optionally available

DOWNLOAD DATA

Documents and certificates		Document name
	User instruction / safety instructions	SF CIRCULAR 500 COVER

Documents and certificates		Document name
	Legal information	Legal insert
	Declarations of conformity	SF CIRC 500 V
	Declarations of conformity UKCA	SF CIRC 500 V
Tender texts		Document name
	Tender documents	SURFACE CIRCULAR COVER 500 COVER-EN

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4099854064395	Bundle 1	520 mm x 520 mm x 108 mm	427.00 g	29.20 dm ³
4099854064401	Shipping box 5	577 mm x 537 mm x 554 mm	4174.00 g	171.66 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

References / Links

– For Guarantee see www.ledvance.com/guarantee

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.