

PRODUCT DATASHEET

PANEL 1200 X 300 SF MOUNT KIT H70 VAL

SURFACE MOUNT KIT VALUE | Surface mount frames for panel luminaires



Product benefits

- Easy mounting thanks to included polycarbonate corner-clips
- Panel insertion from short or long frame sides possible (for rectangular version only)

Product features


- Extruded aluminum frame



TECHNICAL DATA

Dimensions & Weight

| | |
|----------------|-----------|
| Length | 1215 mm |
| Width | 315 mm |
| Height | 72.0 mm |
| Product weight | 1600.00 g |



PL 1200X300 SF MOUNT KIT H70
VAL

Materials & Colors

| | |
|---------------|----------|
| Product color | White |
| Body material | Aluminum |



Application & Mounting

| | |
|---------------------------|--------------|
| Ambient temperature range | -20...+50 °C |
| Mounting type | Surface |
| Mounting location | Ceiling |
| Mounting length | 1015 mm |
| Mounting width | 230 mm |
| Replaceable light source | No |

Safety advice

- Caution, risk of electric shock.

DOWNLOAD DATA

| Documents and certificates | | Document name |
|---|--|--|
|  | User instruction / safety instructions | UI PL 1200X300 SF MOUNT KIT H70 |
| | | |
| Tender texts | | Document name |
|  | Tender documents | SURFACE MOUNT KIT VALUE 1200 X 300 SF MOUNT KIT H70 VAL-EN |
| | | |

LOGISTICAL DATA

| Product code | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Gross weight | Volume |
|---------------|------------------------------|--------------------------------------|--------------|-----------------------|
| 4099854018497 | Folding box 1 | 72 mm x 1,240 mm x 80 mm | 1782.00 g | 7.14 dm ³ |
| 4058075821699 | Shipping box 4 | 1,261 mm x 182 mm x 177 mm | 7696.00 g | 40.62 dm ³ |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.