

PRODUCT DATASHEET

LINEAR SLOT VALUE 4 ft WH Direct Indirect Light Suspended with Lutron Vive Sensor

LINEAR SLOT VALUE | Architectural Linear Slot with selectable CCT



Areas of application

- Offices
- Lobbies
- Waiting rooms
- Hospitality
- Retail

Product features

- Selectable CCTs: 3000/4000/5000K
- Direct or Direct/Indirect
- Accessories available for suspended, surface or recessed mounting are available
- Linkable
- Sleek and modern design
- Two different finishes
- CRI > 80

TECHNICAL DATA

Electrical data

| | |
|-----------------|-------------|
| Nominal wattage | 48.00 W |
| Nominal voltage | 120...277 V |

Photometrical data

| | |
|--------------------------|-----------------|
| Luminous flux | 4800 lm |
| Luminous efficacy | 100 lm/W |
| Color temperature | 3000 ... 4000 K |
| Color rendering index Ra | > 80 |

Dimensions & Weight

| | |
|----------------|------------|
| Length | 1212.85 mm |
| Width | 101.60 mm |
| Height | 88.90 mm |
| Product weight | 2660.00 g |

Materials & Colors

| | |
|-----------------|----------|
| Product color | White |
| Housing color | White |
| Body material | Aluminum |
| Mercury content | 0.0 mg |

Application & Mounting

| | |
|--------------------------|---------|
| Dimmable | Yes |
| Type of dimming | 0-10V |
| Mounting type | Surface |
| Replaceable light source | No |

Certificates & Standards

| | |
|----------------------------------|-----------------|
| Replaceable light source (EPREL) | Not replaceable |
|----------------------------------|-----------------|

Additional product data

| | |
|------|-------|
| NAED | 66768 |
|------|-------|



EQUIPMENT / ACCESSORIES

- Suspended Mount Kit - available with all SKUs aside wall mount version
- Wall Mount Kit - available for all wall mounting version only

Safety advice

– Connect up to 700W

DOWNLOAD DATA

| Spec Sheets and Product Documents | | Document name |
|----------------------------------------------------------------------------------|------------------------------|--------------------------------------------|
|  | Extended installation guide | Value Class Linear Slot Installation Guide |
|  | Product information bulletin | LEDLUM154 CCT SELECTABLE LINEAR SLOT |

LOGISTICAL DATA

| Product code | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Gross weight | Volume |
|---------------|------------------------------|--------------------------------------|--------------|-----------------------|
| 4099854593109 | Shipping box 1 | 1,327 mm x 133 mm x 127 mm | 3431.00 g | 22.48 dm ³ |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.