

PRODUCT DATASHEET LED DRIVER MAG BAR 1-3 BARS 120-347V 10-20W DIM

MAGNETIC RETROFIT BAR KITS | Magnetic Retrofit Bar Kit can replace fluorescent lamps in a variety of existing fixtures



Areas of application

- Offices
- Education
- Retail

Product features

- Drivers have 12V Aux to work with sensors
- Frosted plastic lens
- Dimmable down to 20 % with 0-10V driver
- 80 CRI standard, with 90 CRI option
- Selectable CCT: 3500/4000/5000K
- Selectable wattage and lumen outputs
- 120-347V
- 90% power factor
- Beam angle: 120° with frosted plastic optics

TECHNICAL DATA

Electrical data

Nominal wattage	20.00 W
Nominal voltage	120347 V
Mains frequency	5060 Hz
Protection class	П

Dimensions & Weight

Length	240.00 mm
Width	43.00 mm
Height	31.00 mm
Product weight	250.00 g

Materials & Colors

Mercury content	0.0 mg

Application & Mounting

Type of protection	IP20
Dimmable	Yes
Type of dimming	0-10V

Additional product data

NAED	75908

Accessories Optional

Product image	Product name	EAN
	EMBB CM20N 8W DC	0046135610974
	Standalone Microwave Motion Sensor Behind the lens ft 12ft 12V	0046135663666

Safety advice

- Do not use 3-4 lamp driver to operate less than 3 magnetic bars
- Suitable for use in open / enclosed fixture but not vapor tight gasketed fixture.

DOWNLOAD DATA

	Spec Sheets and Product Documents	Document name	
PDF	Extended installation guide	MAGNETIC BAR RETRO KITS	
PDF	Extended installation guide	LEDVANCE Retrofit Kits Magnetic Bar Retrofit Kits user manual	
POF	Product information bulletin	LEDVANCE Retrofit Kits Magnetic Bar Retrofit Kits	
	Photometric and lighting design files	Document name	

Magnetic Retrofit Bar Kit Driver 1-3 bars 10-20W

LOGISTICAL DATA

IES file (IES)

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4099854439100	Unpacked 1	240 mm x 43 mm x 31 mm	250.00 g	0.32 dm ³
4099854425301	Shipping box 20	390 mm x 290 mm x 240 mm	5358.00 g	27.14 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.