

PRODUCT DATASHEET

PANEL DUAL SELECTABLE UNH 2x4 50W 2/CS 2/SKU UNH

PANEL LOW WATTAGE AND UNH | Panel luminaire with selectable CCT. 120-347V



Areas of application

- Offices
- Schools
- Hospitality
- Retail

Product features

- Backlit technology that offers even lighting distribution without shadowing
- Selectable CCT: 3500/4000/5000K
- Selectable wattage and lumen outputs
- Low wattage versions for energy efficiency projects
- DLC Premium listed to maximize rebate opportunities
- Compatible with SYLVANIA emergency battery backup unit (EM ready)
- Up to 125 LPW
- PMMA lenses that do not yellow over time
- CRI > 80
- Energy savings up to 68 %

TECHNICAL DATA

Electrical data

Nominal wattage	50.00 W
Nominal voltage	120...347 V

Photometrical data

Luminous flux	3750 ... 6250 lm
Luminous efficacy	125 lm/W
Color temperature	3500 ... 5000 K
Color rendering index Ra	80

Dimensions & Weight

Length	1214.00 mm
Width	605.00 mm
Height	40.64 mm
Product weight	4300.00 g

Materials & Colors

Product color	White
Housing color	White
Body material	Aluminum Steel
Mercury content	0.0 mg

Application & Mounting

Type of connection	WAGO
Dimmable	Yes
Type of dimming	0-10V
Mounting type	Recessed/Suspended/Surface
Application environment	Indoor
Replaceable light source	No

Certificates & Standards

Replaceable light source (EPREL)	Not replaceable
----------------------------------	-----------------

Additional product data

NAED	65904
------	-------

Accessories Optional

Product image	Product name	EAN
	MOUNT KIT SURFCACE 2x2	0046135620645
	MOUNT KIT SURFCACE 2x4	0046135620652
	MOUNT KIT SURFCACE 1x4	0046135620669
	MOUNT KIT SUSPENSION	0046135620676
	EMBB METAL BRIDGE 2x2 and 2x4	0046135616822
	EMBB METAL BRIDGE 1x4	0046135616839
	EMBB 1A 8W UNV DC	0046135608889
	MOUNT KIT FLANGE 1x4	0046135604577
	MOUNT KIT FLANGE 2x2	0046135604584
	MOUNT KIT FLANGE 2x4	0046135604591

DOWNLOAD DATA

Spec Sheets and Product Documents		Document name
	Product information bulletin	BACKLIT DUAL SELECTABLE AND LOW WATTAGE PANEL

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
0046135659041	Unpacked 2	1,214 mm x 605 mm x 41 mm	8600.00 g	29.85 dm ³
4099854255953	Shipping box 2	1,240 mm x 625 mm x 97 mm	9489.00 g	75.11 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.