


PRODUCT DATASHEET

EMBB 2A 21W UNV DIM DC

Field-installable Emergency Battery | Field-installable Emergency Battery for LEDVANCE Panel luminaires



Product features

- Functions with Type AB when operating as Type B mode, Type B and Type C tubes as well as luminaires
- Output power of 21W max.
- 0-10V Dim
- 90 minutes operation in emergency mode
- UL Listed #E505771
- Re-charge time of 24 hours
- LED test button & indicator light

TECHNICAL DATA

Electrical data

Nominal wattage	21.00 W
Nominal voltage	120...277 V
Mains frequency	50...60 Hz
Protection class	1

Dimensions & Weight

Length	330.00 mm
Width	75.00 mm
Height	35.00 mm
Product weight	1767.00 g

Materials & Colors

Mercury content	0.0 mg
-----------------	--------

Application & Mounting

Dimmable	Yes
Type of dimming	0-10V

BATTERY

Battery size [GMS]	Others
--------------------	--------

Additional product data

NAED	75740
------	-------

DOWNLOAD DATA

Spec Sheets and Product Documents		Document name
	Product information bulletin	Field-installable emergency battery back-up

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
0046135757402	Folding box 1	692 mm x 78 mm x 38 mm		2.05 dm ³
10046135757409	Shipping box 6	705 mm x 168 mm x 134 mm	13011.00 g	15.87 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.