

# PRODUCT DATASHEET

## RETROFIT STRIP 4 ft 30W 120-277V 3500K

SYLVANIA STRIP RETROFIT | SYLVANIA Strip Retrofit kit for replacing existing fluorescent strips without removing the original body



---

### Areas of application

- Offices
- Retail
- Manufacturing
- Education
- Warehouses

---

### Product features

- Can be used on fluorescent luminaire bodies 4.25" to 5.25" wide
- Available in 3500K, 4000K, or 5000K color temperature
- Offered in 25, 30, 46, and 54 watts
- 0-10V dimmable down to 10 %
- Emergency battery back-up versions available

---

## TECHNICAL DATA

### Electrical data

Nominal wattage	30.00 W
Nominal voltage	120...277 V

### Photometrical data

Luminous flux	3960 lm
Luminous efficacy	132 lm/W
Color temperature	3500 K
Color rendering index Ra	80

### Dimensions & Weight

Length	1220.00 mm
Width	148.00 mm
Height	61.50 mm
Product weight	2440.00 g

### Materials & Colors

Product color	White
Housing color	White
Body material	Metal

### Application & Mounting

Dimmable	Yes
Type of dimming	0-10V
Mounting type	Surface
Application environment	Indoor
Replaceable light source	No

### Certificates & Standards

Replaceable light source (EPREL)	Not replaceable
----------------------------------	-----------------

### Additional product data

NAED	61474
------	-------

---




## EQUIPMENT / ACCESSORIES

- All mounting hardware
- Can only be used for retrofitting existing 4' and 8' fluorescent strip luminaires

### Safety advice

- 120-277 Vac
- Can only be used for retrofitting existing 4' and 8' fluorescent strip luminaires
- cULus

### DOWNLOAD DATA

Spec Sheets and Product Documents		Document name
	Extended installation guide	INSTALL GUIDE RSTRIP1A
	Extended installation guide	Installation Guide SYLVANIA Strip Retrofit
	Product information bulletin	ValueLED Strip Retrofit PIB / Cut Sheet

### LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
10046135614740	Shipping box 1	1,270 mm x 174 mm x 116 mm	3343.00 g	25.57 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.