

# PRODUCT DATASHEET Motion Sensor 5CCT Selectable A19 12W 1PK

SYLVANIA Motion Sensor 5CCT Selectable A19 Lamps | 5CCT selectable A19 lamps with motion sensor for automatic light activation



### Areas of application

- General lighting
- Track lighting
- Driveways, backyards, parking lots, and porches in both residential and commercial applications

## **Product features**

- Selectable CCTs: 2700/3000/3500/4000/5000K
- Toggle switch located on the lamp to change between CCTs in the field
- 15,000 hours lifetime (L70)
- Automatically turns light on when motion is detected and turns off after 40 seconds when motion is not detected
- Wide detection angle of 360°

#### **TECHNICAL DATA**

#### Electrical data

Nominal wattage	13 W
Construction wattage	13.00 W
Nominal voltage	120 V
Claimed equiv. conventional lamp power	100 W

#### Photometrical data

Luminous flux	1600 lm
Luminous efficacy	123 lm/W
Color temperature	2700 K
Color rendering index Ra	> 80
Light color	827

# Dimensions & Weight

Overall length	159.00 mm
Diameter	120.00 mm
Product weight	55.6 g

## Additional product data

Base (standard designation)	E26
Mercury content	0.0 mg
NAED	42562

# Capabilities

Dimmable	No

# Country-specific categorizations

Order reference	13W 120V 6X1 EN
-----------------	-----------------

# Energy labelling regulation data acc EU 2019/2015

Light source cap-type (or other electric interface)	E26
Length	159.00 mm
Height	120.00 mm
Width	120.00 mm

# Safety advice

- Suitable for damp locations not for use where directly exposed to water.
- Not for use in dimming applications.
- Not for use with emergency light fixtures or exit lights.

#### **DOWNLOAD DATA**

	Spec Sheets and Product Documents	Document name
PDF	Product information bulletin	LED617 SYLVANIA LAMPS A19 Motion Sensor 5CCT Selectable

## LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
0046135425622	Folding box	65 mm x 65 mm x 122 mm	88.00 g	0.52 dm <sup>3</sup>
4058118317912	Shipping box	217 mm x 155 mm x 132 mm	692.00 g	4.44 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

#### **DISCLAIMER**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.