

# PRODUCT DATASHEET

## Contractor Series 5CCT Selectable A19 10W 5CCT 10YV 2PK

SYLVANIA Contractor Series 5CCT Selectable A19/A21 Lamps | Contractor Series A19/A21 with 80+ CRI and flexible 5CCT selectable



---

### Areas of application

- Downlights, pendant fixtures, table lamps, wall sconces
- Healthcare, hospitality, residential, retail
- Vanity fixtures
- Indoor and outdoor
- Decorative or accent lighting

---

### Product features

- Selectable CCTs: 2700/3000/3500/4000/5000K
- Toggle switch located on the lamp to change between CCTs in the field
- Up to 110 LPW
- Environmentally preferred products: RoHS compliant and contain no mercury, lead or other hazardous materials
- 11,000 hours lifetime (L70)

## TECHNICAL DATA

### Electrical data

Nominal wattage	10 W
Construction wattage	10.00 W
Nominal voltage	120 V
Claimed equiv. conventional lamp power	75 W

### Photometrical data

Luminous flux	1100 lm
Luminous efficacy	110 lm/W
Color temperature	2700 K
Color rendering index Ra	80
Light color	827

### Dimensions & Weight

Overall length	112.00 mm
Diameter	60.00 mm
Product weight	43.00 g

### Additional product data

Base (standard designation)	E26
Mercury content	0.0 mg
NAED	42481

### Capabilities

Dimmable	No
----------	----

### Country-specific categorizations

Order reference	10W/8SC3 120V 4
-----------------	-----------------





### Energy labelling regulation data acc EU 2019/2015

Light source cap-type (or other electric interface)	E26
Length	112.00 mm
Height	60.00 mm
Width	60.00 mm

### Safety advice

- -4°F to +113°F (-20°C to +45°C)
- Suitable for damp locations.
- Non-dimmable.

## DOWNLOAD DATA

Spec Sheets and Product Documents		Document name
	Product information bulletin	LED612 SYLVANIA LAMPS Contractor Series 5CCT Selectable LED A19
	Product information bulletin	LED620 SYLVANIA LAMPS Contractor Series 5CCT Selectable LED family
Photometric and lighting design files		Document name
	IES file (IES)	Contractor Series Family 5CCT Aline IES FILES
	IES files (IES, additional)	Contractor Series Family 5CCT Aline LM79 FILES

## LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
0046135424816	Folding box 2	60 mm x 100 mm x 116 mm	117.00 g	0.70 dm <sup>3</sup>
4058118310012	Shipping box 8	271 mm x 120 mm x 130 mm	591.00 g	4.23 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

## DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.