

# PRODUCT DATASHEET

## Contractor Series Reflectors R20 5W DIM 10YR 3500K 2PK

SYLVANIA Contractor Series Reflectors | Entry Level LED Reflectors



---

### Areas of application

- Downlights, pendant fixtures, table lamps, wall sconces
- Healthcare, hospitality, residential, retail

---

### Product features

- 11,000 hours lifetime (L70)
- CRI of 80 ensures good color definition
- No warm-up time, instant-on with full light output and stable color
- Dimmable down to 10 %



## TECHNICAL DATA

### Electrical data

Nominal wattage	5 W
Construction wattage	5.00 W
Nominal voltage	120 V
Claimed equiv. conventional lamp power	50 W

### Photometrical data

Luminous flux	325 lm
Luminous efficacy	65 lm/W
Light color (designation)	Warm White
Color temperature	3500 K
Color rendering index Ra	80
Light color	835

### Dimensions & Weight

Overall length	95.00 mm
Diameter	64.01 mm
Product weight	53.00 g

### Temperatures & operating conditions

Ambient temperature range	-20...+45 °C
---------------------------	--------------

### Additional product data

Base (standard designation)	E26
Mercury content	0.0 mg
Mercury-free	Yes
Product remark	All technical parameters apply to the entire lamp / Due to the complex production process for light-emitting diodes, the typical values shown for the technical LED parameters are purely statistical values that do not necessarily match the actual technical parameters of each individual product, which can vary from the typical value
NAED	78030

### Capabilities

Dimmable	Yes
----------	-----

### Country-specific categorizations

Order reference	LED5R20DIM83510
-----------------	-----------------


### Energy labelling regulation data acc EU 2019/2015

Light source cap-type (or other electric interface)	E26
Length	95.00 mm
Height	64.01 mm
Width	64.01 mm

### Safety advice

- -4°F to +104°F (-20°C to +40°C)
- Not for use with emergency light fixtures or exit lights.
- Not for use in totally enclosed fixtures.

### DOWNLOAD DATA

Spec Sheets and Product Documents		Document name
	Product information bulletin	Contractor Series LED Reflector Lamps

### LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
0046135780301	Folding box 2	70 mm x 117 mm x 102 mm	142.00 g	0.83 dm <sup>3</sup>
4058118079223	Shipping box 12	251 mm x 229 mm x 111 mm	1049.00 g	6.37 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.