

PRODUCT DATASHEET Contractor Series Reflectors BR40 12W DIM 10YR 2700K 2PK

SYLVANIA Contactor Series Reflectors | Entry Level LED Reflectors



Areas of application

- Downlights, pendant fixtures, table lamps, wall sconces
- Healthcare, hospitality, residential, retail

Product features

- 11,000 hours lifetime (L70)
- CRI of 80 ensures good color definition
- No warm-up time, instant-on with full light output and stable color
- Dimmable down to 10 %



TECHNICAL DATA

Electrical data

Nominal wattage	12 W
Construction wattage	12.00 W
Nominal voltage	120 V
Operating frequency	5060 Hz
Mains frequency	5060 Hz

Photometrical data

Luminous flux	900 lm	
Luminous efficacy	75 lm/W	
Color temperature	2700 K	
Color rendering index Ra	80	
Light color	827	

Dimensions & Weight

Overall length	122.00 mm
Diameter	151.31 mm
Product weight	169.00 g

Additional product data

Base (standard designation)	E26	
Mercury-free	Yes	
Product remark	All technical parameters apply to the entire lamp / Due to the complex production process for light-emitting diodes, the typical values shown for the technical LED parameters are purely statistical values that do not necessarily match the actual technical parameters of each individual product, which can vary from the typical value	
NAED	79498	

Country-specific categorizations

Order reference	12W/827 120V 6X
-----------------	-----------------

Energy labelling regulation data acc EU 2019/2015

Light source cap-type (or other electric interface)	E26
Length	122.00 mm
Height	151.31 mm
Width	151.31 mm

Safety advice

- -4°F to +104°F (-20°C to +40°C)
- Not for use with emergency light fixtures or exit lights.
- Not for use in totally enclosed fixtures.

DOWNLOAD DATA

Spec Sheets and Product Documents Document name		Document name
PDF Product information bulletin		Contractor Series LED Reflector Lamps

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
0046135794988	Folding box 2	127 mm x 210 mm x 165 mm	456.00 g	4.39 dm ³
10046135794985	Shipping box 12	441 mm x 403 mm x 175 mm	3257.00 g	31.08 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.