

PRODUCT DATASHEET SPECIALTY LED LAMPS T6 4W E17 3000K 1PK

SYLVANIA Specialty LED Lamps | SYLVANIA LED Specialty lamps are a direct replacement for halogen lamps



Areas of application

- Downlights, pendant fixtures, table lamps, wall sconces
- Healthcare, hospitality, residential, retail
- Residential and commercial

Product features

- Available in a variety of shapes, sizes, and base configurations
- Available in 3000K CCT
- RoHS compliant, mercury and lead free
- UV and IR free

TECHNICAL DATA

Electrical data

Nominal wattage	4 W
Construction wattage	4.00 W
Nominal voltage	120 V
Claimed equiv. conventional lamp power	40 W

Photometrical data

Luminous flux	350 lm
Luminous efficacy	87 lm/W
Color temperature	3000 K
Color rendering index Ra	90
Light color	930

Dimensions & Weight

Overall length	85.85 mm
Diameter	24.89 mm
Product weight	12.2 g

Additional product data

Base (standard designation)	E17
Mercury content	0.0 mg

Capabilities

Country-specific categorizations

Order reference	CL 4W/930 120V
-----------------	----------------

Energy labelling regulation data acc EU 2019/2015

Light source cap-type (or other electric interface)	E17
Length	85.85 mm
Height	24.89 mm
Width	24.89 mm

Safety advice

- Suitable for damp locations.
- Non-dimmable.
- -4°F to +113°F (-20°C to +45°C)
- Not for use with emergency light fixtures or exit lights.

DOWNLOAD DATA

	Documents and certificates	Document name	
PDF	Product information bulletin	SYLVANIA LED Micro Specialty Lamps	

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058118265657	Blister 1	29 mm x 98 mm x 175 mm	24.00 g	0.49 dm ³
4058118250622	Shipping box 6	203 mm x 113 mm x 189 mm	291.00 g	4.33 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.