

PRODUCT DATASHEET

SPECIALTY LED LAMPS WEDGE 2W 3000K FR 1PK

SYLVANIA Specialty LED Lamps | SYLVANIA LED Specialty lamps are a direct replacement for halogen lamps



Areas of application

- Downlights, pendant fixtures, table lamps, wall sconces
- Healthcare, hospitality, residential, retail
- Residential and commercial

Product features

- Available in a variety of shapes, sizes, and base configurations
- Available in 3000K CCT
- RoHS compliant, mercury and lead free
- UV and IR free

TECHNICAL DATA

Electrical data

Nominal wattage	2 W
Construction wattage	2.00 W
Nominal voltage	12 V
Claimed equiv. conventional lamp power	25 W

Photometrical data

Luminous flux	160 lm
Luminous efficacy	80 lm/W
Color temperature	3000 K
Color rendering index Ra	80
Light color	830

Dimensions & Weight

Overall length	41.66 mm
Diameter	19.30 mm
Product weight	3.00 g

Additional product data

Mercury content	0.0 mg
-----------------	--------

Capabilities

Dimmable	No
----------	----

Country-specific categorizations

Order reference	2W/830 12V W2.1
-----------------	-----------------


Energy labelling regulation data acc EU 2019/2015

Length	41.66 mm
Height	19.30 mm
Width	19.30 mm

Safety advice

- Suitable for damp locations.
- Non-dimmable.
- -4°F to +113°F (-20°C to +45°C)
- Not for use with emergency light fixtures or exit lights.

DOWNLOAD DATA

Documents and certificates		Document name
	Product information bulletin	SYLVANIA LED Micro Specialty Lamps

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
0046135746642	Blister 1	25 mm x 98 mm x 149 mm	12.00 g	0.37 dm ³
10046135746649	Shipping box 6	164 mm x 116 mm x 164 mm	168.00 g	3.10 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.