

PRODUCT DATASHEET

ULTRA LED™ Glass PAR Lamps 4.5W PAR16 GU10 DIM 3000K FL 36 1PK

SYLVANIA ULTRA LED™ PAR Lamps | ULTRA LED PAR Lamps



Areas of application

- Downlights, pendant fixtures, table lamps, wall sconces
- Healthcare, hospitality, residential, retail

Product features

- Longer life than traditional halogen lamps
- Glass body with full optics – similar to halogen PAR lamps
- CRI of 80 ensures good color definition
- RoHS compliant, mercury and lead free
- Dimmable down to 10 %
- Wet rated

TECHNICAL DATA

Electrical data

Nominal wattage	4.5 W
Construction wattage	4.50 W
Nominal voltage	120 V
Claimed equiv. conventional lamp power	50 W

Photometrical data

Luminous flux	450 lm
Luminous efficacy	100 lm/W
Color temperature	3000 K
Color rendering index Ra	82
Light color	830

Dimensions & Weight

Overall length	61.19 mm
Diameter	50.04 mm
Product weight	44.00 g

Additional product data

Base (standard designation)	GU10
Mercury content	0.0 mg
NAED	41367

Capabilities

Dimmable	Yes
----------	-----

Country-specific categorizations

Order reference	SILV 4,5W/830 1
-----------------	-----------------

Energy labelling regulation data acc EU 2019/2015

Light source cap-type (or other electric interface)	GU10
Correlated colour temperature type	SINGLE_VALUE
Length	61.19 mm
Height	50.04 mm
Width	50.04 mm

Safety advice

- Suitable for wet locations.
- -4°F to +113°F (-20°C to +45°C)

- Not for use with emergency light fixtures or exit lights.
- Approved for use in enclosed fixtures.

DOWNLOAD DATA

Documents and certificates		Document name
	Product information bulletin	ULTRA LED Glass PAR Lamps

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
0046135413674	Folding box 1	57 mm x 76 mm x 114 mm	76.00 g	0.50 dm ³
10046135413671	Shipping box 6	197 mm x 168 mm x 124 mm	586.00 g	4.10 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.