

PRODUCT DATASHEET

F T5 4W CW

SYLVANIA Preheat T5 | Miniature preheat T5 lamps for magnetic ballast systems with starter use



Product features

- 6 inch lamps available in Cool White phosphor
- 9 inch lamps available in Cool White phosphor
- 12 inch lamps available in Soft (Warm) White and Cool White phosphor
- 21 inch lamps available in Soft (Warm) White and Cool White phosphor



TECHNICAL DATA

Electrical data

| | |
|-------------------------------------|---|
| Nominal wattage | 4 W |
| Construction wattage | 4.00 W |
| Rated lamp efficacy (HF data 25 °C) | Under clarification by authority and standardization body |

Photometrical data

| | |
|-------------------------------------|---|
| Luminous flux | 140 lm |
| Luminous efficacy | 35 lm/W |
| Color temperature | 4100 K |
| Color rendering index Ra | 60 |
| Light color | 641 |
| Rated lamp efficacy (HF data 25 °C) | Under clarification by authority and standardization body |

Dimensions & Weight

| | |
|----------------|-----------|
| Overall length | 135.90 mm |
| Diameter | 16.00 mm |
| Tube diameter | 16 mm |
| Product weight | 15.00 g |

Lifespan

| | |
|--------------|--------|
| Service life | 4500 h |
|--------------|--------|

Additional product data

| | |
|-----------------------------|---------------------------------|
| Base (standard designation) | G5 |
| Mercury content | 5.0 mg |
| Design / version | Basic T5 short tubular, G5 base |
| NAED | 21364 |

Country-specific categorizations

| | |
|-----------------|----------|
| Order reference | L 4W/640 |
|-----------------|----------|

Energy labelling regulation data acc EU 2019/2015

| | |
|---|-----------|
| Light source cap-type (or other electric interface) | G5 |
| Length | 135.90 mm |
| Height | 16.00 mm |

| | |
|-------|----------|
| Width | 16.00 mm |
|-------|----------|

Safety advice

- Starter required for operation.
- Operate on magnetic ballasts.

LOGISTICAL DATA

| Product code | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Gross weight | Volume |
|----------------|------------------------------|--------------------------------------|--------------|----------|
| 0046135213649 | Sleeve 1 | 154 mm x 19 mm x 19 mm | 20.00 g | 0.06 dm³ |
| 10046135213646 | Shipping box 25 | 165 mm x 103 mm x 109 mm | 557.00 g | 1.85 dm³ |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.